



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

AUGUST 5, 2021



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati
ecopati@bc.org.ar

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Ing. Juan Francisco de Aramburu
jdearamburu@bc.org.ar
 Wheat and Sunflower

Justo Fernández Vidal
jfernandez@bc.org.ar
 Corn

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
 Twitter: @estimacionesbc

ISSN 2408-4344t




I - NWA (North-West Argentina)
 II - NEA (North-East Argentina)
 III - North-Central Córdoba
 IV - South Córdoba
 V - North-Central Santa Fe
 VI - North Belt
 VII - South Belt
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires
 X - Central Buenos Aires
 XI - South-West de Buenos Aires - South La Pampa
 XII - South-East Buenos Aires
 XIII - San Luis
 XIV - Cuenca del Salado
 XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY




Findings of the survey conducted through August 4, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

WHEAT 2020/21



Wheat															
Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	I	II	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture condition, Crop condition & Development stages														Week 32	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested				
I - NOA	Drought	21/22	-	50,0	100,0	100,0	44,0	22,0	-	-	-	-	-	-	-
		20/21	-	48,0	100,0	82,0	36,0	5,0	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	84,0	38,2	8,4	-	-	-	-	-	-	-
II - NEA	Drought	21/22	8,0	70,0	100,0	74,0	32,0	-	-	-	-	-	-	-	-
		20/21	-	53,0	100,0	58,0	15,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	66,2	20,4	0,4	-	-	-	-	-	-	-
III - CN Cba	Drought	21/22	20,0	76,0	100,0	79,0	10,0	-	-	-	-	-	-	-	-
		20/21	-	41,0	100,0	54,0	5,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	70,0	11,0	-	-	-	-	-	-	-	-
IV - S Cba	Frost	21/22	53,0	91,0	100,0	62,0	9,0	-	-	-	-	-	-	-	-
		20/21	-	54,0	100,0	46,0	2,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	50,4	4,0	-	-	-	-	-	-	-	-
V - CN S Fe		21/22	80,0	93,0	100,0	62,0	7,0	-	-	-	-	-	-	-	-
		20/21	42,0	90,0	100,0	52,0	3,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	58,6	7,6	-	-	-	-	-	-	-	-
VI - Núcleo Norte	Frost	21/22	88,0	100,0	100,0	56,0	-	-	-	-	-	-	-	-	-
		20/21	-	65,0	100,0	51,0	2,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	55,8	9,0	-	-	-	-	-	-	-	-
VII - Núcleo Sur		21/22	60,0	100,0	100,0	47,0	-	-	-	-	-	-	-	-	-
		20/21	-	62,0	100,0	36,0	2,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	100,0	36,6	0,6	-	-	-	-	-	-	-	-
IX - N LP - O BA	Frost	21/22	23,0	85,0	100,0	33,0	-	-	-	-	-	-	-	-	-
		20/21	78,0	100,0	100,0	35,0	-	-	-	-	-	-	-	-	-
		16/21 Average	-	-	99,6	31,8	-	-	-	-	-	-	-	-	-
X - Ctro BA	Frost	21/22	90,0	-	98,2	-	-	-	-	-	-	-	-	-	-
		20/21	100,0	-	100,0	-	-	-	-	-	-	-	-	-	-
		16/21 Average	-	-	97,4	-	-	-	-	-	-	-	-	-	-
XI - SO BA - S LP	Frost	21/22	43,0	97,0	100,0	31,0	-	-	-	-	-	-	-	-	-
		20/21	100,0	100,0	98,2	32,0	36,0	-	-	-	-	-	-	-	
		16/21 Average	-	-	94,4	26,6	38,2	-	-	-	-	-	-	-	
XII - SE BA	Frost	21/22	85,0	-	98,3	-	-	-	-	-	-	-	-	-	-
		20/21	94,0	-	86,1	-	-	-	-	-	-	-	-	-	
		16/21 Average	-	-	87,6	-	-	-	-	-	-	-	-	-	
National		21/22	56,6	90,6	99,7	53,3	7,0	1,4	-	-	-	-	-	-	
		20/21	42,7	77,2	98,3	43,2	4,5	0,3	-	-	-	-	-		
		16/21 Average	-	-	98,5	47,7	6,9	0,5	-	-	-	-	-		

CORN 2020/21



EARLY CORN 2020/21

Early Corn															
Regional participation in the total national area (%)															
Regions	II	VI	I	VII	IX	X	VIII	XII	III	IV	V	XI	XIV	XIII	XV
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9
Moisture condition, Crop condition & Development stages														Week 32	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NOA		20/21	18,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	89,0				
		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	74,0				
II - NEA		20/21	27,0	74,0	100,0	100,0	100,0	100,0	100,0	100,0	84,0				
		19/20	100,0	92,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	75,4				
III - CN Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IV - S Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VI - Núcleo Norte		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VII - Núcleo Sur		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VIII - CE E. Ríos		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IX - N LP - O BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
X - Ctro BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,8				
XII - SE BA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	90,0				
National		20/21	25,8	74,4	100,0	100,0	100,0	100,0	100,0	100,0	94,8				
		19/20	100,0	92,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	93,3				

LATE CORN 2020/21

Late Corn															
Regional participation in the total national area (%)															
Regions	III	IV	IX	XIII	VIII	X	V	XII	VI	XI	VII	XIV	II	I	XV
Nat. Part. 2019/20	25,8	21,7	13,2	8,2	6,6	6,4	4,7	3,8	2,9	2,7	2,0	2,1	0,0	0,0	0,0
Hist. Nat. Part.	28,0	22,1	12,0	8,8	3,7	6,1	5,9	2,7	3,2	2,4	3,0	2,1	0,0	0,0	0,0
Moisture condition, Crop condition & Development stages														Week 32	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
III - CN Cba		20/21	61,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	84,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,0			
IV - S Cba		20/21	68,0	82,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	87,0			
		19/20	100,0	99,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	69,6			
V - CN S Fe		20/21	70,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	82,0			
		19/20	99,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	84,0			
VIII - CE E. Rios		20/21	55,0	6,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,8			
IX - N LP - S BA		20/21	77,0	80,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	76,0			
		19/20	96,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,4			
X - Ctro BA		20/21	100,0	83,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0			
		19/20	96,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	79,0			
XII - SE BA		20/21	70,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,0			
		19/20	94,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	52,6			
XIII - San Luis		20/21	82,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	77,8			
National		20/21	71,3	84,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	83,5			
		19/20	97,0	94,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,7			