



# CCDS

CROP CONDITION AND DEVELOPMENT STAGES

**JUNE 23, 2022**



## DEPARTAMENT & REGIONS

### CROP ANALYST

Ing. Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

### CROP ANALYST

Ing. Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)

### CROP ANALYST


Ing. Andrés Paterniti  
[apaterniti@bc.org.ar](mailto:apaterniti@bc.org.ar)

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Jorgelina Mediate  
[jmediate@bc.org.ar](mailto:jmediate@bc.org.ar)

Joaquín Pellejero  
[jpellejero@bc.org.ar](mailto:jpellejero@bc.org.ar)

Agustín Podesta  
[apodesta@bc.org.ar](mailto:apodesta@bc.org.ar)



### CONTACT

Av. Corrientes 123  
C1043AAB - CABA  
Tel.: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc


ISSN 2408-4344t

I - NWA (North-West Argentina)  
II - NEA (North-East Argentina)  
III - North-Central Córdoba  
IV - South Córdoba  
V - North-Central Santa Fe  
VI - North Belt  
VII - South Belt  
VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires  
X - Central Buenos Aires  
XI - South-West de Buenos Aires - South La Pampa  
XII - South-East Buenos Aires  
XIII - San Luis  
XIV - Cuenca del Salado  
XV - Others

*We appreciate the contribution of our Network of Collaborators throughout the country.*




## RECENT ADVERSE EVENTS



## METHODOLOGY

Findings of the survey conducted through June 22, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## WHEAT 2022/23








## SOYBEAN 2021/22

Regional participation in the total national area (%)															
Regions	VII	VI	IX	III	II	IV	I	V	VIII	XII	X	XI	XIII	XIV	XV
Nat. Part. 2021/22	13,5	12,8	11,3	10,4	9,7	10,2	6,9	6,3	6,2	3,1	4,2	2,2	1,4	1,0	0,5
Hist. Nat. Part.	13,0	13,5	10,9	11,1	8,7	9,5	6,1	6,5	6,3	5,0	4,3	2,0	1,5	1,1	0,4
Moisture condition, Crop condition & Development stages														Week 26	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8			
II - NEA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,9			
III - NC Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IV - S Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5			
V - NC S Fe		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8			
VI - North Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VII - South Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VIII - CE E. Rios		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IX - N LP - W BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,9			
XII - SE BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,8			
National		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4			

## Soybean 2021/22 Development in Argentina

Crop Condition: ■ Poor/Very poor ■ Fair ■ Excellent/Good  
 Development Stages: — Planting — Leaves Development — Beginning Bloom — Beginning Pod — Beginning Seed — Mature — Harvest



Moisture Condition: ■ Dry/Poor ■ Favourable/Optimum ■ Wet

Source: Department of Agricultural Estimates - Buenos Aires Grain Exchange


As of June 22, 2022

## FIRST SOYBEAN 2021/22

Regional participation in the total national area (%)																
Regions	VII	VI	III	IX	IV	II	I	VIII	V	X	XII	XIII	XIV	XI	XV	
Nat. Part. 2021/22	13,6	12,2	11,7	11,8	11,5	10,3	8,0	6,8	6,1	2,8	1,4	2,1	0,6	0,6	0,5	
Hist. Nat. Part.	13,8	13,2	11,5	11,4	10,2	9,5	6,2	7,2	6,2	3,5	3,4	2,0	0,9	0,7	0,4	
Moisture condition, Crop condition & Development stages															Week 26	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested					
I - NWA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8			
II - NEA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0			
III - NC Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IV - S Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5			
V - NC S Fe		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VI - North Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VII - South Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VIII - CE E. Rios		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IX - N LP - W BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,1			
National		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6			



### First Soybean 2021/22 Development in Argentina




Source: Department of Agricultural Estimates - Buenos Aires Grain Exchange

As of June 22, 2022

## SECOND SOYBEAN 2021/22

Regional participation in the total national area (%)															
Regions	VI	VII	IX	II	III	IV	XII	V	X	I	VIII	XI	XIV	XV	XIII
Nat. Part. 2021/22	13,9	13,4	10,4	8,6	7,9	7,8	6,4	6,8	6,9	5,0	5,3	5,3	1,8	0,4	0,2
Hist. Nat. Part.	14,2	10,8	9,8	6,9	10,1	7,6	8,9	7,3	6,4	6,0	4,3	5,2	1,7	0,4	0,2
Moisture condition, Crop condition & Development stages														Week 26	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
II - NEA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,8			
III - NC Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IV - S Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4			
V - NC S Fe		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5			
VI - North Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VII - South Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VIII - CE E. Rios		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,9			
IX - N LP - W BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,4			
X - Central BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,5			
XII - SE BA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,4			
National		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,8			




## Second Soybean 2021/22 Development in Argentina



Source: Department of Agricultural Estimates - Buenos Aires Grain Exchange

As of June 22, 2022

**CORN 2021/22**



Regional participation in the total national area (%)															
Regions	III	IV	IX	II	VI	VII	I	X	VIII	XIII	XII	V	XI	XIV	XV
Nat. Part. 2021/22	13,7	11,8	10,3	9,9	9,0	6,9	5,8	4,9	4,7	4,5	3,6	3,6	2,4	1,7	0,5
Hist. Nat. Part.	14,5	12,4	10,7	11,0	10,0	7,9	6,4	5,1	4,6	4,9	3,6	3,8	2,7	1,8	0,5
Moisture condition, Crop condition & Development stages													Week 26		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		21/22	36,0	62,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	14,0			
		20/21	51,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	27,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	22,8			
II - NEA		21/22	70,0	80,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	10,0			
		20/21	57,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	32,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	28,2			
III - NC Cba		21/22	41,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	30,1			
		20/21	67,0	79,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	25,1			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	43,7			
IV - S Cba		21/22	45,0	71,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,6			
		20/21	76,0	74,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	31,2			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	47,3			
VI - North Belt		21/22	55,0	82,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	87,0			
		20/21	77,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,2			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	93,5			
VII - South Belt		21/22	66,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	88,8			
		20/21	73,0	62,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	93,2			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	92,8			
VIII - CE E. Rios		21/22	78,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	46,2			
		20/21	32,0	26,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	63,9			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	77,4			
IX - N LP - W BA		21/22	68,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	50,1			
		20/21	72,0	84,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	54,1			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	66,0			
X - Central BA		21/22	88,1	83,9	100,0	100,0	100,0	100,0	100,0	100,0	100,0	41,5			
		20/21	88,1	91,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	50,9			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	59,4			
XII - SE BA		21/22	82,7	52,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,8			
		20/21	66,6	76,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	46,2			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	49,9			
XIII - San Luis		21/22	25,0	45,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	29,2			
		20/21	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,8			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	45,9			
National		21/22	56,3	75,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	42,3			
		20/21	68,7	79,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	47,6			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	55,7			





## LATE CORN 2021/22

Regional participation in the total national area (%)															
Regions	III	IV	IX	XIII	X	VIII	V	XII	VI	XI	VII	XIV	II	I	XV
Nat. Part. 2021/22	25,7	21,9	13,5	8,5	6,1	5,9	4,8	4,1	2,8	2,7	2,0	2,0	0,0	0,0	0,0
Hist. Nat. Part.	27,6	22,1	12,3	8,8	6,0	4,5	5,4	3,3	2,8	2,6	2,4	2,0	0,0	0,0	0,0
Moisture condition, Crop condition & Development stages													Week 26		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
III - NC Cba		21/22	41,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	25,0			
		20/21	67,0	79,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	17,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	34,6			
IV - S Cba		21/22	45,0	71,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	28,0			
		20/21	76,0	74,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	22,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,5			
V - NC S Fe		21/22	45,0	80,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	18,0			
		20/21	79,0	83,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	13,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	29,0			
VIII - EC E. Rios		21/22	78,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	14,0			
		20/21	32,0	26,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	42,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	48,6			
IX - N LP - W BA		21/22	68,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	24,0			
		20/21	72,0	84,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	24,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	35,2			
X - Central BA		21/22	88,0	84,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	5,0			
		20/21	89,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	22,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	27,2			
XII - SE BA		21/22	83,0	51,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	1,0			
		20/21	68,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	18,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	9,8			
XIII - San Luis		21/22	25,0	45,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	24,0			
		20/21	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	25,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,6			
National		21/22	55,1	76,4	100,0	100,0	100,0	100,0	100,0	100,0	100,0	21,0			
		20/21	73,3	78,5	100,0	100,0	100,0	100,0	100,0	100,0	100,0	22,7			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,8			