

CROP CONDITION & DEVELOPMENT STAGES


JANUARY, 10
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through January 9, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	65,0	87,0	91,0	68,0
II	NEA	50,0	50,0	77,0	67,2
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	98,6
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		94,7	96,0	98,0	95,8

First Soybean Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	38,0	46,0	16,0
II	NEA	-	10,0	57,0	33,0	-
III	Ctro N Cba	-	1,0	33,0	59,0	7,0
IV	S Cba	-	12,0	50,0	33,0	5,0
V	Ctro N SFe	1,0	6,0	51,0	42,0	-
VI	Núcleo Norte	-	6,0	31,0	44,0	19,0
VII	Núcleo Sur	-	3,0	32,0	53,0	12,0
VIII	Ctro E ER	4,0	22,0	45,0	29,0	-
IX	N LP-OBA	3,0	12,0	39,0	41,0	5,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	42,0	46,0	6,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	7,5	40,0	43,9	7,8
Nat. Jan. 10, 2018		0,5	20,6	35,6	40,9	2,3

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	5,0	47,0	41,0	7,0
II	NEA	-	-	29,0	48,0	23,0
III	Ctro N Cba	-	1,0	66,0	28,0	5,0
IV	S Cba	-	16,0	69,0	15,0	-
V	Ctro N SFe	-	-	48,0	33,0	19,0
VI	Núcleo Norte	-	-	28,0	54,0	18,0
VII	Núcleo Sur	-	-	33,0	51,0	16,0
VIII	Ctro E ER	-	-	38,0	28,0	34,0
IX	N LP-OBA	-	-	47,0	40,0	13,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	14,0	59,0	27,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	2,7	45,7	37,8	13,8
Nat. Jan. 10, 2018		3,8	36,7	58,0	1,4	-

First Soybean Leaf Development: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	22,0	39,0	50,0	23,8
II	NEA	29,0	34,0	45,0	30,0
III	Ctro N Cba	95,0	73,0	85,0	88,0
IV	S Cba	100,0	85,0	95,0	98,5
V	Ctro N SFe	90,0	73,0	85,0	87,4
VI	Núcleo Norte	100,0	95,0	100,0	95,4
VII	Núcleo Sur	100,0	96,0	100,0	99,0
VIII	Ctro E ER	100,0	86,0	96,0	98,4
IX	N LP-OBA	97,0	90,0	99,0	99,4
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	97,0	71,0	82,0	88,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		89,2	80,1	88,9	86,2

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Pod: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	20,0	5,0	15,0	18,8
IV	S Cba	20,0	-	11,0	16,2
V	Ctro N SFe	10,0	-	-	15,6
VI	Núcleo Norte	20,0	8,0	19,0	15,4
VII	Núcleo Sur	10,0	-	9,0	11,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		7,3	1,2	5,4	7,0

First Soybean Beginning Bloom: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	2,0	-
II	NEA	-	-	-	-
III	Ctro N Cba	63,0	35,0	46,0	57,0
IV	S Cba	62,0	39,0	50,0	52,2
V	Ctro N SFe	59,0	25,0	38,0	51,6
VI	Núcleo Norte	80,0	51,0	63,0	67,0
VII	Núcleo Sur	70,0	43,0	55,0	62,0
VIII	Ctro E ER	20,0	6,0	16,0	13,7
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		53,7	31,7	42,1	47,5

CROP CONDITION & DEVELOPMENT STAGES

Second soybean

Second Soybean Planted: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	65,0	45,0	75,0	68,0
II	NEA	50,0	35,0	68,0	67,2
III	Ctro N Cba	100,0	97,0	98,0	100,0
IV	S Cba	100,0	98,0	100,0	100,0
V	Ctro N SFe	100,0	94,0	94,5	98,6
VI	Núcleo Norte	100,0	98,0	99,0	100,0
VII	Núcleo Sur	100,0	85,0	96,0	100,0
VIII	Ctro E ER	100,0	70,0	90,0	100,0
IX	N LP-OBA	100,0	80,0	94,0	100,0
X	Ctro Bs As	100,0	61,0	92,0	100,0
XI	SO BA-S LP	100,0	80,0	95,0	100,0
XII	SE BA	100,0	36,0	90,0	100,0
XIII	San Luis	100,0	75,0	87,0	100,0
XIV	Cuenca Sal	100,0	45,0	68,0	100,0
XV	Others	100,0	65,0	88,0	100,0
National		94,7	75,5	91,9	95,8

Second Soybean Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	38,0	46,0	16,0
II	NEA	-	10,0	57,0	33,0	-
III	Ctro N Cba	-	3,0	52,0	45,0	-
IV	S Cba	-	6,0	52,0	35,0	7,0
V	Ctro N SFe	1,0	13,0	52,0	34,0	-
VI	Núcleo Norte	-	9,0	43,0	44,0	4,0
VII	Núcleo Sur	2,0	12,0	53,0	33,0	-
VIII	Ctro E ER	7,0	56,0	37,0	-	-
IX	N LP-OBA	2,0	13,0	45,0	37,0	3,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	2,0	60,0	34,0	4,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	9,6	49,2	37,1	3,4
Nat. Jan. 10, 2018		0,7	29,2	37,9	32,1	-

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Moisture Condition: as of January 09, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	6,0	46,0	41,0	7,0
II NEA	-	-	29,0	48,0	23,0
III Ctro N Cba	-	6,0	62,0	26,0	6,0
IV S Cba	-	23,0	62,0	15,0	-
V Ctro N SFe	-	-	42,0	35,0	23,0
VI Núcleo Norte	-	-	31,0	53,0	16,0
VII Núcleo Sur	-	-	34,0	45,0	21,0
VIII Ctro E ER	-	-	44,0	17,0	39,0
IX N LP-OBA	-	-	46,0	37,0	17,0
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	13,0	66,0	21,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	4,2	46,6	35,4	13,8
Nat. Jan. 10, 2018	6,0	38,1	55,0	1,0	-

Second Soybean Leaf Development: as of January 09, 2019

Regions	January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I NOA	15,0	18,0	30,0	20,0
II NEA	10,0	10,0	23,0	25,0
III Ctro N Cba	75,0	69,0	73,0	73,6
IV S Cba	66,0	65,0	64,0	65,0
V Ctro N SFe	68,0	60,0	66,0	66,4
VI Núcleo Norte	84,0	59,0	81,0	78,0
VII Núcleo Sur	67,0	46,0	65,0	68,2
VIII Ctro E ER	66,0	45,0	64,0	75,0
IX N LP-OBA	70,0	64,0	71,0	65,3
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	32,0	30,0	42,0	29,2
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	55,8	45,9	60,7	54,9

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Beginning Bloom: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	5,0	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	7,0	-	-	8,0
VII	Núcleo Sur	5,0	-	-	5,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,4	-	0,4	1,4

Soybean

Soybean Planted: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	65,0	72,8	85,6	66,7
II	NEA	51,6	45,3	74,2	65,3
III	Ctro N Cba	100,0	99,2	99,5	99,6
IV	S Cba	100,0	99,5	100,0	99,8
V	Ctro N SFe	97,3	97,9	98,1	97,2
VI	Núcleo Norte	100,0	99,4	99,7	99,8
VII	Núcleo Sur	100,0	96,3	99,0	99,9
VIII	Ctro E ER	100,0	93,7	97,9	99,7
IX	N LP-OBA	100,0	95,1	98,5	99,4
X	Ctro Bs As	100,0	81,4	96,2	98,1
XI	SO BA-S LP	100,0	86,2	96,6	90,0
XII	SE BA	100,0	64,7	94,5	92,6
XIII	San Luis	100,0	98,6	99,3	100,0
XIV	Cuenca Sal	100,0	64,3	79,2	99,0
XV	Others	100,0	82,8	94,1	99,6
National		94,3	89,7	96,1	94,3

CROP CONDITION & DEVELOPMENT STAGES

Soybean Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	38,0	46,0	16,0
II	NEA	-	10,0	57,0	33,0	-
III	Ctro N Cba	-	1,5	37,9	55,4	5,2
IV	S Cba	-	10,6	50,5	33,5	5,5
V	Ctro N SFe	1,0	8,4	51,3	39,3	-
VI	Núcleo Norte	-	6,9	34,7	44,0	14,3
VII	Núcleo Sur	0,5	5,1	37,0	48,3	9,2
VIII	Ctro E ER	4,6	28,6	43,5	23,4	-
IX	N LP-OBA	2,8	12,2	40,4	40,1	4,5
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	42,0	46,0	6,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	8,3	42,1	42,2	6,6
Nat..Jan. 10, 2018		0,6	23,1	36,2	38,5	1,7

Soybean Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	5,3	46,7	41,0	7,0
II	NEA	-	-	29,0	48,0	23,0
III	Ctro N Cba	-	2,3	65,0	27,5	5,3
IV	S Cba	-	17,7	67,3	15,0	-
V	Ctro N SFe	-	-	46,0	33,7	20,3
VI	Núcleo Norte	-	-	28,9	53,7	17,4
VII	Núcleo Sur	-	-	33,2	49,6	17,2
VIII	Ctro E ER	-	-	39,2	25,9	35,0
IX	N LP-OBA	-	-	46,8	39,3	13,9
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	14,0	59,0	27,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	3,2	45,7	37,4	13,8
Nat..Jan. 10, 2018		4,5	37,1	57,1	1,3	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Leaf Development: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	83,3	68,4	78,3	80,0
VI	Núcleo Norte	95,7	83,7	94,0	89,9
VII	Núcleo Sur	93,5	83,8	91,4	91,5
VIII	Ctro E ER	66,8	49,3	60,8	56,9
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	66,8	49,3	60,8	56,9
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		69,1	69,7	75,8	73,5

Soybean Beginning Bloom: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	1,3	-
II	NEA	-	-	-	-
III	Ctro N Cba	44,4	25,8	33,9	42,0
IV	S Cba	48,8	29,6	39,2	39,7
V	Ctro N SFe	41,1	16,2	24,7	33,5
VI	Núcleo Norte	60,2	35,0	43,2	48,5
VII	Núcleo Sur	57,3	32,5	41,5	48,1
VIII	Ctro E ER	49,6	21,3	30,0	40,0
IX	N LP-OBA	38,9	28,7	37,8	43,9
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	10,7	2,8	7,5	6,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		38,7	21,9	29,1	33,3

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Pod: as of January 09, 2019

Regions	January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	14,1	3,7	11,0	13,8
IV S Cba	15,7	-	8,4	12,3
V Ctro N SFe	7,0	-	-	10,1
VI Núcleo Norte	14,6	5,5	13,0	10,6
VII Núcleo Sur	8,0	-	6,8	8,3
VIII Ctro E ER	0,8	-	-	2,7
IX N LP-OBA	3,9	-	4,5	7,1
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	7,3	1,2	5,4	7,0

Early Corn

Early Corn Planted: as of January 09, 2019

Regions	January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I NOA	30,0	42,0	55,0	35,4
II NEA	36,0	33,0	38,0	42,3
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	100,0
XV Others	100,0	100,0	100,0	100,0
National	77,9	79,1	81,7	80,9

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	3,0	45,0	44,0	8,0
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	6,0	39,0	45,0	10,0
IV	S Cba	1,0	17,0	44,0	35,0	3,0
V	Ctro N SFe	-	7,0	29,0	48,0	16,0
VI	Núcleo Norte	-	2,0	26,0	55,0	17,0
VII	Núcleo Sur	-	-	22,0	59,0	19,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	4,0	39,0	48,0	8,0
X	Ctro Bs As	1,0	8,0	45,0	38,0	8,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	4,0	47,0	45,0	4,0
XIII	San Luis	2,0	25,0	47,0	26,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,3	4,9	36,1	47,7	11,0
Nat.Jan. 10, 2018		12,2	19,7	25,9	40,0	2,3

Early Corn Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	41,0	53,0	6,0
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	8,0	64,0	27,0	1,0
IV	S Cba	-	28,0	58,0	14,0	-
V	Ctro N SFe	-	-	31,0	57,0	12,0
VI	Núcleo Norte	-	-	41,0	55,0	4,0
VII	Núcleo Sur	-	-	43,0	51,0	6,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	48,0	43,0	9,0
X	Ctro Bs As	-	-	39,0	51,0	10,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	9,0	68,0	22,0	-
XIII	San Luis	-	16,0	67,0	17,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	2,8	45,8	44,9	6,4
Nat.Jan. 10, 2018		4,3	33,9	59,7	2,2	-

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		69,1	69,7	75,8	73,5

Early Corn Pollination: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	95,0	100,0	100,0	96,0
IV	S Cba	100,0	100,0	100,0	98,8
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	89,0	85,0	98,0	94,8
X	Ctro Bs As	78,0	71,0	93,0	91,8
XI	SO BA-S LP	-	-	-	-
XII	SE BA	30,0	16,0	30,0	34,4
XIII	San Luis	79,0	70,0	80,0	86,8
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		59,4	57,2	61,2	63,4

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	75,0	84,0	95,0	85,0
IV	S Cba	74,0	82,0	97,0	88,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	85,0	98,0	100,0	95,4
VII	Núcleo Sur	88,0	93,0	98,0	95,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	82,0	63,0	93,0	91,0
X	Ctro Bs As	50,0	49,0	70,0	67,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	8,0	6,0	15,0	13,8
XIII	San Luis	55,0	35,0	65,0	61,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		48,8	50,1	57,4	56,7

Early Corn Grain Growth: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	1,0	5,0	18,0	8,0
IV	S Cba	2,0	1,0	5,0	4,0
V	Ctro N SFe	38,0	59,0	58,0	60,5
VI	Núcleo Norte	12,0	14,0	26,0	29,4
VII	Núcleo Sur	12,0	9,0	15,0	13,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	5,0	-	2,0	4,2
X	Ctro Bs As	1,0	-	1,0	0,6
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	1,0	4,0	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		6,2	6,7	10,5	10,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Mature: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	1,0	0,2
IV	S Cba	-	-	-	-
V	Ctro N SFe	5,0	3,0	11,0	13,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		0,2	0,1	0,7	0,5

Late Corn

Late Corn Planted: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	96,0	90,0	95,0	91,2
IV	S Cba	98,0	95,0	97,0	95,0
V	Ctro N SFe	75,0	35,0	40,0	68,6
VI	Núcleo Norte	100,0	90,0	96,0	97,8
VII	Núcleo Sur	95,0	90,0	92,0	97,7
VIII	Ctro E ER	93,0	38,0	60,0	89,6
IX	N LP-OBA	95,0	92,0	96,0	97,8
X	Ctro Bs As	96,0	95,0	98,0	99,2
XI	SO BA-S LP	100,0	90,0	95,0	99,6
XII	SE BA	100,0	88,0	92,0	99,0
XIII	San Luis	98,0	95,0	98,0	95,6
XIV	Cuenca Sal	97,0	90,0	95,0	99,4
XV	Others	-	-	-	-
National		95,2	87,2	91,5	93,1

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	63,0	35,0	2,0
IV	S Cba	-	3,0	44,0	46,0	7,0
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	3,0	50,0	39,0	8,0
VII	Núcleo Sur	-	6,0	49,0	39,0	6,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	6,0	47,0	41,0	5,0
X	Ctro Bs As	1,0	26,0	32,0	32,0	9,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	6,0	55,0	34,0	4,0
XIII	San Luis	1,0	15,0	48,0	29,0	7,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,6	6,2	50,5	37,8	5,0
Nat.Jan. 10, 2018		23,2	22,9	27,0	25,6	1,3

Late Corn Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	28,0	57,0	11,0	4,0
IV	S Cba	-	22,0	63,0	15,0	-
V	Ctro N SFe	-	-	42,0	45,0	13,0
VI	Núcleo Norte	-	-	45,0	44,0	11,0
VII	Núcleo Sur	-	-	39,0	48,0	13,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	48,0	38,0	14,0
X	Ctro Bs As	-	-	42,0	42,0	16,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	19,0	51,0	29,0	-
XIII	San Luis	-	22,0	61,0	17,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	16,2	53,8	23,7	6,2
Nat.Jan. 10, 2018		12,9	39,4	44,3	3,4	-

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of January 09, 2019

Regions	January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I NOA	30,0	42,0	55,0	35,4
II NEA	36,0	33,0	38,0	42,3
III Ctro N Cba	96,6	91,5	95,8	94,0
IV S Cba	98,4	96,0	97,6	97,8
V Ctro N SFe	83,8	57,8	61,0	82,5
VI Núcleo Norte	100,0	98,7	99,5	99,5
VII Núcleo Sur	99,0	98,5	98,8	99,5
VIII Ctro E ER	97,2	75,2	84,0	96,2
IX N LP-OBA	97,5	96,0	98,0	99,3
X Ctro Bs As	97,6	97,3	98,9	99,5
XI SO BA-S LP	100,0	95,0	97,5	99,9
XII SE BA	100,0	94,0	96,0	99,9
XIII San Luis	98,4	96,0	98,4	97,7
XIV Cuenca Sal	98,2	94,5	97,3	99,6
XV Others	67,0	100,0	100,0	86,5
National	85,8	82,7	86,1	86,8

Corn Condition: as of January 09, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	3,0	45,0	44,0	8,0
II NEA	-	-	-	-	-
III Ctro N Cba	-	0,9	59,2	36,6	3,3
IV S Cba	0,2	5,9	44,0	43,7	6,2
V Ctro N SFe	0,4	5,3	36,2	48,4	9,6
VI Núcleo Norte	-	2,1	29,0	53,0	15,9
VII Núcleo Sur	-	0,8	25,8	56,2	17,2
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	1,0	5,0	42,9	44,6	6,5
X Ctro Bs As	1,0	17,8	37,9	34,7	8,5
XI SO BA-S LP	-	-	-	-	-
XII SE BA	0,5	5,0	50,8	39,7	4,0
XIII San Luis	1,2	17,0	47,8	28,4	5,6
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,4	5,5	43,0	43,0	8,1
Nat. Jan. 10, 2018	11,4	28,2	31,2	26,4	2,9

CROP CONDITION & DEVELOPMENT STAGES

Corn Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	41,0	53,0	6,0
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	24,9	58,1	13,5	3,5
IV	S Cba	-	23,2	62,0	14,8	-
V	Ctro N SFe	-	-	35,7	51,9	12,4
VI	Núcleo Norte	-	-	41,5	53,6	4,9
VII	Núcleo Sur	-	-	42,4	50,6	7,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	48,0	40,6	11,4
X	Ctro Bs As	-	-	40,6	46,1	13,3
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	13,8	59,9	25,4	-
XIII	San Luis	-	20,8	62,2	17,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	9,2	49,7	34,8	6,3
Nat.Jan. 10, 2018		-	41,5	52,4	6,1	-

Sunflower

Sunflower Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	18,0	46,0	31,0	5,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	11,0	47,0	38,0	4,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	2,0	11,0	36,0	42,0	9,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	3,0	5,0	36,0	42,0	14,0
XII	SE BA	3,0	4,0	31,0	52,0	10,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	4,0	35,0	40,0	21,0
XV	Others	-	-	-	-	-
National		2,0	7,9	37,3	42,6	10,2
Nat.Jan. 10, 2018		-	21,8	28,3	33,4	16,5

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	35,0	43,0	22,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	34,0	45,0	21,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	41,0	44,0	15,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	4,0	44,0	47,0	5,0
XII	SE BA	2,0	15,0	71,0	12,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	39,0	38,0	23,0
XV	Others	-	-	-	-	-
National		0,6	5,6	47,4	35,9	10,5
Nat.Jan. 10, 2018		12,6	31,5	49,9	6,0	-

Sunflower Flowerbud Stage: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	92,0	71,0	86,0	96,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	65,0	31,0	50,0	66,2
XII	SE BA	70,0	33,0	51,0	65,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	87,0	72,0	83,0	89,0
XV	Others	-	-	-	-
National		83,2	66,4	76,2	81,6

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	52,0	29,0	46,0	51,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	40,0	-	16,0	28,0
XII	SE BA	48,0	4,0	22,0	35,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	38,0	48,0	62,0	36,6
XV	Others	-	-	-	-
National		65,8	47,8	57,9	55,9

Sunflower Seed Development: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	88,0	100,0	100,0	97,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	17,0	2,0	15,0	12,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	3,0	-	-	2,4
XII	SE BA	10,0	-	-	2,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	14,0	-	13,0	12,2
XV	Others	-	-	-	-
National		41,1	39,2	41,9	34,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	95,0	92,0	100,0	99,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	72,0	63,0	76,0	73,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		31,7	30,7	34,7	27,0

Sunflower Harvested: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	70,0	52,0	63,0	57,8
III	Ctro N Cba	10,0	-	8,0	6,0
IV	S Cba	-	-	-	-
V	Ctro N SFe	32,0	18,0	30,0	17,3
VI	Núcleo Norte	4,0	-	5,0	1,8
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,6	14,5	18,8	12,5

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of January 09, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	4,0	20,0	38,0	32,0	6,0
XI	SO BA-S LP	5,0	15,0	35,0	37,0	8,0
XII	SE BA	4,0	6,0	31,0	45,0	14,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		4,3	9,5	32,6	41,8	11,7
Nat.Jan. 10, 2018		-	13,7	32,7	53,6	-

Wheat Moisture Condition: as of January 09, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	21,0	68,0	11,0
XI	SO BA-S LP	-	6,0	65,0	27,0	2,0
XII	SE BA	-	15,0	67,0	18,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	11,5	63,9	23,3	1,2
Nat.Jan. 10, 2018		11,3	60,0	28,7	-	-

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	99,6
XI	SO BA-S LP	100,0	84,0	100,0	100,0
XII	SE BA	100,0	83,0	100,0	99,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	97,0	100,0	100,0

Wheat Harvested: as of January 09, 2019

Regions		January 10, 2018 %	January 02, 2019 %	January 09, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	85,0	100,0	99,0
X	Ctro Bs As	100,0	78,0	96,0	95,8
XI	SO BA-S LP	95,0	70,0	85,0	91,4
XII	SE BA	90,0	55,0	70,0	77,8
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	90,0	98,0	95,8
XV	Others	100,0	100,0	100,0	100,0
National		98,5	90,6	95,6	96,0