

CROP CONDITION & DEVELOPMENT STAGES


NOVEMBER, 22
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGE ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through November 21, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of November 21, 2018

Regions	November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I NOA	-	0,1	0,5	0,2
II NEA	-	-	0,2	2,1
III Ctro N Cba	18,0	9,5	15,0	19,4
IV S Cba	57,0	32,0	60,0	51,2
V Ctro N SFe	39,0	6,3	18,0	29,4
VI Núcleo Norte	88,0	60,0	65,0	76,6
VII Núcleo Sur	75,0	64,0	70,0	70,4
VIII Ctro E ER	54,0	28,0	33,0	46,0
IX N LP-OBA	50,0	34,0	70,0	53,0
X Ctro Bs As	30,0	28,0	36,0	46,6
XI SO BA-S LP	15,0	1,0	17,0	28,5
XII SE BA	30,0	15,0	18,0	38,7
XIII San Luis	40,0	38,0	50,0	35,0
XIV Cuenca Sal	42,0	18,0	26,0	46,4
XV Others	48,0	23,0	50,0	35,4
National	47,9	31,4	42,8	45,3

First Soybean Condition: as of November 21, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	100,0	-	-
II NEA	-	-	100,0	-	-
III Ctro N Cba	1,0	11,0	64,0	24,0	-
IV S Cba	-	5,0	65,0	30,0	-
V Ctro N SFe	-	25,0	75,0	-	-
VI Núcleo Norte	-	25,0	75,0	-	-
VII Núcleo Sur	11,0	34,0	43,0	12,0	-
VIII Ctro E ER	8,0	30,0	47,0	15,0	-
IX N LP-OBA	-	10,0	46,0	44,0	-
X Ctro Bs As	-	7,0	68,0	25,0	-
XI SO BA-S LP	-	-	100,0	-	-
XII SE BA	-	-	100,0	-	-
XIII San Luis	-	-	80,0	20,0	-
XIV Cuenca Sal	-	-	100,0	-	-
XV Others	-	-	100,0	-	-
National	3,5	20,7	58,7	17,1	-
Nat. Nov. 22, 2017	-	1,2	28,4	70,2	0,2

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of November 21, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	56,0	44,0	-
II NEA	-	-	43,0	42,0	15,0
III Ctro N Cba	12,0	36,0	52,0	-	-
IV S Cba	-	-	52,0	48,0	-
V Ctro N SFe	-	-	69,0	11,0	20,0
VI Núcleo Norte	-	-	20,0	72,0	8,0
VII Núcleo Sur	-	12,0	67,0	11,0	10,0
VIII Ctro E ER	-	-	35,0	45,0	20,0
IX N LP-OBA	-	-	10,0	90,0	-
X Ctro Bs As	-	-	70,0	13,0	17,0
XI SO BA-S LP	-	10,0	60,0	20,0	10,0
XII SE BA	-	-	65,0	25,0	10,0
XIII San Luis	-	20,0	80,0	-	-
XIV Cuenca Sal	-	-	35,0	25,0	40,0
XV Others	-	-	100,0	-	-
National	0,9	5,9	43,2	42,9	7,1
Nat.Nov. 22, 2017	-	35,0	51,2	13,4	0,4

Soybean

Soybean Planted: as of November 21, 2018

Regions	November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I NOA	-	0,1	0,3	0,2
II NEA	-	-	0,1	1,7
III Ctro N Cba	12,7	7,0	11,0	15,7
IV S Cba	44,9	24,3	45,6	44,4
V Ctro N SFe	27,2	4,1	11,7	22,4
VI Núcleo Norte	64,2	41,2	44,6	65,1
VII Núcleo Sur	60,3	48,3	52,9	61,0
VIII Ctro E ER	44,6	22,1	26,1	40,3
IX N LP-OBA	38,9	25,7	53,0	41,5
X Ctro Bs As	12,4	14,6	18,8	32,3
XI SO BA-S LP	3,9	0,3	5,3	8,1
XII SE BA	15,8	6,7	8,1	21,5
XIII San Luis	38,3	35,9	47,2	34,0
XIV Cuenca Sal	7,0	6,3	9,1	29,5
XV Others	30,0	11,7	25,4	25,8
National	34,0	21,7	29,6	35,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Planted: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	95,0	100,0	100,0
XI	SO BA-S LP	95,0	92,0	100,0	96,0
XII	SE BA	95,0	80,0	100,0	83,6
XIII	San Luis	100,0	100,0	100,0	90,2
XIV	Cuenca Sal	100,0	100,0	100,0	96,0
XV	Others	100,0	100,0	100,0	100,0
National		66,2	65,9	67,0	67,9

Early Corn Condition: as of November 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	8,0	52,0	33,0	7,0
IV	S Cba	-	7,0	54,0	34,0	5,0
V	Ctro N SFe	-	6,5	35,5	55,0	3,0
VI	Núcleo Norte	-	10,5	49,5	35,0	5,0
VII	Núcleo Sur	-	5,0	41,0	46,0	8,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	11,0	48,0	33,0	8,0
X	Ctro Bs As	10,0	17,0	40,0	25,0	8,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	12,5	51,0	33,5	3,0
XIII	San Luis	-	33,0	43,0	24,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	10,5	46,2	36,4	6,2
Nat. Nov. 22, 2017		-	7,6	17,0	70,2	14,5

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of November 21, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	1,0	31,0	59,0	9,0	-
IV S Cba	-	22,0	58,0	20,0	-
V Ctro N SFe	-	4,0	37,0	38,0	21,0
VI Núcleo Norte	-	3,0	44,0	40,0	13,0
VII Núcleo Sur	-	9,0	55,0	25,0	11,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	7,0	55,0	33,0	5,0
X Ctro Bs As	-	4,0	49,0	26,0	21,0
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	5,0	59,0	28,0	8,0
XIII San Luis	-	29,0	61,0	10,0	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,1	8,6	50,2	29,6	11,5
Nat.Nov. 22, 2017	0,9	33,4	42,5	21,4	1,8

Early Corn Leaf Development: as of November 21, 2018

Regions	November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	98,0	100,0	91,9
IV S Cba	100,0	98,0	100,0	98,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	99,0
VII Núcleo Sur	100,0	100,0	100,0	98,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	96,0	100,0	96,8
X Ctro Bs As	98,0	82,0	88,0	93,4
XI SO BA-S LP	-	-	-	-
XII SE BA	75,0	43,0	57,0	67,6
XIII San Luis	100,0	100,0	100,0	80,2
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	65,0	61,5	63,6	65,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	1,0
IV	S Cba	12,0	-	-	7,4
V	Ctro N SFe	51,0	9,0	27,0	47,9
VI	Núcleo Norte	17,0	-	-	14,2
VII	Núcleo Sur	-	-	-	4,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		5,0	0,6	1,6	5,4

Early Corn Silking: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	34,3	-	11,0	29,6
VI	Núcleo Norte	-	-	-	2,2
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,1	-	0,8	1,5

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	15,0	15,0	15,0	14,2
IV	S Cba	20,0	20,0	20,0	29,1
V	Ctro N SFe	35,0	35,0	35,0	37,0
VI	Núcleo Norte	85,0	87,0	87,0	78,0
VII	Núcleo Sur	80,0	85,0	85,0	76,0
VIII	Ctro E ER	60,0	60,0	60,0	62,0
IX	N LP-OBA	50,0	50,0	50,0	53,0
X	Ctro Bs As	40,0	42,8	45,0	55,2
XI	SO BA-S LP	57,0	46,0	50,0	68,7
XII	SE BA	57,0	40,0	50,0	71,6
XIII	San Luis	20,0	20,0	20,0	22,3
XIV	Cuenca Sal	40,0	45,0	45,0	63,3
XV	Others	40,0	100,0	100,0	38,0
National		35,8	36,2	36,8	39,8

Sunflower

Sunflower Planted: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	96,0
IX	N LP-OBA	80,0	85,0	96,0	97,4
X	Ctro Bs As	69,0	72,0	90,0	95,0
XI	SO BA-S LP	55,0	53,0	78,0	77,8
XII	SE BA	75,0	67,0	86,0	84,8
XIII	San Luis	100,0	100,0	100,0	90,0
XIV	Cuenca Sal	80,0	83,0	92,0	97,0
XV	Others	100,0	100,0	100,0	100,0
National		81,5	80,6	91,6	90,3

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Condition: as of November 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	9,0	32,0	41,0	18,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	9,0	20,0	24,0	36,0	11,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	3,0	41,0	52,0	4,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	55,0	42,0	3,0
XII	SE BA	-	-	54,0	41,0	5,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	28,0	29,0	33,0	10,0
XV	Others	-	-	-	-	-
National		1,7	8,6	39,8	40,5	9,4
Nat.Nov. 22, 2017		0,1	4,4	19,2	71,2	5,1

Sunflower Moisture Condition: as of November 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	3,0	28,0	44,0	25,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	25,0	38,0	37,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	61,0	37,0	2,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	17,0	30,0	53,0	-
XII	SE BA	-	6,0	59,0	32,0	3,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	39,0	40,0	21,0
XV	Others	-	-	-	-	-
National		-	5,4	37,9	40,6	16,1
Nat.Nov. 22, 2017		-	10,4	57,3	31,7	0,6

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	55,0	49,0	70,0	68,4
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	40,0	35,0	50,0	44,2
XII	SE BA	45,0	45,0	60,0	47,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	72,0	58,0	73,0	57,6
XV	Others	-	-	-	-
National		68,4	66,8	76,6	66,5

Sunflower Flowerbud Stage: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	95,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	90,0	79,0	94,0	89,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	7,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	9,2
XV	Others	-	-	-	-
National		36,0	35,1	38,8	30,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	85,0	69,0	82,0	85,2
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	55,0	37,0	51,0	53,2
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		26,8	21,7	27,1	21,9

Sunflower Seed Development: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	45,0	36,0	49,0	51,2
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	15,0	4,0	18,0	11,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		12,0	8,9	14,0	10,5

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	5,0	5,0	11,0	3,4
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,1	1,2	2,5	0,6

Wheat

Wheat Condition: as of November 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	28,0	35,0	25,0	12,0	-
II	NEA	-	12,0	32,0	41,0	15,0
III	Ctro N Cba	18,0	28,0	30,0	21,0	3,0
IV	S Cba	8,0	38,0	38,0	10,0	6,0
V	Ctro N SFe	-	17,0	50,0	33,0	-
VI	Núcleo Norte	33,0	29,0	25,0	12,0	1,0
VII	Núcleo Sur	4,0	13,0	45,0	28,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	10,0	40,0	42,0	8,0
X	Ctro Bs As	7,0	20,0	39,0	31,0	3,0
XI	SO BA-S LP	3,0	6,0	39,0	47,0	5,0
XII	SE BA	5,0	8,0	41,0	35,0	11,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		10,3	18,3	36,6	28,7	6,0
Nat. Nov. 22, 2017		3,6	18,7	28,2	29,5	20,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of November 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	29,0	30,0	41,0
II	NEA	-	6,0	33,0	45,0	16,0
III	Ctro N Cba	10,0	21,0	36,0	33,0	-
IV	S Cba	-	9,0	56,0	35,0	-
V	Ctro N SFe	-	-	35,0	36,0	29,0
VI	Núcleo Norte	-	-	26,0	39,0	35,0
VII	Núcleo Sur	-	5,0	35,0	51,0	9,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	39,0	53,0	8,0
X	Ctro Bs As	-	-	31,0	36,0	33,0
XI	SO BA-S LP	-	11,0	44,0	40,0	5,0
XII	SE BA	-	-	42,0	49,0	9,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,0	4,8	36,7	42,2	15,2
Nat.Nov. 22, 2017		2,1	22,2	45,9	24,5	5,3

Wheat Heading: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	99,4
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	99,0	100,0	100,0	99,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	97,0	91,0	100,0	97,4
X	Ctro Bs As	93,0	94,0	100,0	97,0
XI	SO BA-S LP	87,0	76,0	89,0	92,4
XII	SE BA	83,0	79,0	94,0	91,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		96,0	94,9	98,5	97,6

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	85,0	76,0	91,0	92,2
IV	S Cba	62,0	59,0	73,0	79,0
V	Ctro N SFe	100,0	80,0	94,0	100,0
VI	Núcleo Norte	75,0	71,0	85,0	89,8
VII	Núcleo Sur	53,0	54,0	70,0	72,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	33,0	22,0	37,0	61,2
X	Ctro Bs As	29,0	11,0	28,0	48,8
XI	SO BA-S LP	17,0	7,0	22,0	48,0
XII	SE BA	12,0	8,0	25,0	42,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		60,4	54,5	67,4	73,6

Wheat Mature: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	99,4
II	NEA	95,0	94,0	100,0	97,2
III	Ctro N Cba	40,0	46,0	62,0	63,4
IV	S Cba	30,0	30,0	42,0	48,8
V	Ctro N SFe	68,0	52,0	66,0	77,0
VI	Núcleo Norte	37,0	32,0	47,0	57,4
VII	Núcleo Sur	23,0	20,0	34,0	37,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	7,0	-	3,0	32,6
X	Ctro Bs As	-	-	-	19,4
XI	SO BA-S LP	-	-	-	19,0
XII	SE BA	-	-	-	16,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		33,7	32,3	40,7	47,1

CROP CONDITION & DEVELOPMENT STAGES

Wheat Harvested: as of November 21, 2018

Regions		November 22, 2017 %	November 14, 2018 %	November 21, 2018 %	2013/2018 Average %
I	NOA	95,0	90,0	98,0	94,6
II	NEA	89,0	82,0	93,0	91,6
III	Ctro N Cba	18,0	10,0	20,0	31,8
IV	S Cba	4,0	-	5,0	3,2
V	Ctro N SFe	55,0	35,0	50,0	56,8
VI	Núcleo Norte	15,0	3,0	8,0	22,4
VII	Núcleo Sur	2,0	-	3,0	2,6
VIII	Ctro E ER	20,0	2,0	17,0	20,6
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	90,0	40,0	70,0	62,4
National		20,6	16,0	21,6	21,2