



#### **DEPARTAMENT & REGIONS**

### **HEAD OF DEPARTMENT**

Ing. Esteban J. Copati ecopati@bc.org.ar

#### **CROP ANALYST**

Ing. Martin López martinlopez@bc.org.ar

#### **CROP ANALYST**

Ing. Daniela A. Venturino dventurino@bc.org.ar

#### **CROP ANALYST**

Ing. Andrés Paterniti apaterniti@bc.org.ar

## **CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES**

Justo Fernández Vidal jfernandez@bc.org.ar

Jorgelina Mediote jmediote@bc.org.ar


Florencia Rostagno frostagno@bc.org.ar

#### CONTACT

Av. Corrientes 123 C1043AAB - CABA Tel.: +54 11 4515 8200 | 8300

estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2408-4344t



I - NWA (North-West Argentina)

II - NEA (North-East Argentina)

III - North-Central Córdoba

IV - South Córdoba

V - North-Central Santa Fe

VI - North Belt

VII - South Belt

VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos

X - Central Buenos Aires

XI - South-West de Buenos Aires - South La Pampa

XII - South-East Buenos Aires

XIII - San Luis


XIV - Cuenca del Salado

XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.



## **RECENT ADVERSE EVENTS**



## **METHODOLOGY**

Findings of the survey conducted through September 8, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to





# **SUNFLOWER 2021/22**


Regional participation in the total national area (%)															
Regions	XII	XI	Ш	٧	IX	XIV	Х	IV	XIII	VI	VII	VIII	XV	III	1
Nat. Part. 2019/20	22,4	21,0	13,2	13,8	12,1	7,1	4,4	1,6	1,4	0,9	0,8	0,6	0,5	0,4	0,0
Hist. Nat. Part.	23,3	22,3	17,5	14,1	7,7	6,1	3,9	1,3	1,4	0,7	0,5	0,4	0,5	0,3	0,0
Moisture condition, Crop condition & Development stages Week 37															
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested
II - NEA	Dro	ught	21/22 20/21 16/21 Average		-		-		64,0 100,0 98,0	-	- 1,0	-	-	-	-
V - NC S Fe			21/22 20/21 16/21 Average		41,0 37,0		-		48,9 66,0 82,4	-		-	-	-	-
IX - N LP - W BA		21/22 20/21 16/21 Average		/22 /21	-		-		-	- - -	- - -	- - -	- - -	- - -	-
X - Central BA			20,	21/22 20/21 .6/21 Average		-			-	-	- - -	-	- - -	-	-
XI - SW BA - S LP			20,	21/22 20/21 16/21 Average						-	- - -	-	- - -	-	-
XII - SE BA				/22 /21 Average	-					-	-	-	- - -	-	-
XIV - Cuenca Sal.				/22 /21 Average	-			-		-	- - -	- - -	- - -	- - -	-
National			20,	/22 /21 Average		18,2 23,9 -		90,9 84,2 -	15,4 13,0 28,4	7,3 7,0 17,6	- - 0,2	-	-	-	-



## **WHEAT 2021/22**









Regional participation in the total national area (%)															
Regions	VI	Ш	XII	VII	XI	IX	V	IV	_	=	Х	VIII	XIV	ΧV	XIII
Nat. Part.	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
2021/22 Hist. Nat.	12 E	10.5	0.0	0.0	0.0	0.2	7.2	6.7	6.2	6.7	E E	4.0	1.0	0.2	0.2
Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture condition, Crop condition & Development stages Week 37															
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
I - NWA	Drought		21/22		-			6,0		100,0	100,0	79,0	12,0	-	-
			20/21				-		100,0	100,0	97,0	68,0	12,0	2,0	-
			16/21 Average						100,0	100,0	97,0	62,6	4,0	0,4	-
II - NEA	Drought		21/22		10,0 - -		20,0 7,0 -		100,0	100,0	100,0	36,0	-	-	-
			20/21						100,0	100,0	69,0	33,0	2,0	-	-
			16/21 Average						100,0	100,0	79,4	42,6	0,4	-	-
III - NC Cba	Drought			21/22 16,0		26,0		100,0	100,0	54,0	5,0	-	-	-	
			20/21 16/21 Average		-		2,0		100,0	100,0	47,0	10,0	-	-	-
			21/22		45.0		-		100,0	100,0	61,8	11,8	-	-	-
IV - S Cba			20/21		45,0 10,0		68,0 25,0		100,0 100,0	100,0 100,0	58,0	6,0	-	-	-
			16/21 Average		10,0		25,0		100,0	99,4	44,0 49,8	5,0	-		-
			21/22		69,0		77,0		100,0	100,0	57,0	15,0	-		_
V - NC S Fe			20/21		40,0		71,0		100.0	100.0	59,0	15,0	-	-	-
			16/21 Average		-		- 1		100.0	99,4	65,6	20,0	_	_	_
VI - North Belt			21/			84,0	100,0		100,0	100,0	39,0	6,0	-	-	-
				/21	24,0		55,0		100,0	100,0	41,0	-	-	-	-
			16/21	/21 Average		-			100,0	97,8	53,8	13,0	_	_	_
VII - South Belt			21/22		97,0		100,0		100,0	98,0	35,0	-	-	-	-
			20,	20/21		79,0		54,0	100,0	92,0	35,0	-	-	-	-
			16/21 Average		-		-	100,0	96,2	37,0	0,8	-	-	-	
IX - N LP -			21/	/22		91,0		92,0	100,0	84,0	11,0	-	-	-	-
W BA			20/21		73,0		100,0		100,0	83,0	17,0	-	-	-	-
טרו			16/21 Average		-		-		100,0	87,6	19,4	-	-	-	-
X - Central BA	Floods		21/22 89,0		100,0		100,0	80,0	29,0	-	-	-	-		
				20/21 100,0		100,0		100,0	86,0	18,0	-	-	-	-	
			16/21 Average		-		-		100,0	88,0	13,4	-	-	-	-
XI - SW BA -		21/22 20/21			86,0		98,0		100,0	71,0	1,0	-	-	-	-
S LP					90,0 96		96,0	100,0	79,0	7,0	-	-	-	-	
XII - SE BA		16/21 Average 21/22					100,0		100,0	74,6	7,0	-	-	-	-
					89,0 92,0		97,0		100,0	91,0 78,0	5,0 3,0				
		20/21 16/21 Ave			1 1		97,0		100,0	73,0	7,2	-	-	-	_
				/22		67,9		78,7	100,0	92,7	38,4	9,8	0,7	-	-
National				/21		53,9		62,9	100,0	91,8	35,8	8,1	0,9	0,1	-
			16/21			, -	-		100,0	92,1	43,3	11,9	0,2	0,0	_
	I									,-	,-	,_	-,-	-,-	