



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

DECEMBER 9, 2021



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati
ecopati@bc.org.ar

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Justo Fernández Vidal
jfernandez@bc.org.ar

Jorgelina Mediate
jmediate@bc.org.ar

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
 Twitter: @estimacionesbc


ISSN 2408-4344t



- | | |
|---------------------------------|--|
| I - NWA (North-West Argentina) | IX - North La Pampa - West Buenos Aires |
| II - NEA (North-East Argentina) | X - Central Buenos Aires |
| III - North-Central Córdoba | XI - South-West de Buenos Aires - South La Pampa |
| IV - South Córdoba | XII - South-East Buenos Aires |
| V - North-Central Santa Fe | XIII - San Luis |
| VI - North Belt | XIV - Cuenca del Salado |
| VII - South Belt | XV - Others |
| VIII - East-Central Entre Ríos | |

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY

Findings of the survey conducted through December 8, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to




SOYBEAN 2021/22



SECOND SOYBEAN 2021/22

| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|---|---------------|---------------|---|---------------------------------|---------|--------------------|-----------------|---------------|----------------|--------|-----------|-----|-----|---------|------|
| Regions | VI | VII | IX | II | III | IV | XII | V | X | I | VIII | XI | XIV | XV | XIII |
| Nat. Part. 2021/22 | 13,5 | 13,1 | 10,2 | 8,4 | 7,7 | 7,6 | 7,6 | 6,7 | 6,7 | 5,7 | 5,1 | 5,2 | 1,8 | 0,4 | 0,2 |
| Hist. Nat. Part. | 14,1 | 10,7 | 9,7 | 7,3 | 10,0 | 7,6 | 8,8 | 7,5 | 6,4 | 6,0 | 4,3 | 5,2 | 1,7 | 0,4 | 0,2 |
| Moisture condition, Crop condition & Development stages | | | | | | | | | | | | | | Week 50 | |
| Regions | Adverse event | Season | Moisture Condition Favourable / Optimum | Crop Condition Fair / Excellent | Planted | Leaves Development | Beginning bloom | Beginning pod | Beginning seed | Mature | Harvested | | | | |
| I - NWA | | 21/22 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 16/21 Average | - | - | 0,4 | - | - | - | - | - | - | - | - | - | - |
| II - NEA | | 21/22 | 100,0 | 100,0 | 1,0 | - | - | - | - | - | - | - | - | - | |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | 16/21 Average | - | - | - | - | - | - | - | - | - | - | - | - | |
| III - NC Cba | | 21/22 | 100,0 | 100,0 | 34,0 | 1,0 | - | - | - | - | - | - | - | | |
| | | 20/21 | 42,0 | 100,0 | 10,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 21,6 | - | - | - | - | - | - | - | - | | |
| IV - S Cba | | 21/22 | 100,0 | 100,0 | 9,0 | - | - | - | - | - | - | - | - | | |
| | | 20/21 | 70,0 | 100,0 | 10,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 13,2 | - | - | - | - | - | - | - | - | | |
| V - NC S Fe | Pests | 21/22 | 100,0 | 100,0 | 27,0 | 2,0 | - | - | - | - | - | - | - | | |
| | | 20/21 | 79,0 | 100,0 | 25,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 32,5 | 2,0 | - | - | - | - | - | - | - | | |
| VI - North Belt | Pests | 21/22 | 97,0 | 97,0 | 35,0 | 10,0 | - | - | - | - | - | - | - | | |
| | | 20/21 | 100,0 | 100,0 | 30,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 53,0 | 2,8 | - | - | - | - | - | - | - | | |
| VII - South Belt | Pests | 21/22 | 100,0 | 100,0 | 25,0 | 1,0 | - | - | - | - | - | - | - | | |
| | | 20/21 | 98,0 | 100,0 | 31,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 33,9 | - | - | - | - | - | - | - | - | | |
| VIII - CE E. Rios | | 21/22 | 67,0 | 100,0 | 35,0 | 4,0 | - | - | - | - | - | - | - | | |
| | | 20/21 | 100,0 | 100,0 | 35,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 40,9 | 2,0 | - | - | - | - | - | - | - | | |
| IX - N LP - W BA | | 21/22 | 100,0 | 100,0 | 7,0 | - | - | - | - | - | - | - | - | | |
| | | 20/21 | 62,0 | 100,0 | 13,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 10,4 | - | - | - | - | - | - | - | - | | |
| X - Central BA | | 21/22 | 100,0 | 100,0 | 10,0 | - | - | - | - | - | - | - | - | | |
| | | 20/21 | 85,0 | 100,0 | 10,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 11,7 | - | - | - | - | - | - | - | - | | |
| XII - SE BA | | 21/22 | 100,0 | 100,0 | 2,0 | - | - | - | - | - | - | - | - | | |
| | | 20/21 | 97,0 | 100,0 | 2,0 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 1,4 | - | - | - | - | - | - | - | - | | |
| National | | 21/22 | 95,4 | 99,1 | 16,7 | 1,9 | - | - | - | - | - | - | - | | |
| | | 20/21 | 89,0 | 100,0 | 15,7 | - | - | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 20,4 | 1,2 | - | - | - | - | - | - | - | | |

CORN 2021/22






| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|---|---------------|---------------|---|---------------------------------|---------|--------------------|-------------|---------|--------------|--------|-----------|-----|---------|-----|-----|
| Regions | III | IV | IX | II | VI | VII | I | X | VIII | XIII | XII | V | XI | XIV | XV |
| Nat. Part. 2019/20 | 13,7 | 11,8 | 10,3 | 9,9 | 9,0 | 6,9 | 5,8 | 4,9 | 4,7 | 4,5 | 3,6 | 3,6 | 2,4 | 1,7 | 0,5 |
| Hist. Nat. Part. | 14,5 | 12,4 | 10,7 | 11,0 | 10,0 | 7,9 | 6,4 | 5,1 | 4,6 | 4,9 | 3,6 | 3,8 | 2,7 | 1,8 | 0,5 |
| Moisture condition, Crop condition & Development stages | | | | | | | | | | | | | Week 50 | | |
| Regions | Adverse event | Season | Moisture Condition Favourable / Optimum | Crop Condition Fair / Excellent | Planted | Leaves Development | Pollination | Silking | Grain Growth | Mature | Harvested | | | | |
| I - NWA | | 21/22 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 16/21 Average | - | - | - | - | - | - | - | - | - | - | - | - | - |
| II - NEA | | 21/22 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | 16/21 Average | - | - | - | - | - | - | - | - | - | - | - | - | |
| III - NC Cba | | 21/22 | 100,0 | 100,0 | 21,0 | 7,0 | 2,2 | 0,3 | - | - | - | - | - | - | |
| | | 20/21 | 72,1 | 76,8 | 19,0 | 10,0 | 2,0 | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 30,5 | 16,5 | 4,5 | 1,3 | - | - | - | - | | | |
| IV - S Cba | | 21/22 | 100,0 | 100,0 | 31,0 | 8,0 | 1,1 | - | - | - | - | - | - | | |
| | | 20/21 | 73,2 | 82,0 | 47,2 | 12,0 | 2,6 | - | - | - | - | - | | | |
| | | 16/21 Average | - | - | 44,2 | 21,6 | 6,6 | 2,9 | - | - | - | | | | |
| VI - North Belt | Diseases | 21/22 | 100,0 | 100,0 | 87,3 | 85,0 | 41,7 | 23,0 | - | - | - | - | | | |
| | | 20/21 | 86,4 | 90,0 | 94,0 | 85,0 | 30,6 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 90,8 | 87,2 | 44,7 | 26,8 | - | - | - | | | | |
| VII - South Belt | | 21/22 | 96,1 | 100,0 | 88,0 | 86,0 | 34,4 | 6,9 | - | - | - | - | | | |
| | | 20/21 | 88,1 | 91,9 | 88,8 | 86,0 | 18,9 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 89,7 | 85,8 | 32,5 | 7,2 | - | - | - | | | | |
| VIII - CE E. Rios | | 21/22 | 88,6 | 100,0 | 47,3 | 38,0 | 29,3 | 19,0 | - | - | - | - | | | |
| | | 20/21 | 80,4 | 80,0 | 41,1 | 38,0 | 15,2 | 5,7 | - | - | - | | | | |
| | | 16/21 Average | - | - | 61,7 | 58,1 | 44,6 | 30,7 | - | - | - | | | | |
| IX - N LP - W BA | | 21/22 | 100,0 | 100,0 | 47,4 | 35,7 | 5,6 | - | - | - | - | - | | | |
| | | 20/21 | 80,0 | 87,3 | 65,8 | 40,0 | 2,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 67,8 | 54,2 | 7,6 | 1,8 | - | - | - | | | | |
| X - Central BA | | 21/22 | 98,4 | 100,0 | 49,0 | 40,0 | 2,8 | - | - | - | - | - | | | |
| | | 20/21 | 83,2 | 87,2 | 67,0 | 40,0 | 0,4 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 69,6 | 49,7 | 3,5 | - | - | - | | | | | |
| XII - SE BA | | 21/22 | 70,4 | 99,9 | 52,2 | 41,5 | - | - | - | - | - | - | | | |
| | | 20/21 | 80,7 | 91,6 | 73,0 | 48,0 | - | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 77,9 | 60,8 | - | - | - | - | | | | | |
| XIII - San Luis | | 21/22 | 94,4 | 95,5 | 31,2 | 9,8 | 1,2 | - | - | - | - | - | | | |
| | | 20/21 | 73,9 | 81,1 | 56,0 | 11,6 | - | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 44,7 | 19,5 | 1,8 | 0,1 | - | - | - | | | | |
| National | | 21/22 | 95,4 | 99,8 | 39,5 | 30,1 | 10,4 | 4,5 | - | - | - | - | | | |
| | | 20/21 | 80,7 | 86,4 | 47,0 | 31,7 | 6,7 | 0,7 | - | - | - | | | | |
| | | 16/21 Average | - | - | 50,2 | 39,6 | 13,3 | 6,5 | 0,1 | - | - | | | | |

EARLY CORN 2021/22

| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|---|------|------|------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|
| Regions | II | VI | VII | I | IX | X | VIII | XII | III | IV | V | XI | XIV | XIII | XV |
| Nat. Part. 2019/20 | 22,4 | 17,5 | 13,8 | 13,0 | 8,1 | 4,5 | 4,0 | 3,7 | 2,1 | 2,1 | 2,7 | 2,5 | 1,8 | 0,7 | 1,1 |
| Hist. Nat. Part. | 19,9 | 15,9 | 12,3 | 11,5 | 9,4 | 4,4 | 4,7 | 3,9 | 4,0 | 4,5 | 2,5 | 2,7 | 1,7 | 1,7 | 0,9 |




| Moisture condition, Crop condition & Development stages | | | | | | | | | | | | | Week 50 | | |
|---|---------------|---------------|---|---------------------------------|---------|--------------------|-------------|---------|--------------|--------|-----------|---|---------|---|---|
| Regions | Adverse event | Season | Moisture Condition Favourable / Optimum | Crop Condition Fair / Excellent | Planted | Leaves Development | Pollination | Silking | Grain Growth | Mature | Harvested | | | | |
| I - NWA | | 21/22 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 16/21 Average | - | - | 4,8 | - | - | - | - | - | - | - | - | - | - |
| II - NEA | | 21/22 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | | 20/21 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | | 16/21 Average | - | - | 4,6 | - | - | - | - | - | - | - | - | - | |
| III - NC Cba | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 32,0 | 4,0 | - | - | - | - | - | - | |
| | | 20/21 | 65,0 | 74,0 | 100,0 | 100,0 | 20,0 | - | - | - | - | - | - | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 28,2 | 7,3 | - | - | - | - | - | | |
| IV - S Cba | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 14,0 | - | - | - | - | - | - | | |
| | | 20/21 | 68,0 | 88,0 | 100,0 | 100,0 | 22,0 | - | - | - | - | - | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 28,5 | 11,4 | - | - | - | - | | | |
| VI - North Belt | Diseases | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 49,0 | 27,0 | - | - | - | - | - | | |
| | | 20/21 | 86,0 | 90,0 | 100,0 | 100,0 | 36,0 | - | - | - | - | - | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 51,0 | 30,5 | - | - | - | - | | | |
| VII - South Belt | | 21/22 | 96,0 | 100,0 | 100,0 | 100,0 | 40,0 | 8,0 | - | - | - | - | | | |
| | | 20/21 | 88,0 | 92,0 | 100,0 | 100,0 | 22,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 38,0 | 8,2 | - | - | - | | | | |
| VIII - CE E. Rios | | 21/22 | 87,0 | 100,0 | 100,0 | 100,0 | 77,0 | 50,0 | - | - | - | - | | | |
| | | 20/21 | 80,0 | 80,0 | 100,0 | 100,0 | 40,0 | 15,0 | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 74,5 | 50,4 | - | - | - | | | | |
| IX - N LP - W BA | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 16,0 | - | - | - | - | - | | | |
| | | 20/21 | 80,0 | 92,0 | 100,0 | 100,0 | 5,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 13,4 | 3,1 | - | - | - | | | | |
| X - Central BA | | 21/22 | 98,0 | 100,0 | 100,0 | 100,0 | 7,0 | - | - | - | - | - | | | |
| | | 20/21 | 82,0 | 92,0 | 100,0 | 100,0 | 1,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 7,6 | - | - | - | - | | | | |
| XII - SE BA | | 21/22 | 66,0 | 100,0 | 100,0 | 91,0 | - | - | - | - | - | - | | | |
| | | 20/21 | 81,0 | 97,0 | 100,0 | 96,0 | - | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 97,2 | - | - | - | - | - | | | | |
| National | | 21/22 | 94,1 | 99,2 | 63,5 | 59,5 | 20,6 | 8,9 | - | - | - | - | | | |
| | | 20/21 | 81,4 | 89,0 | 63,7 | 63,3 | 13,3 | 1,3 | - | - | - | | | | |
| | | 16/21 Average | - | - | 71,8 | 69,8 | 23,2 | 11,1 | 0,1 | - | - | | | | |

SUNFLOWER 2021/22



| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|---|---------------|---------------|---|---------------------------------|---------|--------------------|-----------------|-----------------|------------------|--------|-----------|------|-----|---------|-----|
| Regions | XII | XI | II | V | IX | XIV | X | IV | XIII | VI | VII | VIII | XV | III | I |
| Nat. Part. 2019/20 | 23,0 | 21,6 | 10,6 | 14,2 | 12,4 | 7,3 | 4,5 | 1,7 | 1,4 | 0,9 | 0,8 | 0,7 | 0,5 | 0,4 | 0,0 |
| Hist. Nat. Part. | 23,3 | 22,3 | 17,5 | 14,1 | 7,7 | 6,1 | 3,9 | 1,3 | 1,4 | 0,7 | 0,5 | 0,4 | 0,5 | 0,3 | 0,0 |
| Moisture condition, Crop condition & Development stages | | | | | | | | | | | | | | Week 50 | |
| Regions | Adverse event | Season | Moisture Condition Favourable / Optimum | Crop Condition Fair / Excellent | Planted | Leaves Development | Flowerbud Stage | Flowering stage | Seed development | Mature | Harvested | | | | |
| II - NEA | | 21/22 | 40,0 | 85,0 | 100,0 | 100,0 | 100,0 | 90,0 | 65,0 | 23,0 | - | | | | |
| | | 20/21 | 21,0 | 15,0 | 100,0 | 100,0 | 100,0 | 100,0 | 77,0 | 33,0 | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 84,2 | 44,2 | 4,4 | | | | |
| V - NC S Fe | | 21/22 | 80,0 | 95,0 | 100,0 | 100,0 | 84,0 | 72,0 | 32,0 | 10,0 | - | | | | |
| | | 20/21 | 48,0 | 81,0 | 100,0 | 100,0 | 100,0 | 96,0 | 51,0 | 19,0 | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 96,6 | 55,0 | 28,2 | - | | | | |
| IX - N LP - W BA | | 21/22 | 100,0 | 100,0 | 100,0 | 75,0 | 10,0 | - | - | - | - | | | | |
| | | 20/21 | 93,0 | 93,0 | 100,0 | 100,0 | 40,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 95,2 | 37,8 | 1,0 | - | - | - | | | | |
| X - Central BA | | 21/22 | 100,0 | 100,0 | 100,0 | 70,0 | 2,0 | - | - | - | - | | | | |
| | | 20/21 | 94,0 | 98,0 | 100,0 | 100,0 | 13,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 97,4 | 14,6 | - | - | - | - | | | | |
| XI - SW BA - S LP | Weeds | 21/22 | 100,0 | 100,0 | 100,0 | 70,0 | - | - | - | - | - | | | | |
| | | 20/21 | 92,0 | 93,0 | 100,0 | 100,0 | - | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 99,0 | 85,0 | 1,6 | - | - | - | - | | | | |
| XII - SE BA | | 21/22 | 80,0 | 100,0 | 100,0 | 86,0 | - | - | - | - | - | | | | |
| | | 20/21 | 88,0 | 91,0 | 100,0 | 97,0 | 3,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 99,6 | 91,8 | 7,0 | - | - | - | - | | | | |
| XIV - Cuenca Sal. | | 21/22 | 80,0 | 82,0 | 100,0 | 80,0 | 5,0 | - | - | - | - | | | | |
| | | 20/21 | 99,0 | 94,0 | 100,0 | 100,0 | 35,0 | - | - | - | - | | | | |
| | | 16/21 Average | - | - | 100,0 | 96,8 | 30,0 | - | - | - | - | | | | |
| National | | 21/22 | 83,9 | 96,3 | 100,0 | 83,7 | 26,5 | 20,6 | 11,5 | 3,9 | - | | | | |
| | | 20/21 | 81,7 | 87,2 | 100,0 | 99,0 | 29,0 | 18,3 | 10,1 | 3,9 | - | | | | |
| | | 16/21 Average | - | - | 99,7 | 94,0 | 41,4 | 32,4 | 22,9 | 12,1 | 0,7 | | | | |

WHEAT 2021/22



| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|---|---------------|---------------|---|---------------------------------|---------|-----------|----------------|---------|----------|--------|-----------|-------|---------|-----|------|
| Regions | VI | III | XII | VII | XI | IX | V | IV | I | II | X | VIII | XIV | XV | XIII |
| Nat. Part. 2021/22 | 12,9 | 10,0 | 9,9 | 9,8 | 8,8 | 8,0 | 7,4 | 6,8 | 6,6 | 6,6 | 5,5 | 5,1 | 2,1 | 0,4 | 0,2 |
| Hist. Nat. Part. | 13,5 | 10,5 | 9,8 | 9,8 | 8,8 | 8,3 | 7,2 | 6,7 | 6,2 | 6,7 | 5,5 | 4,8 | 1,8 | 0,3 | 0,2 |
| Moisture condition, Crop condition & Development stages | | | | | | | | | | | | | Week 50 | | |
| Regions | Adverse event | Season | Moisture Condition Favourable / Optimum | Crop Condition Fair / Excellent | Planted | Tillering | Stem Extension | Heading | Ripening | Mature | Harvested | | | | |
| I - NWA | | 21/22 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 20/21 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| II - NEA | | 21/22 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 20/21 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| III - NC Cba | | 21/22 | 90,0 | 70,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 94,6 | | | |
| | | 20/21 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 98,4 | 92,5 | | |
| IV - S Cba | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 83,0 | 42,5 | | | |
| | | 20/21 | 13,0 | 11,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 80,0 | 63,2 | | | |
| | | 16/21 Average | 45,6 | 32,2 | 100,0 | 100,0 | 100,0 | 100,0 | 95,0 | 80,4 | 60,7 | | | | |
| V - NC S Fe | | 21/22 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 20/21 | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| | | 16/21 Average | - | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | | | |
| VI - North Belt | | 21/22 | 95,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 89,8 | | | |
| | | 20/21 | 42,0 | 23,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 91,0 | 84,2 | | | |
| | | 16/21 Average | 54,0 | 39,6 | 100,0 | 100,0 | 100,0 | 100,0 | 99,0 | 89,8 | 83,6 | | | | |
| VII - South Belt | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 86,0 | 47,9 | | | |
| | | 20/21 | 90,0 | 79,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 78,0 | 47,5 | | | |
| | | 16/21 Average | 68,1 | 62,2 | 100,0 | 100,0 | 100,0 | 100,0 | 97,4 | 78,4 | 60,8 | | | | |
| IX - N LP - W BA | | 21/22 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 62,0 | 8,5 | | | |
| | | 20/21 | 86,0 | 85,0 | 100,0 | 100,0 | 100,0 | 100,0 | 95,0 | 45,0 | 22,5 | | | | |
| | | 16/21 Average | 62,0 | 57,6 | 100,0 | 100,0 | 100,0 | 100,0 | 86,8 | 46,4 | 25,9 | | | | |
| X - Central BA | | 21/22 | 98,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 54,0 | - | | | |
| | | 20/21 | 85,0 | 94,0 | 100,0 | 100,0 | 100,0 | 100,0 | 75,0 | 40,0 | 7,5 | | | | |
| | | 16/21 Average | 58,2 | 69,1 | 100,0 | 100,0 | 100,0 | 100,0 | 75,4 | 40,2 | 14,1 | | | | |
| XI - SW BA - S LP | | 21/22 | 88,0 | 92,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 59,0 | 4,0 | | | | |
| | | 20/21 | 89,0 | 93,0 | 100,0 | 100,0 | 100,0 | 100,0 | 85,0 | 32,0 | 12,2 | | | | |
| | | 16/21 Average | 55,1 | 72,7 | 100,0 | 100,0 | 100,0 | 100,0 | 71,8 | 29,4 | 8,7 | | | | |
| XII - SE BA | | 21/22 | 81,0 | 94,0 | 100,0 | 100,0 | 100,0 | 100,0 | 89,0 | 52,0 | - | | | | |
| | | 20/21 | 87,0 | 91,0 | 100,0 | 100,0 | 100,0 | 100,0 | 72,0 | 31,0 | - | | | | |
| | | 16/21 Average | 64,2 | 70,3 | 100,0 | 100,0 | 100,0 | 100,0 | 65,0 | 23,6 | - | | | | |
| National | | 21/22 | 91,3 | 96,9 | 100,0 | 100,0 | 100,0 | 100,0 | 98,8 | 81,1 | 53,4 | | | | |
| | | 20/21 | 82,4 | 83,2 | 100,0 | 100,0 | 100,0 | 100,0 | 93,2 | 71,4 | 53,5 | | | | |
| | | 16/21 Average | 75,3 | 68,5 | 100,0 | 100,0 | 100,0 | 100,0 | 90,4 | 71,5 | 54,1 | | | | |