



DEPARTAMENT & REGIONS

CROP ANALYST

Ing. Martin López martinlopez @bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino dventurino @bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti apaterniti @bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Jorgelina Mediote jmediote @bc.org.ar

Joaquín Pellejero jpellejero @bc.org.ar

Agustín Podesta apodesta @bc.org.ar


CONTACT

Av. Corrientes 123 C1043AAB - CABA

Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar

Twitter: @estimacionesbc

ISSN 2408-4344t



I - NWA (North-West Argentina)

II - NEA (North-East Argentina)

III - North-Central Córdoba

IV - South Córdoba

V - North-Central Santa Fe

VI - North Belt

VII - South Belt

VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires

X - Central Buenos Aires

XI - South-West de Buenos Aires - South La Pampa

XII - South-East Buenos Aires

XIII - San Luis


XIV - Cuenca del Salado

XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.



RECENT ADVERSE EVENTS





METHODOLOGY

Findings of the survey conducted through June 29, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.



WHEAT 2022/23









Regional participation in the total national area (%)																
Regions	XII	VI	VII	XI	IX	V	Ш	III	VIII	Х	IV		XIV	XV	XIII	
Nat. Part.																
2022/23	13,3	12,4	11,9	10,8	9,5	7,6	6,9	5,7	6,7	6,3	4,8	2,9	0,8	0,4	0,2	
Hist. Nat.	10,4	13,3	10,0	9,2	8,3	7,6	6,9	9,3	5,1	5,5	6,2	6,2	1,6	0,3	0,2	
Part.							-	2,0	-,-	-,-	5 /2	- ,-	2,0	_		
Moisture condition, Crop condition & Development stages Week 27														27		
Regions Adverse event			Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested	
			22,	/23		28,0		74,0	100,0	15,0	-	-				
I - NWA	Dro	ught	21/22		30,0			90,0	100,0	40,0	-	-	-	-	-	
				Average		-		-	100,0	34,0	1,8	-	-	-	-	
				/23		69,0			86,7	•	•	-	-	-	•	
II - NEA				/22		62,0		-	98,5		-	-	-	-	-	
	Drought			Average /23		32,0		-	95,0 85,0		-	-	-	-		
III - NC Cba	Dro	ught		/22		40,0		-	99,6							
	510	ugiit		Average				_	97,6	_	_	_			_	
				/23		36,0		-	78,0	-	-	-	-	-	-	
IV - S Cba	Dro	ught	21	/22		60,0		-	94,4	-	-	-	-	-	-	
			17/22	Average			-		87,1	-	-			-		
			22/23		47,0			-	49,2	-	-	-	-	-	-	
V - NC S Fe	Dro	ught		21/22		94,0		-		-	-	-	-	-	-	
				Average			-		80,6	-	-		-	-		
VI - North	_			/23		52,0		-	83,9		-				-	
Belt	Dro	ught		/22		85,0		-	93,5	0 15,0 0 40,0 0 34,0 7 - 5 - 0 - 5 - 1 - 2 - 2 - 5 - 4 - 1 - 2 - 5 - 5 - 7 - 8 - 9 - 1 - 2 - 1 - 2 - 5 - 5 - 7 - 7 - 8 - 9 - 9 - 1	-			-	-	
			17/22 Average 22/23		59,0			-	86,4 75,8		-	-	-	-		
VII - South				/22		80,0		-	83,0		-	-	-	-		
Belt			17/22 Average		-		-		72,2	_	_	_	_	_	_	
				/23		52,0		-	71,7	-	-	-	-	-	-	
IX - N LP - W BA			21,	/22		45,0		-	77,2	-	-	-	-	-	-	
W DA			17/22	Average	1		-		63,1	-	-	-	-	-	-	
X - Central			22,	/23		80,0		-	70,0	-	-	-	-	-	-	
BA			ı	/22		85,0		-		-	-	-	-	-	-	
				Average		-	_	-	54,8		-		-	-	-	
XI - SW BA -				/23		89,0		-	71,9		•	-	-	-	-	
S LP			ı	/22 Nyaraga		45,0		-	73,0		-	-	-	-	-	
				Average /23		78,0		-	60,8 62,9		-	-	-	-	-	
XII - SE BA				/22		85,0		-	75,0				-		-	
JEDA			ı	Average		-		_	53,3	_	_	_	_	_	_	
				/23		62,0		82,9	73,5	2,5	-	-	-	-	-	
National				/22		66,8		96,0	84,1	8,7	-	-	-	-		
	ı		i	_	ı		I		I							

77,8


8,1


0,1


. 17/22 Average



CORN 2021/22









Regional participation in the total national area (%)															
Regions	III	IV	IX	II.	VI	VII	1	Х	VIII	XIII	XII	V	ΧI	XIV	XV
Nat. Part. 2021/22	13,7	11,8	10,3	9,9	9,0	6,9	5,8	4,9	4,7	4,5	3,6	3,6	2,4	1,7	0,5
Hist. Nat. Part.	14,5	12,4	10,7	11,0	10,0	7,9	6,4	5,1	4,6	4,9	3,6	3,8	2,7	1,8	0,5
Moisture o	onditio	n, Crop	conditi	on & D	n & Development stages									Week 27	
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
			21,	/22		35,0		63,0	100,0	100,0	100,0	100,0	100,0	100,0	23,0
I - NWA			20/21		43,0		95,0		100,0	100,0	100,0	100,0	100,0	100,0	35,0
			16/21 Average			-		-		100,0	100,0	100,0	100,0	100,0	29,2
			21/22			71,0		81,0	100,0	100,0	100,0	100,0	100,0	100,0	13,0
II - NEA			20/21		49,0		70,0		100,0	100,0	100,0	100,0	100,0	100,0	37,0
			16/21 Average		-		-		100,0	100,0	100,0	100,0	100,0	100,0	36,0
			21,	/22	43,0		88,0		100,0	100,0	100,0	100,0	100,0	100,0	32,0
III - NC Cba			20/21		64,0		84,0		100,0	100,0	100,0	100,0	100,0	100,0	27,0
			16/21/	Average		-	-		100,0	100,0	100,0	100,0	100,0	100,0	47,6
IV - S Cba			21,	/22	45,0			63,0	100,0	100,0	100,0	100,0	100,0	100,0	39,2
			20,	/21	73,0			69,0		100,0	100,0	100,0	100,0	100,0	33,0
			16/21/	Average	-			-	100,0	100,0	100,0	100,0	100,0	100,0	49,2
VI - North Belt			21,	/22	52,0		81,0		100,0	100,0	100,0	100,0	100,0	100,0	88,0
			20/21		74,0			83,0	100,0	100,0	100,0	100,0	100,0	100,0	91,7
DEIL			16/21/	Average	-			-	100,0	100,0	100,0	100,0	100,0	100,0	94,3
VII - South			21,	/22	62,0			90,0	100,0	100,0	100,0	100,0	100,0	100,0	89,1
				20/21		100,0		64,0	100,0	100,0	100,0	100,0	100,0	100,0	93,8
Belt			16/21 Average		-			-		100,0	100,0	100,0	100,0	100,0	93,5
VIII - CE E.			21,	/22	81,0		89,0		100,0	100,0	100,0	100,0	100,0	100,0	47,5
Rios			20/21 16/21 Average		24,0		20,0		100,0	100,0	100,0	100,0	100,0	100,0	67,6
MOS									100,0	100,0	100,0	100,0	100,0	100,0	80,8
IX - N LP -			21,	/22		65,0		67,0	100,0	100,0	100,0	100,0	100,0	100,0	57,4
W BA			20,	/21	76,0		86,0		100,0	100,0	100,0	100,0	100,0	100,0	57,8
WDA			16/21/	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	68,6
X - Central			21,	/22		84,0		82,0	100,0	100,0	100,0	100,0	100,0	100,0	49,1
BA			20,	/21		91,0		95,0	100,0	100,0	100,0	100,0	100,0	100,0	59,0
DA			16/21/	Average		-				100,0	100,0	100,0	100,0	100,0	66,4
			21,	/22		73,3		52,2	100,0	100,0	100,0	100,0	100,0	100,0	42,8
XII - SE BA			20,	/21		71,8		80,4	100,0	100,0	100,0	100,0	100,0	100,0	55,7
			16/21/	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	56,5
XIII - San			21,	/22		23,0		45,0	100,0	100,0	100,0	100,0	100,0	100,0	34,8
XIII - San Luis			20,	/21		95,0		100,0	100,0	100,0	100,0	100,0	100,0	100,0	38,3
Luis			16/21/	Average		-	<u> </u>	_	100,0	100,0	100,0	100,0	100,0	100,0	51,4
			21,	/22		55,5		73,7	100,0	100,0	100,0	100,0	100,0	100,0	46,5
National			20,	/21		66,1		79,0	100,0	100,0	100,0	100,0	100,0	100,0	51,6
			16/21/	Average		-	-		100,0	100,0	100,0	100,0	100,0	100,0	59,7



EARLY CORN 2021/22

Regional p	Regional participation in the total national area (%)														
Regions	Ш	VI	VII	1	IX	Х	VIII	XII	Ш	IV	٧	XI	XIV	XIII	XV
Nat. Part. 2021/22	22,4	17,5	13,8	13,0	8,1	4,5	4,0	3,7	2,1	2,1	2,7	2,5	1,8	0,7	1,1
Hist. Nat. Part.	19,9	15,9	12,3	11,5	9,4	4,4	4,7	3,9	4,0	4,5	2,5	2,7	1,7	1,7	0,9
Moisture o	onditio	n, Crop	conditi	on & D	evelopr	nent st	ages							Week	27
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
			21/	/22		35,0		63,0	100,0	100,0	100,0	100,0	100,0	100,0	23,0
I - NWA				20/21		43,0		95,0		100,0	100,0	100,0	100,0	100,0	35,0
			16/21 Average		-		-		100,0	100,0	100,0	100,0	100,0	100,0	29,2
			21/22			71,0	81,0		100,0	100,0	100,0	100,0	100,0	100,0	13,0
II - NEA				20/21		49,0		70,0		100,0	100,0	100,0	100,0	100,0	37,0
			16/21/			-		-	100,0	100,0	100,0	100,0	100,0	100,0	36,0
III - NC Cba			21/		-		-		100,0	100,0	100,0	100,0	100,0	100,0	100,0
			20/					-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
			16/21 Average 21/22		-		-		100,0	100,0	100,0	100,0	100,0	100,0	100,0
IV - S Cba			20/21			-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
						-		-	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0
\vdash			16/21 Average 21/22 20/21			-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VI - North					_			-		100,0	100,0	100,0	100,0	100,0	100,0
Belt			16/21						100,0 100,0	100,0	100,0	100,0	100,0	100,0	100,0
			21/	_		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VII - South				/21		_		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
Belt			16/21			_		_	100,0	100,0	100,0	100,0	100,0	100,0	100,0
				/22	-			-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
VIII - CE E.				/21		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100.0
Rios			16/21	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
				/22		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
IX - N LP -			20/			-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
W BA			16/21	Average		-		_		100,0	100,0	100,0	100,0	100,0	99,8
V. Control			21/	/22		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
X - Central BA			20,	/21		-		-	100,0	100,0	100,0	100,0	100,0	100,0	100,0
DA			16/21	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	97,2
			21/	/22		75,0		59,0	100,0	100,0	100,0	100,0	100,0	100,0	80,0
XII - SE BA			20,	/21		67,0		86,0	100,0	100,0	100,0	100,0	100,0	100,0	82,0
			16/21/	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	81,6
				/22		59,7		73,4	100,0	100,0	100,0	100,0	100,0	100,0	68,7
National			ı	/21		48,0		79,1	100,0	100,0	100,0	100,0	100,0	100,0	75,7
			16/21	Average		-	-		100,0	100,0	100,0	100,0	100,0	100,0	78,6



LATE CORN 2021/22

Regional participation in the total national area (%)															
Regions	III	IV	IX	XIII	Х	VIII	V	XII	VI	XI	VII	XIV	II	1	XV
Nat. Part. 2021/22	25,7	21,9	13,5	8,5	6,1	5,9	4,8	4,1	2,8	2,7	2,0	2,0	0,0	0,0	0,0
Hist. Nat. Part.	27,6	22,1	12,3	8,8	6,0	4,5	5,4	3,3	2,8	2,6	2,4	2,0	0,0	0,0	0,0
Moisture condition, Crop condition & Development stages Week 27															27
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
III - NC Cba				/22 /21		43,0 64,0		88,0 84,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	100,0 100,0	27,0 19,0
III IVC CDU			16/21 Average				,0		100,0	100,0	100,0	100,0	100,0	100,0	39,2
			21/22		45,0		63,0		100,0	100,0	100,0	100,0	100,0	100,0	34,0
IV - S Cba			20/21		73,0		69,0		100,0	100,0	100,0	100,0	100,0	100,0	24,0
				16/21 Average		-		-		100,0	100,0	100,0	100,0	100,0	35,9
V - NC S Fe			21,	/22	47,0 77,0		79,0		100,0	100,0	100,0	100,0	100,0	100,0	20,0
				/21				81,0	100,0	100,0	100,0	100,0	100,0	100,0	22,0
			16/21 Average 21/22		- 01.0		89.0		100,0	100,0	100,0	100,0	100,0	100,0	38,2
VIII - EC E.					81,0		,		100,0	100,0	100,0	100,0	100,0	100,0	16,0
Rios				20/21 16/21 Average		24,0		20,0	100,0 100,0	100,0 100,0	100,0	100,0	100,0	100,0	48,0
					65,0			67,0	100,0	100,0	100,0	100,0	100,0	100,0	56,6 35,0
IX - N LP -			21/22 20/21 16/21 Average		76,0			86,0		100,0	100,0	100,0	100,0	100,0	30,0
W BA									100,0 100.0	100.0	100.0	100.0	100,0	100,0	39,8
			21/22			84,0		82,0	100.0	100,0	100,0	100,0	100,0	100,0	16,0
X - Central		2					95,0		100,0	100,0	100,0	100,0	100,0	100,0	32,0
BA			16/21	Average		-	-		100,0	100,0	100,0	100,0	100,0	100,0	39,8
			21,	/22		73,0		51,0	100,0	100,0	100,0	100,0	100,0	100,0	13,0
XII - SE BA			20,	/21		73,0		79,0	100,0	100,0	100,0	100,0	100,0	100,0	30,0
			16/21	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	16,0
XIII - San			21,	/22		23,0		45,0	100,0	100,0	100,0	100,0	100,0	100,0	30,0
Luis			20,	/21		95,0		100,0	100,0	100,0	100,0	100,0	100,0	100,0	30,0
Luis			16/21	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	40,6
			21,	/22		53,9		73,8	100,0	100,0	100,0	100,0	100,0	100,0	26,8
National			20,	/21		72,1		79,0	100,0	100,0	100,0	100,0	100,0	100,0	27,6
			16/21/	Average		-		-	100,0	100,0	100,0	100,0	100,0	100,0	38,8