

CROP CONDITION & DEVELOPMENT STAGES


JUNE, 13
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 12, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Wheat

Season 2019/2020

Wheat Planted: as of June 12, 2019

Regions	June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2014/2019 Average %
I NOA	67,0	79,2	81,3	68,4
II NEA	52,0	5,4	26,4	43,6
III Ctro N Cba	65,0	43,3	68,0	52,6
IV S Cba	34,0	21,9	39,1	24,6
V Ctro N SFe	42,0	20,5	27,5	33,8
VI Núcleo Norte	40,0	28,2	49,5	22,4
VII Núcleo Sur	22,0	5,3	23,3	15,4
VIII Ctro E ER	33,0	6,6	39,1	14,2
IX N LP-OBA	18,0	4,6	21,8	21,8
X Ctro Bs As	13,0	7,3	22,0	7,6
XI SO BA-S LP	12,0	5,4	14,4	12,2
XII SE BA	9,0	7,4	17,9	6,2
XIII San Luis	20,0	15,0	27,0	22,0
XIV Cuenca Sal	8,0	8,0	25,0	9,0
XV Others	40,0	4,0	24,0	36,4
National	34,0	19,7	36,1	28,6

Wheat Condition: as of June 12, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	26,0	64,0	10,0
II NEA	-	-	46,0	54,0	-
III Ctro N Cba	-	-	24,0	70,0	6,0
IV S Cba	-	-	35,0	61,0	4,0
V Ctro N SFe	-	-	37,0	61,0	2,0
VI Núcleo Norte	-	-	24,0	46,0	30,0
VII Núcleo Sur	-	-	30,0	44,0	26,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	25,0	72,0	3,0
X Ctro Bs As	-	-	28,0	71,0	1,0
XI SO BA-S LP	-	-	33,0	61,0	6,0
XII SE BA	-	-	31,0	69,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	-	29,3	60,1	10,6
Nat. June 13, 2018	-	5,5	53,2	38,5	2,8

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of June 12, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	31,0	69,0	-
II	NEA	-	-	34,0	13,0	53,0
III	Ctro N Cba	-	-	19,0	81,0	-
IV	S Cba	-	-	24,0	76,0	-
V	Ctro N SFe	-	-	48,0	36,0	16,0
VI	Núcleo Norte	-	-	33,0	67,0	-
VII	Núcleo Sur	-	-	29,0	71,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	18,0	80,0	2,0
X	Ctro Bs As	-	6,0	61,0	33,0	-
XI	SO BA-S LP	-	6,0	31,0	63,0	-
XII	SE BA	-	3,0	80,0	17,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	0,7	33,3	61,7	4,4
Nat. June 13, 2018		2,7	14,3	46,9	30,6	5,5

First Soybean

Season 2018/2019

First Soybean Condition: as of June 12, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	38,0	35,0	21,0	6,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	26,0	22,0	37,0	15,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		36,8	33,7	22,7	6,9	-
Nat. June 13, 2018		41,8	28,9	22,1	7,2	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of June 12, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	15,0	43,0	42,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	11,0	37,0	28,0	24,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	1,1	17,3	41,4	40,1
Nat. June 13, 2018	0,4	3,0	56,6	21,6	18,4

First Soybean Harvested: as of June 12, 2019

Regions	June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I NOA	99,0	92,0	100,0	84,4
II NEA	96,6	56,0	77,0	89,7
III Ctro N Cba	100,0	100,0	100,0	98,2
IV S Cba	100,0	100,0	100,0	97,0
V Ctro N SFe	100,0	96,0	98,0	97,0
VI Núcleo Norte	100,0	100,0	100,0	99,8
VII Núcleo Sur	99,9	100,0	100,0	99,3
VIII Ctro E ER	100,0	100,0	100,0	99,3
IX N LP-OBA	99,2	100,0	100,0	94,5
X Ctro Bs As	90,0	99,0	100,0	89,6
XI SO BA-S LP	97,8	100,0	100,0	83,8
XII SE BA	70,0	99,3	100,0	80,2
XIII San Luis	100,0	100,0	100,0	98,6
XIV Cuenca Sal	90,0	100,0	100,0	89,4
XV Others	100,0	100,0	100,0	100,0
National	98,0	97,1	98,8	95,4

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean

Second Soybean Condition: as of June 12, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	39,0	31,0	21,0	9,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	43,0	34,0	23,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	25,0	43,0	32,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	40,0	37,0	23,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		19,9	34,1	29,0	17,0	-
Nat.June 13, 2018		57,5	25,1	13,7	3,7	-

Second Soybean Moisture Condition: as of June 12, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	14,0	33,0	53,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	40,0	38,0	22,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	36,0	38,0	26,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	50,0	28,0	22,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	11,4	24,9	31,7	32,0
Nat.June 13, 2018		-	2,0	56,7	22,5	18,9

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Harvested: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	100,0	92,0	100,0	81,5
II	NEA	94,0	54,0	75,0	83,8
III	Ctro N Cba	100,0	98,5	100,0	96,9
IV	S Cba	99,5	100,0	100,0	95,3
V	Ctro N SFe	93,0	84,4	94,0	96,2
VI	Núcleo Norte	100,0	100,0	100,0	99,0
VII	Núcleo Sur	100,0	99,0	100,0	95,4
VIII	Ctro E ER	97,0	94,2	100,0	96,7
IX	N LP-OBA	95,0	98,0	100,0	88,1
X	Ctro Bs As	78,0	88,0	95,0	76,1
XI	SO BA-S LP	89,0	97,5	100,0	73,7
XII	SE BA	29,0	91,0	97,7	54,8
XIII	San Luis	100,0	100,0	100,0	92,0
XIV	Cuenca Sal	60,0	100,0	100,0	72,4
XV	Others	100,0	100,0	100,0	92,0
National		88,5	93,9	98,0	84,9

Soybean

Soybean Condition: as of June 12, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	38,3	33,9	21,0	6,8	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	10,5	34,5	35,2	19,8	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	25,0	43,0	32,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	40,0	37,0	23,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		29,9	33,8	25,2	11,0	-
Nat. June 13, 2018		52,7	26,3	16,3	4,8	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of June 12, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	14,7	40,2	45,1
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	4,4	38,8	34,0	22,8
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	36,0	38,0	26,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	2,6	18,9	36,3	36,8
Nat.June 13, 2018		0,1	2,3	56,6	22,2	18,7

Soybean Harvested: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	99,4	92,0	100,0	83,8
II	NEA	95,8	55,5	76,5	88,6
III	Ctro N Cba	100,0	99,6	100,0	98,0
IV	S Cba	99,9	100,0	100,0	96,8
V	Ctro N SFe	98,1	92,2	96,7	96,8
VI	Núcleo Norte	100,0	100,0	100,0	99,7
VII	Núcleo Sur	99,9	99,8	100,0	98,8
VIII	Ctro E ER	99,6	98,8	100,0	98,9
IX	N LP-OBA	98,4	99,5	100,0	93,3
X	Ctro Bs As	85,4	93,8	97,7	85,5
XI	SO BA-S LP	92,6	98,3	100,0	78,7
XII	SE BA	51,4	94,8	98,7	69,7
XIII	San Luis	100,0	100,0	100,0	98,4
XIV	Cuenca Sal	65,5	100,0	100,0	81,9
XV	Others	100,0	100,0	100,0	98,7
National		95,6	96,1	98,5	93,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Condition: as of June 12, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	39,0	52,0	9,0
II	NEA	1,0	15,0	47,0	35,0	2,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	27,0	63,0	10,0
X	Ctro Bs As	-	-	48,0	40,0	12,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	39,0	52,0	9,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,6	8,5	43,5	42,4	5,1
Nat. June 13, 2018		19,3	26,0	36,4	16,6	1,8

Early Corn Moisture Condition: as of June 12, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	37,0	62,0	1,0
II	NEA	-	-	32,0	49,0	19,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	41,0	59,0	-
X	Ctro Bs As	-	-	32,0	68,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	7,0	49,0	44,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	0,5	34,9	53,7	10,9
Nat. June 13, 2018		8,9	21,4	62,2	6,4	1,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Mature: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	100,0	98,0	100,0	100,0
II	NEA	100,0	98,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,3	100,0	100,0

Early Corn Harvested: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	10,0	3,0	9,5	8,2
II	NEA	14,0	2,0	4,0	16,6
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,8
VII	Núcleo Sur	100,0	100,0	100,0	99,5
VIII	Ctro E ER	100,0	100,0	100,0	99,9
IX	N LP-OBA	95,0	95,0	98,0	92,3
X	Ctro Bs As	75,0	95,0	98,0	80,8
XI	SO BA-S LP	55,0	82,0	85,0	68,6
XII	SE BA	52,0	68,0	75,0	51,0
XIII	San Luis	100,0	100,0	100,0	95,4
XIV	Cuenca Sal	93,0	80,0	84,0	91,8
XV	Others	100,0	69,0	71,0	100,0
National		65,0	64,8	66,9	81,9

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Condition: as of June 12, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	34,0	49,0	17,0
IV S Cba	-	0,5	43,0	47,5	9,0
V Ctro N SFe	-	-	46,0	44,0	10,0
VI Núcleo Norte	-	-	43,0	47,0	10,0
VII Núcleo Sur	-	-	41,0	48,0	11,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	35,0	51,0	14,0
X Ctro Bs As	-	-	43,0	50,0	7,0
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	4,0	44,0	46,0	6,0
XIII San Luis	-	-	41,0	51,0	8,0
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	0,3	40,0	48,3	11,3
Nat.June 13, 2018	41,3	31,1	22,1	5,0	0,4

Late Corn Moisture Condition: as of June 12, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	52,0	47,0	1,0
IV S Cba	-	-	41,0	59,0	-
V Ctro N SFe	-	-	33,0	67,0	-
VI Núcleo Norte	-	-	35,0	61,0	4,0
VII Núcleo Sur	-	-	51,0	48,0	1,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	1,0	43,0	55,0	-
X Ctro Bs As	-	-	37,0	63,0	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	9,0	55,0	36,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	0,6	40,3	50,5	0,4
Nat.June 13, 2018	0,4	30,7	52,8	13,0	3,1

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Mature: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	97,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	95,0	98,0	95,0
XIII	San Luis	100,0	98,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,5	99,9	99,9

Late Corn Harvested: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	18,0	10,5	14,0	15,5
IV	S Cba	23,0	9,5	15,0	17,0
V	Ctro N SFe	23,0	-	5,0	16,0
VI	Núcleo Norte	42,0	26,0	40,0	24,8
VII	Núcleo Sur	50,0	22,0	25,0	27,1
VIII	Ctro E ER	60,0	-	-	34,2
IX	N LP-OBA	22,0	22,0	30,0	18,4
X	Ctro Bs As	18,0	-	-	13,7
XI	SO BA-S LP	-	-	-	8,8
XII	SE BA	-	-	-	0,6
XIII	San Luis	20,0	-	-	18,0
XIV	Cuenca Sal	15,0	-	-	27,0
XV	Others	-	-	-	-
National		21,9	8,9	12,8	15,1

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Condition: as of June 12, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	39,0	52,0	9,0
II	NEA	1,0	15,0	47,0	35,0	2,0
III	Ctro N Cba	-	-	34,0	49,0	17,0
IV	S Cba	-	0,5	43,0	47,5	9,0
V	Ctro N SFe	-	-	46,0	44,0	10,0
VI	Núcleo Norte	-	-	43,0	47,0	10,0
VII	Núcleo Sur	-	-	41,0	48,0	11,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	34,5	51,7	13,8
X	Ctro Bs As	-	-	43,2	49,6	7,2
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,1	42,8	47,4	6,7
XIII	San Luis	-	-	41,0	51,0	8,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,2	2,9	41,1	46,4	9,4
Nat.June 13, 2018		33,8	29,3	27,0	9,0	0,9

Corn Moisture Condition: as of June 12, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	37,0	62,0	1,0
II	NEA	-	-	32,0	49,0	19,0
III	Ctro N Cba	-	-	52,0	47,0	1,0
IV	S Cba	-	-	41,0	59,0	-
V	Ctro N SFe	-	-	33,0	67,0	-
VI	Núcleo Norte	-	-	35,0	61,0	4,0
VII	Núcleo Sur	-	-	51,0	48,0	1,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	0,9	42,9	55,2	-
X	Ctro Bs As	-	-	36,8	63,2	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	8,5	53,6	37,9	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	0,6	38,6	51,5	3,8
Nat.June 13, 2018		3,3	27,5	56,0	10,8	2,5

CROP CONDITION & DEVELOPMENT STAGES

Corn Mature: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	100,0	98,0	100,0	100,0
II	NEA	100,0	98,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	98,1	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	97,5	99,0	99,2
XIII	San Luis	100,0	98,4	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,4	100,0	100,0

Corn Harvested: as of June 12, 2019

Regions		June 13, 2018 %	June 5, 2019 %	June 12, 2019 %	2013/2018 Average %
I	NOA	10,0	3,0	9,5	8,2
II	NEA	14,0	2,0	4,0	16,6
III	Ctro N Cba	29,8	23,6	26,6	26,7
IV	S Cba	38,0	27,1	31,6	39,7
V	Ctro N SFe	49,2	33,7	37,1	47,4
VI	Núcleo Norte	91,7	90,2	92,1	82,8
VII	Núcleo Sur	89,9	88,1	88,6	81,3
VIII	Ctro E ER	84,1	58,6	58,6	76,9
IX	N LP-OBA	57,8	58,0	63,6	53,7
X	Ctro Bs As	40,3	42,0	43,3	53,3
XI	SO BA-S LP	32,4	40,3	41,8	51,7
XII	SE BA	30,7	33,5	36,9	42,6
XIII	San Luis	35,1	19,6	19,6	38,4
XIV	Cuenca Sal	45,5	35,4	37,1	72,3
XV	Others	55,3	69,0	71,0	54,6
National		45,0	39,3	42,3	46,3