



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

DECEMBER 16, 2021



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati
ecopati@bc.org.ar

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Justo Fernández Vidal
jfernandez@bc.org.ar

Jorgelina Mediate
jmediate@bc.org.ar

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
 Twitter: @estimacionesbc


ISSN 2408-4344t



- | | |
|---------------------------------|--|
| I - NWA (North-West Argentina) | IX - North La Pampa - West Buenos Aires |
| II - NEA (North-East Argentina) | X - Central Buenos Aires |
| III - North-Central Córdoba | XI - South-West de Buenos Aires - South La Pampa |
| IV - South Córdoba | XII - South-East Buenos Aires |
| V - North-Central Santa Fe | XIII - San Luis |
| VI - North Belt | XIV - Cuenca del Salado |
| VII - South Belt | XV - Others |
| VIII - East-Central Entre Ríos | |

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY

Findings of the survey conducted through December 15, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

SOYBEAN 2021/22






Regional participation in the total national area (%)															
Regions	VII	VI	IX	III	II	IV	I	V	VIII	XII	X	XI	XIII	XIV	XV
Nat. Part. 2021/22	13,4	12,6	10,8	10,3	9,6	9,6	7,5	6,3	6,2	4,5	4,2	2,2	1,4	1,0	0,5
Hist. Nat. Part.	13,0	13,5	10,9	11,1	8,7	9,5	6,1	6,5	6,3	5,0	4,3	2,0	1,5	1,1	0,4
Moisture condition, Crop condition & Development stages														Week 51	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		21/22	-	-	5,9	-	-	-	-	-	-				
		20/21	-	-	7,7	-	-	-	-	-	-				
		16/21 Average	-	-	14,9	-	-	-	-	-	-				
II - NEA		21/22	-	-	10,0	-	-	-	-	-	-				
		20/21	-	-	17,5	-	-	-	-	-	-				
		16/21 Average	-	-	14,4	-	-	-	-	-	-				
III - NC Cba		21/22	100,0	100,0	76,9	-	-	-	-	-	-				
		20/21	36,6	88,3	74,8	-	-	-	-	-	-				
		16/21 Average	-	-	79,4	-	-	-	-	-	-				
IV - S Cba	Pests - Weeds	21/22	100,0	100,0	85,6	64,1	8,7	-	-	-	-				
		20/21	60,7	93,8	87,9	66,3	-	-	-	-	-				
		16/21 Average	-	-	87,9	62,2	8,9	-	-	-	-				
V - NC S Fe	Pests	21/22	73,8	100,0	66,2	-	-	-	-	-	-				
		20/21	73,5	98,4	80,0	-	-	-	-	-	-				
		16/21 Average	-	-	79,5	-	-	-	-	-	-				
VI - North Belt	Pests- Weeds	21/22	100,0	100,0	94,4	76,2	15,6	-	-	-	-				
		20/21	85,7	97,9	93,3	66,3	-	-	-	-	-				
		16/21 Average	-	-	93,6	70,7	18,3	-	-	-	-				
VII - South Belt	Pests	21/22	81,3	94,0	88,0	77,1	12,5	-	-	-	-				
		20/21	80,2	98,4	87,8	66,4	6,3	-	-	-	-				
		16/21 Average	-	-	89,5	71,3	14,2	-	-	-	-				
VIII - CE E. Rios		21/22	57,9	100,0	87,8	-	-	-	-	-	-				
		20/21	78,4	98,3	87,1	-	-	-	-	-	-				
		16/21 Average	-	-	91,4	-	-	-	-	-	-				
IX - N LP - W BA	Weeds	21/22	98,1	100,0	69,7	61,3	6,7	-	-	-	-				
		20/21	66,3	95,4	77,4	63,9	2,9	-	-	-	-				
		16/21 Average	-	-	79,8	56,9	10,0	-	-	-	-				
XII - SE BA		21/22	100,0	100,0	96,4	85,4	4,7	-	-	-	-				
		20/21	85,0	97,5	39,1	21,6	-	-	-	-	-				
		16/21 Average	-	-	46,6	28,9	-	-	-	-	-				
National		21/22	89,9	98,8	64,7	50,3	8,2	-	-	-	-				
		20/21	69,2	95,3	67,8	44,2	1,6	-	-	-	-				
		16/21 Average	-	-	71,8	49,4	9,7	-	-	-	-				

FIRST SOYBEAN 2021/22

Regional participation in the total national area (%)															
Regions	VII	VI	III	IX	IV	II	I	VIII	V	X	XII	XIII	XIV	XI	XV
Nat. Part. 2021/22	13,5	12,1	11,7	11,2	10,7	10,3	8,4	6,7	6,1	2,8	2,8	2,1	0,6	0,6	0,5
Hist. Nat. Part.	13,9	13,3	11,5	11,4	10,2	9,3	6,2	7,2	6,2	3,5	3,4	2,0	0,9	0,7	0,4

Moisture condition, Crop condition & Development stages												Week 51			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		21/22	-	-	8,0	-	-	-	-	-	-				
		20/21	-	-	8,0	-	-	-	-	-	-				
		16/21 Average	-	-	18,0	-	-	-	-	-	-				
II - NEA		21/22	-	-	14,0	-	-	-	-	-	-				
		20/21	-	-	20,0	-	-	-	-	-	-				
		16/21 Average	-	-	17,5	-	-	-	-	-	-				
III - NC Cba		21/22	100,0	100,0	90,0	-	-	-	-	-	-				
		20/21	36,0	86,0	80,0	-	-	-	-	-	-				
		16/21 Average	-	-	89,6	-	-	-	-	-	-				
IV - S Cba	Weeds - Pests	21/22	100,0	100,0	100,0	81,0	12,0	-	-	-	-				
		20/21	60,0	93,0	100,0	85,0	-	-	-	-	-				
		16/21 Average	-	-	98,6	76,2	11,0	-	-	-	-				
V - NC S Fe	Pests	21/22	75,0	100,0	80,0	-	-	-	-	-	-				
		20/21	70,0	98,0	100,0	-	-	-	-	-	-				
		16/21 Average	-	-	92,4	-	-	-	-	-	-				
VI - North Belt	Weeds - Pests	21/22	100,0	100,0	100,0	95,0	25,0	-	-	-	-				
		20/21	80,0	97,0	100,0	95,0	-	-	-	-	-				
		16/21 Average	-	-	100,0	88,4	24,3	-	-	-	-				
VII - South Belt	Pests	21/22	80,0	92,0	100,0	99,0	19,0	-	-	-	-				
		20/21	75,0	98,0	100,0	94,0	9,0	-	-	-	-				
		16/21 Average	-	-	99,5	89,4	17,8	-	-	-	-				
VIII - CE E. Rios		21/22	60,0	100,0	98,0	-	-	-	-	-	-				
		20/21	74,0	98,0	96,0	-	-	-	-	-	-				
		16/21 Average	-	-	98,0	-	-	-	-	-	-				
IX - N LP - W BA	Weeds	21/22	98,0	100,0	99,0	90,0	10,0	-	-	-	-				
		20/21	66,0	95,0	100,0	89,0	4,0	-	-	-	-				
		16/21 Average	-	-	98,6	76,0	13,2	-	-	-	-				
National		21/22	90,0	98,5	80,2	68,4	12,6	-	-	-	-				
		20/21	65,3	94,3	81,1	63,2	2,3	-	-	-	-				
		16/21 Average	-	-	85,7	65,3	13,0	-	-	-	-				

CORN 2021/22



Regional participation in the total national area (%)															
Regions	III	IV	IX	II	VI	VII	I	X	VIII	XIII	XII	V	XI	XIV	XV
Nat. Part. 2019/20	13,7	11,8	10,3	9,9	9,0	6,9	5,8	4,9	4,7	4,5	3,6	3,6	2,4	1,7	0,5
Hist. Nat. Part.	14,5	12,4	10,7	11,0	10,0	7,9	6,4	5,1	4,6	4,9	3,6	3,8	2,7	1,8	0,5
Moisture condition, Crop condition & Development stages													Week 51		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		21/22	100,0	-	1,0	-	-	-	-	-	-	-	-	-	-
		20/21	80,0	-	1,0	-	-	-	-	-	-	-	-	-	-
		16/21 Average	-	-	7,2	-	-	-	-	-	-	-	-	-	-
II - NEA		21/22	92,0	-	1,5	-	-	-	-	-	-	-	-	-	-
		20/21	80,0	-	1,5	-	-	-	-	-	-	-	-	-	-
		16/21 Average	-	-	6,6	-	-	-	-	-	-	-	-	-	-
III - NC Cba		21/22	100,0	100,0	28,4	7,0	3,2	1,1	-	-	-	-	-	-	-
		20/21	78,5	83,9	28,0	11,8	5,0	1,6	-	-	-	-	-	-	-
		16/21 Average	-	-	44,7	18,2	8,2	3,6	-	-	-	-	-	-	-
IV - S Cba	Weeds - Pests	21/22	100,0	100,0	49,4	15,4	2,3	0,4	-	-	-	-	-	-	-
		20/21	82,4	85,0	72,7	14,6	4,2	1,2	-	-	-	-	-	-	-
		16/21 Average	-	-	68,1	24,8	11,6	6,3	-	-	-	-	-	-	-
VI - North Belt	Diseases	21/22	100,0	100,0	90,0	85,8	64,6	39,1	-	-	-	-	-	-	-
		20/21	81,3	87,7	94,3	85,6	55,3	18,7	-	-	-	-	-	-	-
		16/21 Average	-	-	93,8	87,7	67,5	44,6	-	-	-	-	-	-	-
VII - South Belt	Diseases	21/22	97,2	100,0	91,3	87,1	60,2	30,1	-	-	-	-	-	-	-
		20/21	88,0	91,8	94,4	86,8	44,7	12,9	-	-	-	-	-	-	-
		16/21 Average	-	-	93,2	86,4	60,6	32,2	-	-	-	-	-	-	-
VIII - CE E. Rios		21/22	73,5	90,0	53,5	38,0	35,7	28,5	-	-	-	-	-	-	-
		20/21	84,1	85,7	44,2	38,0	25,8	17,1	-	-	-	-	-	-	-
		16/21 Average	-	-	64,3	59,3	54,5	44,3	1,2	-	-	-	-	-	-
IX - N LP - W BA		21/22	97,8	100,0	57,8	43,5	14,0	1,8	-	-	-	-	-	-	-
		20/21	79,3	88,8	73,6	43,0	8,4	1,2	-	-	-	-	-	-	-
		16/21 Average	-	-	81,7	56,3	23,6	10,7	-	-	-	-	-	-	-
X - Central BA		21/22	96,4	100,0	60,4	45,4	10,0	-	-	-	-	-	-	-	-
		20/21	79,1	91,7	70,0	45,4	4,0	0,4	-	-	-	-	-	-	-
		16/21 Average	-	-	79,5	52,8	12,1	3,4	-	-	-	-	-	-	-
XII - SE BA		21/22	84,4	100,0	57,7	47,3	6,8	-	-	-	-	-	-	-	-
		20/21	78,9	86,8	84,0	53,5	-	-	-	-	-	-	-	-	-
		16/21 Average	-	-	85,4	64,2	2,0	-	-	-	-	-	-	-	-
XIII - San Luis		21/22	97,8	98,8	47,9	14,4	2,2	-	-	-	-	-	-	-	-
		20/21	74,2	85,0	73,6	15,5	1,0	-	-	-	-	-	-	-	-
		16/21 Average	-	-	64,2	22,2	3,0	1,2	-	-	-	-	-	-	-
National		21/22	96,1	99,4	47,7	33,0	17,4	9,0	-	-	-	-	-	-	-
		20/21	80,9	87,1	55,4	33,7	13,5	4,8	-	-	-	-	-	-	-
		16/21 Average	-	-	60,6	41,4	22,1	13,2	0,3	-	-	-	-	-	-

EARLY CORN 2021/22

Regional participation in the total national area (%)															
Regions	II	VI	VII	I	IX	X	VIII	XII	III	IV	V	XI	XIV	XIII	XV
Nat. Part. 2019/20	22,4	17,5	13,8	13,0	8,1	4,5	4,0	3,7	2,1	2,1	2,7	2,5	1,8	0,7	1,1
Hist. Nat. Part.	19,9	15,9	12,3	11,5	9,4	4,4	4,7	3,9	4,0	4,5	2,5	2,7	1,7	1,7	0,9




Moisture condition, Crop condition & Development stages												Week 51			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		21/22	100,0	-	1,0	-	-	-	-	-	-				
		20/21	80,0	-	1,0	-	-	-	-	-	-				
		16/21 Average	-	-	10,7	-	-	-	-	-	-				
II - NEA		21/22	92,0	-	1,5	-	-	-	-	-	-				
		20/21	80,0	-	1,5	-	-	-	-	-	-				
		16/21 Average	-	-	10,1	-	-	-	-	-	-				
III - NC Cba		21/22	100,0	100,0	100,0	100,0	45,0	16,0	-	-	-				
		20/21	65,0	73,0	100,0	100,0	50,0	16,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	51,6	21,5	-	-	-				
IV - S Cba		21/22	100,0	100,0	100,0	100,0	29,0	5,0	-	-	-				
		20/21	69,0	85,0	100,0	100,0	35,0	10,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	51,8	26,8	-	-	-				
VI - North Belt		21/22	100,0	100,0	100,0	100,0	76,0	46,0	-	-	-				
		20/21	81,0	88,0	100,0	100,0	65,0	22,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	77,4	50,8	-	-	-				
VII - South Belt		21/22	97,0	100,0	100,0	100,0	70,0	35,0	-	-	-				
		20/21	88,0	92,0	100,0	100,0	52,0	15,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	70,6	37,4	-	-	-				
VIII - CE E. Rios		21/22	70,0	88,0	100,0	100,0	94,0	75,0	-	-	-				
		20/21	84,0	85,0	100,0	100,0	68,0	45,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	92,6	74,6	2,0	-	-				
IX - N LP - W BA		21/22	99,0	100,0	100,0	100,0	40,0	5,0	-	-	-				
		20/21	77,0	92,0	100,0	100,0	21,0	3,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	43,0	18,8	-	-	-				
X - Central BA		21/22	95,0	100,0	100,0	100,0	25,0	-	-	-	-				
		20/21	74,0	93,0	100,0	100,0	10,0	1,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	24,6	6,9	-	-	-				
XII - SE BA		21/22	80,0	100,0	100,0	99,0	15,0	-	-	-	-				
		20/21	74,0	88,0	100,0	99,0	-	-	-	-	-				
		16/21 Average	-	-	100,0	99,6	2,5	-	-	-	-				
National		21/22	94,8	99,2	64,0	59,9	34,4	17,6	-	-	-				
		20/21	79,2	87,9	64,1	63,6	27,0	9,5	-	-	-				
		16/21 Average	-	-	73,1	70,0	38,8	23,0	0,4	-	-				

LATE CORN 2021/22

Regional participation in the total national area (%)															
Regions	III	IV	IX	XIII	X	VIII	V	XII	VI	XI	VII	XIV	II	I	XV
Nat. Part. 2021/22	25,7	21,9	13,5	8,5	6,1	5,9	4,8	4,1	2,8	2,7	2,0	2,0	0,0	0,0	0,0
Hist. Nat. Part.	27,6	22,1	12,3	8,8	6,0	4,5	5,4	3,3	2,8	2,6	2,4	2,0	0,0	0,0	0,0




Moisture condition, Crop condition & Development stages												Week 51			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
III - NC Cba		21/22	100,0	-	23,0	-	-	-	-	-	-				
		20/21	86,0	-	20,0	-	-	-	-	-	-				
		16/21 Average	-	-	34,5	-	-	-	-	-	-				
IV - S Cba	Pests	21/22	100,0	-	45,0	-	-	-	-	-	-				
		20/21	85,0	-	69,0	-	-	-	-	-	-				
		16/21 Average	-	-	58,8	-	-	-	-	-	-				
V - NC S Fe		21/22	100,0	-	25,0	-	-	-	-	-	-				
		20/21	86,0	-	12,0	-	-	-	-	-	-				
		16/21 Average	-	-	11,2	-	-	-	-	-	-				
VIII - EC E. Rios		21/22	82,0	-	25,0	-	-	-	-	-	-				
		20/21	85,0	-	10,0	-	-	-	-	-	-				
		16/21 Average	-	-	16,8	-	-	-	-	-	-				
IX - N LP - W BA		21/22	96,0	-	35,0	-	-	-	-	-	-				
		20/21	82,0	-	56,0	-	-	-	-	-	-				
		16/21 Average	-	-	60,4	-	-	-	-	-	-				
X - Central BA		21/22	99,0	-	34,0	-	-	-	-	-	-				
		20/21	86,0	-	50,0	-	-	-	-	-	-				
		16/21 Average	-	-	59,2	-	-	-	-	-	-				
XII - SE BA		21/22	100,0	-	23,0	-	-	-	-	-	-				
		20/21	86,0	-	68,0	-	-	-	-	-	-				
		16/21 Average	-	-	61,6	-	-	-	-	-	-				
XIII - San Luis		21/22	100,0	-	44,0	-	-	-	-	-	-				
		20/21	75,0	-	70,0	-	-	-	-	-	-				
		16/21 Average	-	-	55,0	-	-	-	-	-	-				
National		21/22	98,6	99,7	32,9	5,0	-	-	-	-	-				
		20/21	83,4	86,0	46,6	3,6	-	-	-	-	-				
		16/21 Average	-	-	45,9	4,6	-	-	-	-	-				

SUNFLOWER 2021/22



Regional participation in the total national area (%)															
Regions	XII	XI	II	V	IX	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2019/20	23,0	21,6	10,6	14,2	12,4	7,3	4,5	1,7	1,4	0,9	0,8	0,7	0,5	0,4	0,0
Hist. Nat. Part.	23,3	22,3	17,5	14,1	7,7	6,1	3,9	1,3	1,4	0,7	0,5	0,4	0,5	0,3	0,0
Moisture condition, Crop condition & Development stages														Week 51	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		21/22	57,0	100,0	100,0	100,0	100,0	100,0	97,0	47,0	-				
		20/21	27,0	16,0	100,0	100,0	100,0	100,0	89,0	50,0	-				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	95,2	60,8	10,2				
V - NC S Fe		21/22	82,0	100,0	100,0	100,0	97,0	86,0	52,0	28,0	-				
		20/21	57,0	83,0	100,0	100,0	100,0	100,0	65,0	31,0	-				
		16/21 Average	-	-	100,0	100,0	100,0	100,0	67,4	40,0	0,4				
IX - N LP - W BA	Diseases	21/22	99,0	100,0	100,0	100,0	27,0	1,0	-	-	-				
		20/21	87,0	89,0	100,0	100,0	52,0	8,0	-	-	-				
		16/21 Average	-	-	100,0	100,0	47,6	12,6	-	-	-				
X - Central BA		21/22	95,0	100,0	100,0	100,0	15,0	-	-	-	-				
		20/21	87,0	88,0	100,0	100,0	29,0	-	-	-	-				
		16/21 Average	-	-	100,0	98,6	31,2	1,4	-	-	-				
XI - SW BA - S LP	Diseases	21/22	100,0	100,0	100,0	100,0	8,0	-	-	-	-				
		20/21	85,0	86,0	100,0	100,0	7,0	-	-	-	-				
		16/21 Average	-	-	100,0	94,6	9,6	0,4	-	-	-				
XII - SE BA	Diseases	21/22	80,0	100,0	100,0	100,0	9,0	-	-	-	-				
		20/21	89,0	84,0	100,0	100,0	13,0	-	-	-	-				
		16/21 Average	-	-	100,0	96,8	16,2	0,8	-	-	-				
XIV - Cuenca Sal.		21/22	90,0	87,0	100,0	100,0	21,0	-	-	-	-				
		20/21	97,0	93,0	100,0	100,0	50,0	-	-	-	-				
		16/21 Average	-	-	100,0	97,2	45,6	3,8	-	-	-				
National		21/22	86,4	99,0	100,0	100,0	37,1	24,7	17,9	9,0	-				
		20/21	80,4	82,7	100,0	100,0	37,0	20,1	12,5	6,3	-				
		16/21 Average	-	-	100,0	97,8	48,4	34,7	26,7	16,6	2,2				

WHEAT 2021/22



Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	I	II	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture condition, Crop condition & Development stages												Week 51			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Stem Extension	Heading	Ripening	Mature	Harvested				
I - NWA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
II - NEA		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
III - NC Cba		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6			98,6
IV - S Cba		21/22	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0			72,5
		20/21	10,0	8,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0			85,6
		16/21 Average	38,2	34,4	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,4			88,8
V - NC S Fe		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		16/21 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
VI - North Belt		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		20/21	43,0	21,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			96,2
		16/21 Average	37,6	29,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6			95,8
VII - South Belt		21/22	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0			86,5
		20/21	91,0	78,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0			82,5
		16/21 Average	52,4	55,2	100,0	100,0	100,0	100,0	100,0	99,6	96,4	84,4			
IX - N LP - W BA	Floods	21/22	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	77,0			20,2
		20/21	84,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	74,0			61,5
		16/21 Average	62,0	55,0	100,0	100,0	100,0	100,0	100,0	97,4	71,2	59,6			
X - Central BA	Floods	21/22	92,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	73,0			5,6
		20/21	84,0	91,0	100,0	100,0	100,0	100,0	100,0	91,0	65,0	17,8			
		16/21 Average	56,3	46,9	100,0	100,0	100,0	100,0	100,0	91,4	63,8	41,0			
XI - SW BA - S LP		21/22	100,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	76,0			10,0
		20/21	88,0	96,0	100,0	100,0	100,0	100,0	100,0	99,0	53,0	21,5			
		16/21 Average	51,2	56,6	100,0	100,0	100,0	100,0	100,0	86,0	44,6	25,5			
XII - SE BA		21/22	88,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	73,0				2,0
		20/21	85,0	92,0	100,0	100,0	100,0	100,0	100,0	90,0	43,0				6,6
		16/21 Average	57,5	82,0	100,0	100,0	100,0	100,0	100,0	77,6	36,2				7,0
National		21/22	93,6	99,3	100,0	100,0	100,0	100,0	100,0	99,7	90,0				65,0
		20/21	84,0	89,1	100,0	100,0	100,0	100,0	100,0	98,3	83,2				66,4
		16/21 Average	69,8	70,8	100,0	100,0	100,0	100,0	100,0	95,6	82,9				68,3