

CROP CONDITION & DEVELOPMENT STAGES


AUGUST, 9
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGE ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through August 8, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Season 2018/2019

Wheat

Wheat Planted: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	99,7
VIII	Ctro E ER	98,0	100,0	100,0	100,0
IX	N LP-OBA	98,0	96,0	100,0	100,0
X	Ctro Bs As	95,0	89,0	94,0	97,9
XI	SO BA-S LP	81,0	92,0	97,0	96,6
XII	SE BA	80,0	88,0	92,0	87,6
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	94,0	98,0	100,0	94,4
XV	Others	100,0	100,0	100,0	100,0
National		95,3	97,3	98,7	97,5

Wheat Condition: as of August 8, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	41,0	56,0	3,0	-
II	NEA	-	3,0	83,0	14,0	-
III	Ctro N Cba	-	8,0	89,0	3,0	-
IV	S Cba	-	4,0	34,0	38,0	24,0
V	Ctro N SFe	-	1,0	55,0	44,0	-
VI	Núcleo Norte	-	4,0	62,0	34,0	-
VII	Núcleo Sur	-	-	13,0	46,0	41,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	3,0	30,0	37,0	30,0
X	Ctro Bs As	-	-	48,0	52,0	-
XI	SO BA-S LP	-	-	29,0	40,0	31,0
XII	SE BA	-	-	31,0	43,0	26,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	5,0	48,4	32,1	14,5
Nat. Aug. 9, 2017		-	3,8	15,9	73,6	6,7

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of August 8, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	11,0	67,0	22,0	-	-
II	NEA	-	32,0	64,0	4,0	-
III	Ctro N Cba	-	48,0	52,0	-	-
IV	S Cba	8,0	32,0	47,0	13,0	-
V	Ctro N SFe	-	4,0	73,0	23,0	-
VI	Núcleo Norte	-	11,0	76,0	13,0	-
VII	Núcleo Sur	-	-	46,0	50,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	18,0	49,0	32,0	1,0
X	Ctro Bs As	-	6,0	53,0	37,0	4,0
XI	SO BA-S LP	-	13,0	56,0	31,0	-
XII	SE BA	-	-	19,0	64,0	17,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,3	18,8	51,6	25,2	3,2
Nat. Aug. 9, 2017		0,6	11,3	21,4	36,1	30,6

Wheat Tillering: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2013/2018 Average %
I	NOA	73,0	82,0	90,0	91,0
II	NEA	69,0	61,0	74,0	71,0
III	Ctro N Cba	95,0	51,0	60,0	78,8
IV	S Cba	73,0	39,0	45,0	55,8
V	Ctro N SFe	61,0	51,0	65,0	54,6
VI	Núcleo Norte	85,0	55,0	67,0	56,4
VII	Núcleo Sur	62,0	27,0	35,0	39,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	30,0	27,0	39,0	25,6
X	Ctro Bs As	36,0	28,0	41,0	32,0
XI	SO BA-S LP	29,0	26,0	39,0	28,0
XII	SE BA	18,0	21,0	32,0	20,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		58,3	42,2	53,2	47,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Steam Extension: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2013/2018 Average %
I	NOA	37,0	40,0	46,0	34,0
II	NEA	23,0	25,0	30,0	21,8
III	Ctro N Cba	15,0	10,0	15,0	12,4
IV	S Cba	5,0	5,0	12,0	4,6
V	Ctro N SFe	3,0	8,0	14,0	10,6
VI	Núcleo Norte	20,0	9,0	16,0	5,0
VII	Núcleo Sur	17,0	-	-	2,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	2,2
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	0,8
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		10,8	7,9	11,5	6,4

Wheat Heading: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2013/2018 Average %
I	NOA	15,0	10,0	17,0	7,4
II	NEA	4,0	-	-	1,2
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	4,0	-	-	1,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,3	0,6	1,1	0,4

Season 2017/2018

Early Corn

Early Corn Harvested: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2012/2017 Average %
I	NOA	52,0	75,0	85,0	72,4
II	NEA	81,0	66,0	81,0	84,8
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	96,0	100,0	99,0
XI	SO BA-S LP	92,0	92,0	100,0	93,0
XII	SE BA	92,0	81,0	95,0	89,4
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		92,5	88,6	94,0	95,7

Late Corn

Late Corn Harvested: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	68,0	84,0	89,0	75,2
IV	S Cba	46,0	72,0	82,0	73,8
V	Ctro N SFe	72,0	97,0	100,0	78,8
VI	Núcleo Norte	83,0	96,0	100,0	90,2
VII	Núcleo Sur	75,0	92,0	95,0	88,2
VIII	Ctro E ER	92,0	100,0	100,0	93,8
IX	N LP-OBA	60,0	79,0	82,0	79,2
X	Ctro Bs As	70,0	78,0	85,0	81,2
XI	SO BA-S LP	24,0	35,0	45,0	62,8
XII	SE BA	20,0	40,0	55,0	60,4
XIII	San Luis	60,0	75,0	84,0	85,4
XIV	Cuenca Sal	72,0	80,0	85,0	86,4
XV	Others	98,0	85,0	90,0	99,6
National		62,9	78,6	85,0	76,4

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Harvested: as of August 8, 2018

Regions		August 9, 2017 %	August 1, 2018 %	August 8, 2018 %	2012/2017 Average %
I	NOA	52,0	75,0	85,0	72,4
II	NEA	81,0	66,0	81,0	84,8
III	Ctro N Cba	72,8	86,4	90,6	78,7
IV	S Cba	62,2	77,6	85,6	80,4
V	Ctro N SFe	80,4	98,0	100,0	86,2
VI	Núcleo Norte	97,5	99,5	100,0	97,9
VII	Núcleo Sur	96,3	98,4	99,0	97,3
VIII	Ctro E ER	97,2	100,0	100,0	97,5
IX	N LP-OBA	76,0	89,5	91,0	88,7
X	Ctro Bs As	85,0	85,2	91,0	90,6
XI	SO BA-S LP	68,2	68,8	77,8	84,0
XII	SE BA	77,6	64,4	78,9	84,3
XIII	San Luis	68,0	79,8	87,1	88,3
XIV	Cuenca Sal	88,8	88,0	91,0	95,2
XV	Others	98,8	90,6	93,7	99,8
National		77,5	84,0	89,9	85,1