



WEEKLY AGRICULTURAL REPORT

APRIL 7, 2022



## DEPARTAMENT & REGIONS

### HEAD OF DEPARTMENT

Ing. Esteban J. Copati  
*ecopati@bc.org.ar*

### CROP ANALYST

Ing. Martin López  
*martinlopez@bc.org.ar*  
 Corn & Grain Sorghum

### CROP ANALYST

Ing. Daniela A. Venturino  
*dventurino@bc.org.ar*  
 Wheat & Sunflower

### CROP ANALYST


Ing. Andrés Paterniti  
*apaterniti@bc.org.ar*  
 Soybean & Barley

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Jorgelina Mediate  
*jmediate@bc.org.ar*

Joaquín Pellejero  
*jpellejero@bc.org.ar*

Agustin Podesta  
*apodesta@bc.org.ar*



I - NWA (North-West Argentina)  
 II - NEA (North-East Argentina)  
 III - North-Central Córdoba  
 IV - South Córdoba  
 V - North-Central Santa Fe  
 VI - North Belt  
 VII - South Belt  
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires  
 X - Central Buenos Aires  
 XI - South-West de Buenos Aires - South La Pampa  
 XII - South-East Buenos Aires  
 XIII - San Luis  
 XIV - Cuenca del Salado  
 XV - Others

### CONTACT

Av. Corrientes 123  
 C1043AAB - CABA  
 Tel.: +54 11 4515 8200 | 8300  
*estimacionesagricolas@bc.org.ar*  
 Twitter: @estimacionesbc

ISSN 2408-4344t

*We appreciate the contribution of our Network of Collaborators throughout the country.*

## AGRICULTURAL WEATHER OUTLOOK: APRIL 7 TO 13, 2022:

**HIGH TEMPERATURES, COUPLED WITH PRECIPITATIONS OF VARYING INTENSITY WITH FOCUS OVER THE NORTHEAST AND SOUTHWEST OF THE AGRICULTURAL AREA. FINAL SHARP TEMPERATURE DROP.**

At the beginning of the outlook, tropical winds will spread over most of the agricultural area, causing highs above normal over the north of the agricultural area, while the center and south will observe more moderate temperatures. At the same time, hot front rainfalls will expand into a large part of the agricultural area with focus on the northeast and south of its extension, while there will be early snowfalls on the Andes Mountain range. Along with the front, the entry of winds from the southwest will lead to an intense temperature drop, which will last for several days, affecting a large part of the agricultural area.



## **SOYBEAN**

Last week's favorable weather conditions have fostered fieldwork in the center of the agricultural area. To date, the collection covers 9.2% of the area. Weekly progress is estimated at 4.4 points with the greatest progress reported on both belts. The national average yield is 3.1 Tn/Ha, after harvesting more than 770,000 Ha during the last seven days. New frosts were recorded during the last week, being the North of La Pampa-West of Buenos Aires and the south of both provinces the most affected regions. At the time of this publication, 1,8 MHa corresponding to second-crop soybean are defining yields.

## **CORN**

Over the last week, the collection of corn has expanded into the center of the agricultural area. The productivities of early-planted crops remain below the initial expectations. In parallel, recent frosts recorded in part of the country could have an impact on the yields of late planted and second -crop corn. To date, the national average yield is 6.19 Tn/Ha. After revealing a weekly progress of 2.6 pp, 17% of the area has already been collected. Under this scenario, we maintain our production projection for the 2021/22 campaign at 49 MTn.

## **SUNFLOWER**

Good To date, the harvest of the oil crop is 93,7 % complete. At present, there are 100,000 unharvested hectares in the south of the Buenos Aires. The current average yield is estimated at 2,07 Tn/Ha and production is over 3,1 MTn. Under good weather conditions, fieldwork is likely to end during the next two weeks, with a final production of 3.3 MTn.



# Annex



## SOYBEAN

2020/21 Season

Data to: April 06, 2022

Zone	Hectareage (Ha)			Percentage Harvested (%)	Hectares Harvested	Yield (qq/Ha)	Production (Tn)	
	Sown	Lost	Harvestable					
I	NWA	1.130.000	595	1.129.405	1,5	16.988	26,0	44.168
II	NEA	1.587.720	-	1.587.720	-	-	-	-
III	NCnt Cba	1.694.590	4.125	1.690.465	7,4	124.588	21,4	266.560
IV	S Cba	1.660.630	4.270	1.656.360	7,3	121.573	31,5	383.408
V	NCnt SFe	1.034.890	1.950	1.032.940	3,8	38.883	26,2	101.853
VI	North Belt	2.083.000	25.261	2.057.739	34,1	701.106	32,5	2.281.298
VII	South Belt	2.205.000	8.048	2.196.953	9,8	216.293	34,0	734.499
VIII	ECnt ER	1.017.000	3.888	1.013.112	6,4	64.450	21,9	141.237
IX	N LP-W BA	1.850.000	5.040	1.844.960	5,4	100.397	36,3	363.995
X	Cnt BA	690.000	540	689.460	1,7	11.978	37,5	44.922
XI	SW BA-S LP	365.000	-	365.000	-	-	-	-
XII	SE BA	510.000	-	510.000	-	-	-	-
XIII	SL	232.000	1.100	230.900	9,5	21.890	28,0	61.292
XIV	Cuenca Sal	162.170	180	161.990	3,7	5.982	32,0	19.142
XV	Others	78.000	113	77.887	4,2	3.293	13,7	4.528
<b>TOTAL</b>		<b>16.300.000</b>	<b>55.110</b>	<b>16.244.890</b>	<b>8,8</b>	<b>1.427.421</b>	<b>31,2</b>	<b>4.446.901</b>

# CORN

2021/22 Season

Data to: April 06, 2022

Zone	Hectareage (Ha)			Percentage Harvested (%)	Hectares Harvested	Yield (qq/Ha)	Production (Tn)	
	Sown	Lost	Harvestable					
I	NWA	450.000	-	450.000	-	-	-	
II	NEA	775.000	-	775.000	-	-	-	
III	NCnt Cba	1.060.000	2.450	1.057.550	5,6	58.835	42,7	251.480
IV	S Cba	915.000	2.240	912.760	3,6	32.642	66,6	217.518
V	NCnt SFe	280.000	4.300	275.700	33,0	90.900	45,3	411.983
VI	North Belt	712.000	17.000	695.000	68,6	476.442	68,8	3.278.232
VII	South Belt	555.000	14.000	541.000	54,0	291.879	62,2	1.815.728
VIII	ECnt ER	363.000	5.700	357.300	34,1	121.661	38,2	465.341
IX	N LP-W BA	800.000	4.500	795.500	10,7	85.405	83,2	710.874
X	Cnt BA	390.000	1.600	388.400	4,8	18.528	75,6	139.979
XI	SW BA-S LP	190.000	1.100	188.900	4,5	8.440	70,9	59.851
XII	SE BA	285.000	1.200	283.800	2,2	6.353	65,0	41.291
XIII	SL	350.000	910	349.090	3,0	10.616	59,1	62.688
XIV	Cuenca Sal	137.000	1.900	135.100	11,1	14.938	63,5	94.840
XV	Others	38.000	300	37.700	31,0	11.687	41,8	48.800
<b>TOTAL</b>		<b>7.300.000</b>	<b>57.200</b>	<b>7.242.800</b>	<b>17,0</b>	<b>1.228.324</b>	<b>61,9</b>	<b>7.598.606</b>

# SUNFLOWER

2021/22 Season

Data to: April 06, 2022

Zone	Hectareage (Ha)			Percentage Harvested (%)	Hectares Harvested	Yield (qq/Ha)	Production (Tn)	
	Sown	Lost	Harvestable					
I	NWA	-	-	-	-	-	-	
II	NEA	175.000	6.300	168.700	100,0	168.700	17,5	295.474
III	NCnt Cba	6.000	200	5.800	100,0	5.800	19,0	11.020
IV	S Cba	27.500	500	27.000	100,0	27.000	22,4	60.465
V	NCnt SFe	235.000	5.200	229.800	100,0	229.800	22,9	525.139
VI	North Belt	15.000	350	14.650	100,0	14.650	28,3	41.389
VII	South Belt	13.000	300	12.700	100,0	12.700	28,8	36.612
VIII	ECnt ER	11.000	350	10.650	100,0	10.650	18,7	19.936
IX	N LP-W BA	205.000	2.100	202.900	100,0	202.900	22,6	458.030
X	Cnt BA	74.000	1.054	72.946	95,8	69.882	21,2	148.357
XI	SW BA-S LP	357.000	9.865	347.135	92,2	320.058	19,2	614.916
XII	SE BA	380.000	6.889	373.111	83,0	309.682	18,9	584.385
XIII	SL	23.000	360	22.640	90,0	20.376	18,0	36.600
XIV	Cuenca Sal	120.000	1.425	118.575	95,0	112.646	25,5	287.735
XV	Others	8.500	200	8.300	100,0	8.300	21,3	17.651
<b>TOTAL</b>		<b>1.650.000</b>	<b>35.093</b>	<b>1.614.907</b>	<b>93,7</b>	<b>1.513.145</b>	<b>20,7</b>	<b>3.137.711</b>