

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 26
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino
dventurino@bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa
sconsoleinsua@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December, 25 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

Season 2019/2020

First Soybean Planted: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	60,0	12,0	30,0	37,0
II	NEA	38,0	16,0	33,3	27,0
III	NCnt Cba	100,0	95,0	100,0	97,8
IV	S Cba	100,0	100,0	100,0	98,0
V	NCnt SFe	95,0	100,0	100,0	93,6
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	99,8
VIII	ECnt ER	100,0	100,0	100,0	99,4
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	99,8
XI	SW BA-S LP	100,0	87,0	100,0	97,8
XII	SE BA	100,0	92,9	100,0	97,4
XIII	SL	100,0	87,4	95,4	97,6
XIV	Cuenca Sal	100,0	88,5	100,0	99,0
XV	Others	100,0	73,0	90,0	92,0
National		94,0	85,9	89,8	91,0

First Soybean Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	16,0	50,0	34,0
II	NEA	-	-	21,0	50,0	29,0
III	NCnt Cba	-	6,0	47,0	47,0	-
IV	S Cba	-	5,0	53,0	42,0	-
V	NCnt SFe	-	-	22,0	63,0	15,0
VI	North Belt	-	4,0	51,0	41,0	4,0
VII	South Belt	-	-	28,0	70,0	2,0
VIII	ECnt ER	-	2,0	20,0	76,0	2,0
IX	N LP-W BA	-	3,0	73,0	24,0	-
X	Cnt BA	1,0	16,0	71,0	12,0	-
XI	SW BA-S LP	-	11,0	86,0	3,0	-
XII	SE BA	-	-	17,0	74,0	9,0
XIII	SL	-	-	75,0	25,0	-
XIV	Cuenca Sal	-	12,0	73,0	15,0	-
XV	Others	-	-	21,0	72,0	7,0
National		0,0	3,2	44,0	48,6	4,1
Nat.Dec 26, 2018		1,0	14,7	52,2	28,3	3,8

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 25, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	18,0	82,0	-
II	NEA	-	-	16,0	81,0	3,0
III	NCnt Cba	-	11,0	60,0	29,0	-
IV	S Cba	-	18,0	72,0	10,0	-
V	NCnt SFe	-	-	23,0	57,0	20,0
VI	North Belt	-	-	50,0	49,0	1,0
VII	South Belt	-	10,0	64,0	26,0	-
VIII	ECnt ER	-	-	41,0	56,0	3,0
IX	N LP-W BA	-	11,0	72,0	17,0	-
X	Cnt BA	5,0	23,0	57,0	15,0	-
XI	SW BA-S LP	6,0	36,0	56,0	2,0	-
XII	SE BA	-	19,0	54,0	27,0	-
XIII	SL	-	20,0	50,0	30,0	-
XIV	Cuenca Sal	4,0	30,0	64,0	2,0	-
XV	Others	-	-	29,0	62,0	9,0
National		0,3	9,0	55,0	33,8	1,9
Nat.Dec 26, 2018		-	6,8	55,6	29,8	7,9

First Soybean Leaf Development: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	60,0	54,0	74,0	71,0
IV	S Cba	71,0	78,0	90,0	79,0
V	NCnt SFe	60,0	70,0	96,0	64,2
VI	North Belt	82,0	100,0	100,0	80,2
VII	South Belt	86,0	100,0	100,0	89,8
VIII	ECnt ER	72,0	82,0	97,0	85,2
IX	N LP-W BA	76,0	87,0	97,0	82,6
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	59,0	72,0	90,0	64,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,2	70,7	80,2	70,7

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	23,0	8,0	25,0	40,0
IV	S Cba	28,0	12,0	26,0	32,0
V	NCnt SFe	13,0	20,0	32,0	35,8
VI	North Belt	38,0	30,0	39,0	38,6
VII	South Belt	28,0	20,0	32,0	39,4
VIII	ECnt ER	18,0	12,0	23,0	30,6
IX	N LP-W BA	27,0	13,0	25,0	25,8
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	1,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		20,1	12,9	22,7	28,0

Second Soybean

Second Soybean Planted: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	20,0	2,0	7,0	24,4
II	NEA	25,0	-	15,0	36,0
III	NCnt Cba	85,0	45,1	77,0	77,8
IV	S Cba	85,0	37,4	65,0	80,2
V	NCnt SFe	75,0	60,5	68,0	72,0
VI	North Belt	93,0	80,3	100,0	90,2
VII	South Belt	72,0	64,0	80,0	81,4
VIII	ECnt ER	65,0	70,3	77,0	74,6
IX	N LP-W BA	60,0	29,6	70,8	71,6
X	Cnt BA	30,0	30,0	38,0	49,4
XI	SW BA-S LP	40,0	9,0	30,0	39,8
XII	SE BA	30,0	-	7,0	31,6
XIII	SL	55,0	-	60,0	73,6
XIV	Cuenca Sal	15,0	-	37,7	42,0
XV	Others	40,0	-	40,0	65,0
National		61,0	18,2	24,1	60,6

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	46,0	8,5	22,0	33,0
II	NEA	34,0	11,8	28,5	28,6
III	NCnt Cba	96,0	79,8	93,0	93,6
IV	S Cba	96,0	83,6	90,8	95,0
V	NCnt SFe	88,0	85,2	88,0	88,4
VI	North Belt	98,0	93,1	100,0	98,4
VII	South Belt	93,0	90,5	94,7	96,8
VIII	ECnt ER	93,0	92,6	94,3	95,6
IX	N LP-W BA	90,0	80,5	91,9	93,6
X	Cnt BA	67,0	62,3	66,6	81,4
XI	SW BA-S LP	59,0	30,9	49,7	55,4
XII	SE BA	61,0	38,5	45,5	67,0
XIII	SL	98,0	83,0	93,6	96,8
XIV	Cuenca Sal	45,0	46,0	70,0	71,6
XV	Others	70,0	52,0	75,6	83,2
National		83,0	70,2	79,1	83,4

Soybean Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	25,3	44,5	30,2
II	NEA	-	-	31,8	43,2	25,0
III	NCnt Cba	-	4,5	37,6	55,3	2,5
IV	S Cba	-	4,1	44,9	49,1	1,9
V	NCnt SFe	-	-	15,6	62,1	22,2
VI	North Belt	-	2,6	33,2	51,1	13,1
VII	South Belt	-	-	21,7	72,2	6,0
VIII	ECnt ER	-	1,6	15,9	72,7	9,8
IX	N LP-W BA	-	2,4	59,6	38,0	-
X	Cnt BA	0,7	11,1	79,9	8,3	-
XI	SW BA-S LP	-	6,2	55,2	38,6	-
XII	SE BA	-	-	20,9	70,9	8,2
XIII	SL	-	-	74,4	25,6	-
XIV	Cuenca Sal	-	8,9	66,8	24,3	-
XV	Others	-	-	24,6	69,4	5,9
National		0,0	2,4	36,3	53,6	7,6
Nat.Dec 26, 2018		1,1	15,0	52,9	28,0	3,1

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of December 25, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	2,2	22,6	75,2	-
II	NEA	-	-	20,6	76,8	2,6
III	NCnt Cba	-	10,2	60,8	29,0	-
IV	S Cba	-	21,4	70,5	8,1	-
V	NCnt SFe	-	2,9	42,4	40,5	14,2
VI	North Belt	-	10,5	50,0	38,9	0,7
VII	South Belt	-	10,2	66,7	23,1	-
VIII	ECnt ER	-	2,0	49,8	45,8	2,4
IX	N LP-W BA	-	17,2	69,4	13,4	-
X	Cnt BA	3,5	31,3	54,9	10,4	-
XI	SW BA-S LP	7,7	42,1	49,0	1,1	-
XII	SE BA	-	18,2	53,6	28,2	-
XIII	SL	0,3	20,8	49,8	29,0	-
XIV	Cuenca Sal	3,0	26,1	63,0	8,0	-
XV	Others	-	-	32,2	60,2	7,6
National		0,3	12,5	57,0	28,7	1,5
Nat.Dec 26, 2018		-	7,3	55,6	29,4	7,7

Early Corn

Early Corn Planted: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	15,0	4,3	5,0	16,4
II	NEA	18,0	2,0	4,0	20,4
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	100,0
XI	SW BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	SL	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	25,0	26,0	100,0
National		73,0	75,1	75,5	83,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	58,0	42,0	-
II	NEA	-	-	39,0	61,0	-
III	NCnt Cba	-	10,0	61,0	29,0	-
IV	S Cba	-	14,0	54,0	32,0	-
V	NCnt SFe	-	-	44,0	49,0	7,0
VI	North Belt	-	21,0	45,0	34,0	-
VII	South Belt	-	9,0	46,0	44,0	1,0
VIII	ECnt ER	-	10,0	47,0	35,0	8,0
IX	N LP-W BA	-	19,0	63,0	18,0	-
X	Cnt BA	4,0	25,0	56,0	15,0	-
XI	SW BA-S LP	-	18,0	64,0	18,0	-
XII	SE BA	-	18,0	52,0	30,0	-
XIII	SL	-	19,0	46,0	35,0	-
XIV	Cuenca Sal	1,0	26,0	55,0	18,0	-
XV	Others	-	15,0	60,0	25,0	-
National		0,3	15,7	51,8	31,3	1,0
Nat.Dec 26, 2018		0,6	5,9	39,2	46,2	8,2

Early Corn Moisture Condition: as of December 25, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	5,0	35,0	60,0	-
II	NEA	-	-	39,0	61,0	-
III	NCnt Cba	2,0	30,0	53,0	15,0	-
IV	S Cba	-	29,0	55,0	16,0	-
V	NCnt SFe	-	1,0	25,0	66,0	8,0
VI	North Belt	3,0	33,0	48,0	16,0	-
VII	South Belt	-	41,0	44,0	15,0	-
VIII	ECnt ER	-	14,0	36,0	45,0	5,0
IX	N LP-W BA	4,0	32,0	54,0	10,0	-
X	Cnt BA	5,0	59,0	30,0	6,0	-
XI	SW BA-S LP	6,0	52,0	39,0	3,0	-
XII	SE BA	2,0	56,0	36,0	6,0	-
XIII	SL	-	31,0	55,0	14,0	-
XIV	Cuenca Sal	2,0	47,0	44,0	7,0	-
XV	Others	-	-	50,0	50,0	-
National		2,1	34,7	45,1	17,5	0,6
Nat.Dec 26, 2018		0,3	11,1	56,1	29,1	3,5

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 25, 2019

Regions		December 26, 2018	December 18, 2019	December 25, 2019	2014/2019 Average
		%	%	%	%
I	NWA	6,0	-	-	7,0
II	NEA	5,0	-	-	6,0
III	NCnt Cba	100,0	100,0	100,0	84,2
IV	S Cba	100,0	100,0	100,0	90,8
V	NCnt SFe	100,0	100,0	100,0	91,4
VI	North Belt	100,0	100,0	100,0	96,4
VII	South Belt	100,0	100,0	100,0	96,2
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	100,0	100,0	94,6
X	Cnt BA	100,0	100,0	100,0	98,8
XI	SW BA-S LP	-	-	-	-
XII	SE BA	100,0	99,0	100,0	95,4
XIII	SL	100,0	100,0	100,0	91,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		73,0	74,3	74,4	68,2

Early Corn Pollination: as of December 25, 2019

Regions		December 26, 2018	December 18, 2019	December 25, 2019	2014/2019 Average
		%	%	%	%
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	83,0	51,0	70,0	69,8
IV	S Cba	74,0	49,0	69,0	76,2
V	NCnt SFe	100,0	99,0	100,0	91,4
VI	North Belt	100,0	80,0	95,0	96,0
VII	South Belt	91,0	75,0	85,0	86,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	61,0	42,0	64,0	68,8
X	Cnt BA	57,0	22,0	55,0	59,6
XI	SW BA-S LP	-	-	-	-
XII	SE BA	2,0	-	14,0	8,2
XIII	SL	16,0	11,0	25,0	26,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		55,1	42,1	54,1	51,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 25, 2019

Regions		December 26, 2018	December 18, 2019	December 25, 2019	2014/2019 Average
		%	%	%	%
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	58,0	29,0	52,0	44,4
IV	S Cba	53,0	25,0	51,0	55,4
V	NCnt SFe	100,0	85,0	96,0	91,0
VI	North Belt	88,0	65,0	85,0	83,2
VII	South Belt	72,0	45,0	69,0	71,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	46,0	18,0	45,0	46,8
X	Cnt BA	22,0	5,0	22,0	26,8
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	3,0	0,8
XIII	SL	11,0	1,0	10,0	11,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		44,6	28,1	42,8	39,8

Early Corn Grain Growth: as of December 25, 2019

Regions		December 26, 2018	December 18, 2019	December 25, 2019	2014/2019 Average
		%	%	%	%
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	1,2
IV	S Cba	-	-	-	-
V	NCnt SFe	52,0	10,0	35,0	41,2
VI	North Belt	9,0	-	7,0	5,0
VII	South Belt	-	-	-	0,8
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		4,5	0,3	2,8	2,8

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Planted: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	70,0	33,3	81,0	55,8
IV	S Cba	88,0	52,0	83,0	72,0
V	NCnt SFe	30,0	5,0	6,0	25,4
VI	North Belt	58,0	55,0	68,0	65,8
VII	South Belt	55,0	53,0	77,0	69,6
VIII	ECnt ER	20,0	8,0	30,0	41,6
IX	N LP-W BA	85,0	65,0	80,0	76,0
X	Cnt BA	86,0	40,0	81,0	88,4
XI	SW BA-S LP	75,0	63,0	80,0	85,0
XII	SE BA	76,0	60,0	82,0	79,2
XIII	SL	80,0	45,0	80,0	77,8
XIV	Cuenca Sal	75,0	40,0	75,0	79,6
XV	Others	-	-	-	-
National		74,0	42,3	74,4	61,0

Late Corn Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	5,0	64,0	31,0	-
IV	S Cba	-	4,0	58,0	33,0	5,0
V	NCnt SFe	-	-	25,0	64,0	11,0
VI	North Belt	-	4,0	54,0	35,0	7,0
VII	South Belt	-	4,0	50,0	43,0	3,0
VIII	ECnt ER	-	-	30,0	70,0	-
IX	N LP-W BA	-	25,0	65,0	10,0	-
X	Cnt BA	-	28,0	60,0	12,0	-
XI	SW BA-S LP	-	20,0	60,0	20,0	-
XII	SE BA	-	10,0	30,0	60,0	-
XIII	SL	-	20,0	60,0	20,0	-
XIV	Cuenca Sal	-	39,0	51,0	10,0	-
XV	Others	-	-	-	-	-
National		-	10,8	59,0	28,7	1,6
Nat.Dec 26, 2018		1,0	8,1	57,9	30,3	2,7

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Moisture Condition: as of December 25, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	-	-	-
II NEA	-	-	-	-	-
III NCnt Cba	-	22,0	64,0	14,0	-
IV S Cba	-	14,0	56,0	30,0	-
V NCnt SFe	-	-	40,0	60,0	-
VI North Belt	-	48,0	42,0	10,0	-
VII South Belt	-	44,0	42,0	14,0	-
VIII ECnt ER	-	-	30,0	60,0	10,0
IX N LP-W BA	1,0	44,0	43,0	12,0	-
X Cnt BA	6,0	55,0	36,0	3,0	-
XI SW BA-S LP	5,0	52,0	41,0	2,0	-
XII SE BA	1,0	55,0	40,0	4,0	-
XIII SL	-	30,0	50,0	20,0	-
XIV Cuenca Sal	5,0	60,0	30,0	5,0	-
XV Others	-	-	-	-	-
National	0,7	27,8	52,9	18,4	0,2
Nat.Dec 26, 2018	2,2	26,4	54,5	15,3	1,6

Corn

Corn Planted: as of December 25, 2019

Regions	December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I NWA	15,0	4,3	5,0	11,4
II NEA	18,0	2,0	4,0	15,8
III NCnt Cba	74,0	49,3	85,6	61,8
IV S Cba	90,0	64,5	87,4	80,0
V NCnt SFe	54,0	47,8	48,3	52,2
VI North Belt	95,0	97,3	98,1	94,0
VII South Belt	93,0	96,7	98,4	94,0
VIII ECnt ER	68,0	67,8	75,5	78,2
IX N LP-W BA	92,0	87,8	3,0	88,6
X Cnt BA	92,0	78,4	93,2	93,6
XI SW BA-S LP	88,0	86,3	2,6	94,4
XII SE BA	88,0	86,0	3,7	93,8
XIII SL	84,0	59,3	85,2	82,8
XIV Cuenca Sal	86,0	79,0	91,3	92,2
XV Others	100,0	25,0	26,0	77,0
National	73,0	62,8	75,1	69,6

CROP CONDITION & DEVELOPMENT STAGES

Corn Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	58,0	42,0	-
II	NEA	-	-	39,0	61,0	-
III	NCnt Cba	-	6,4	63,2	30,4	-
IV	S Cba	-	7,0	56,8	32,7	3,5
V	NCnt SFe	-	-	42,7	50,0	7,3
VI	North Belt	-	20,3	45,4	34,0	0,3
VII	South Belt	-	8,7	46,2	43,9	1,1
VIII	ECnt ER	-	8,6	44,6	39,9	6,9
IX	N LP-W BA	-	20,8	63,6	15,6	-
X	Cnt BA	2,7	25,9	57,3	14,1	-
XI	SW BA-S LP	-	18,6	62,7	18,6	-
XII	SE BA	-	15,5	45,3	39,2	-
XIII	SL	-	19,7	55,7	24,6	-
XIV	Cuenca Sal	0,7	29,7	53,8	15,7	-
XV	Others	-	15,0	60,0	25,0	-
National		0,2	13,8	54,5	30,3	1,2
Nat.Dec 26, 2018		0,8	6,9	47,7	38,9	5,7

Corn Moisture Condition: as of December 25, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	5,0	35,0	60,0	-
II	NEA	-	-	39,0	61,0	-
III	NCnt Cba	0,6	24,2	60,9	14,3	-
IV	S Cba	-	18,5	55,7	25,8	-
V	NCnt SFe	-	0,9	26,0	65,6	7,5
VI	North Belt	2,9	33,6	47,8	15,8	-
VII	South Belt	-	41,2	43,9	14,9	-
VIII	ECnt ER	-	12,1	35,2	47,1	5,7
IX	N LP-W BA	3,1	35,6	50,7	10,6	-
X	Cnt BA	5,3	57,7	31,9	5,1	-
XI	SW BA-S LP	5,7	52,0	39,6	2,7	-
XII	SE BA	1,7	55,7	37,2	5,4	-
XIII	SL	-	30,3	51,5	18,2	-
XIV	Cuenca Sal	2,9	50,7	40,0	6,4	-
XV	Others	-	-	50,0	50,0	-
National		1,6	32,1	48,0	17,8	0,5
Nat.Dec 26, 2018		1,1	18,1	55,4	22,8	2,6

CROP CONDITION & DEVELOPMENT STAGES

Sunflower

Sunflower Condition: as of December 25, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NWA	-	-	-	-	-
II NEA	-	-	39,0	52,0	9,0
III NCnt Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V NCnt SFe	-	4,0	32,0	53,0	11,0
VI North Belt	-	-	-	-	-
VII South Belt	-	-	-	-	-
VIII ECnt ER	-	-	-	-	-
IX N LP-W BA	-	7,0	57,0	36,0	-
X Cnt BA	-	-	-	-	-
XI SW BA-S LP	-	20,0	65,0	15,0	-
XII SE BA	-	-	49,0	51,0	-
XIII SL	-	-	-	-	-
XIV Cuenca Sal	-	12,0	53,0	35,0	-
XV Others	-	-	-	-	-
National	-	6,8	49,1	40,8	3,3
Nat.Dec 26, 2018	0,9	8,3	42,2	42,0	6,5

Sunflower Moisture Condition: as of December 25, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	-	-	-
II NEA	-	-	42,0	53,0	5,0
III NCnt Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V NCnt SFe	-	-	24,0	60,0	16,0
VI North Belt	-	-	-	-	-
VII South Belt	-	-	-	-	-
VIII ECnt ER	-	-	-	-	-
IX N LP-W BA	-	14,0	55,0	31,0	-
X Cnt BA	-	-	-	-	-
XI SW BA-S LP	8,0	30,0	62,0	-	-
XII SE BA	-	3,0	57,0	40,0	-
XIII SL	-	-	-	-	-
XIV Cuenca Sal	6,0	24,0	51,0	19,0	-
XV Others	-	-	-	-	-
National	2,3	10,3	50,0	34,1	3,2
Nat.Dec 26, 2018	1,4	12,5	57,0	24,8	4,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowerbud Stage: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	55,0	42,0	60,0	72,2
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	18,0	4,0	21,0	32,6
XII	SE BA	21,0	4,0	23,0	35,6
XIII	SL	-	-	-	-
XIV	Cuenca Sal	59,0	42,0	60,0	65,0
XV	Others	-	-	-	-
National		58,7	45,6	57,1	63,2

Sunflower Flowering Stage: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	22,0	9,0	25,0	28,2
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	4,0
XII	SE BA	-	-	-	6,6
XIII	SL	-	-	-	-
XIV	Cuenca Sal	23,0	3,0	18,0	13,0
XV	Others	-	-	-	-
National		44,1	36,2	39,6	40,3

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Seed Development: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	97,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	87,0	69,0	84,0	86,6
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	2,1
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		36,8	28,6	31,9	31,0

Sunflower Mature: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	73,0	55,0	74,0	77,4
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	48,0	38,0	49,0	48,4
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		24,0	15,9	21,2	21,4

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of December 25, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	-	-	-	-	-
VII	South Belt	22,0	60,0	18,0	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	30,0	59,0	11,0	-	-
X	Cnt BA	29,0	58,0	13,0	-	-
XI	SW BA-S LP	54,0	46,0	-	-	-
XII	SE BA	14,0	45,0	41,0	-	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		22,3	46,1	31,5	-	-
Nat.Dec 26, 2018		-	15,0	41,0	39,2	4,8

Wheat Moisture Condition: as of December 25, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	-	-	-	-	-
VII	South Belt	8,0	26,0	42,0	24,0	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	17,0	49,0	34,0	-	-
X	Cnt BA	15,0	33,0	52,0	-	-
XI	SW BA-S LP	40,0	51,0	9,0	-	-
XII	SE BA	9,0	28,0	56,0	7,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		14,8	33,6	45,5	6,1	-
Nat.Dec 26, 2018		-	16,7	61,9	19,0	2,4

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	98,0	100,0	100,0
X	Cnt BA	100,0	91,0	100,0	97,8
XI	SW BA-S LP	100,0	95,0	100,0	96,4
XII	SE BA	100,0	88,0	100,0	91,6
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	97,8	100,0	98,6

Wheat Mature: as of December 25, 2019

Regions		December 26, 2018 %	December 18, 2019 %	December 25, 2019 %	2014/2019 Average %
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	99,6
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	97,0	100,0	100,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	81,0	74,0	96,0	90,6
X	Cnt BA	83,0	60,0	95,0	80,8
XI	SW BA-S LP	62,0	51,0	75,0	72,2
XII	SE BA	60,0	47,0	64,0	61,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		90,3	85,5	93,5	91,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Harvested: as of December 25, 2019

Regions		December 26, 2018	December 18, 2019	December 25, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	96,0	91,5	100,0	98,6
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	91,0	84,3	96,9	96,6
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	68,0	70,4	94,0	75,0
X	Cnt BA	55,0	51,0	91,7	55,0
XI	SW BA-S LP	48,0	48,8	73,3	40,0
XII	SE BA	30,0	7,5	22,5	16,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		82,1	77,5	87,8	76,2