

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 20
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December 19, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	4,0	26,0	32,0	13,8
II	NEA	9,5	17,0	20,0	20,1
III	Ctro N Cba	86,0	93,0	99,0	83,4
IV	S Cba	97,0	100,0	100,0	95,6
V	Ctro N SFe	90,0	90,0	92,0	82,6
VI	Núcleo Norte	100,0	98,0	100,0	100,0
VII	Núcleo Sur	97,5	99,0	100,0	99,1
VIII	Ctro E ER	100,0	94,0	95,0	98,6
IX	N LP-OBA	96,0	97,0	98,0	98,9
X	Ctro Bs As	92,0	98,0	98,5	97,4
XI	SO BA-S LP	93,0	93,0	94,0	94,8
XII	SE BA	100,0	91,0	98,0	94,2
XIII	San Luis	92,0	97,0	100,0	89,4
XIV	Cuenca Sal	100,0	87,0	100,0	98,0
XV	Others	87,0	90,0	100,0	80,4
National		84,9	87,4	89,8	85,2

First Soybean Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	11,0	68,0	21,0	-
IV	S Cba	-	12,0	53,0	35,0	-
V	Ctro N SFe	3,0	6,0	68,0	23,0	-
VI	Núcleo Norte	-	18,0	71,0	11,0	-
VII	Núcleo Sur	2,0	19,0	57,0	22,0	-
VIII	Ctro E ER	-	28,0	69,0	3,0	-
IX	N LP-OBA	3,0	23,0	46,0	28,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,0	63,0	34,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,9	15,8	61,9	21,4	-
Nat.Dec. 20, 2017		-	7,8	34,2	58,0	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 19, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	23,0	69,0	8,0	-
IV S Cba	-	34,0	63,0	3,0	-
V Ctro N SFe	-	12,0	64,0	13,0	11,0
VI Núcleo Norte	-	-	64,0	18,0	18,0
VII Núcleo Sur	-	2,0	55,0	26,0	17,0
VIII Ctro E ER	-	-	62,0	15,0	23,0
IX N LP-OBA	-	-	64,0	30,0	6,0
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	17,0	83,0	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	9,6	63,6	16,7	10,2
Nat.Dec. 20, 2017	-	27,8	62,5	9,8	-

First Soybean Leaf Development: as of December 19, 2018

Regions	December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	65,0	38,0	49,0	57,0
IV S Cba	86,0	49,0	60,0	73,7
V Ctro N SFe	66,0	39,0	49,0	55,2
VI Núcleo Norte	91,0	62,0	70,0	73,6
VII Núcleo Sur	88,0	65,0	75,0	79,2
VIII Ctro E ER	90,0	49,0	60,0	75,2
IX N LP-OBA	66,0	56,0	65,0	71,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	77,0	35,0	47,0	58,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	69,4	46,2	56,2	60,2

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of December 19, 2018

Regions	December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	36,0	-	10,0	22,6
IV S Cba	10,0	10,0	16,0	15,1
V Ctro N SFe	20,0	-	-	20,6
VI Núcleo Norte	33,3	15,0	24,0	27,7
VII Núcleo Sur	12,0	10,0	18,0	15,6
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	5,0	-	-	7,0
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	5,0	-	-	8,0
XIV Cuenca Sal	15,0	-	-	14,4
XV Others	-	-	-	-
National	15,7	5,7	11,7	15,6

Second soybean

Second Soybean Planted: as of December 19, 2018

Regions	December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I NOA	-	0,2	0,5	7,1
II NEA	1,0	-	0,1	10,2
III Ctro N Cba	45,0	40,0	59,0	63,8
IV S Cba	70,0	17,0	50,0	63,6
V Ctro N SFe	45,0	43,0	62,0	60,0
VI Núcleo Norte	70,0	70,0	90,0	79,2
VII Núcleo Sur	45,0	46,0	48,0	66,2
VIII Ctro E ER	70,0	46,0	55,0	69,4
IX N LP-OBA	30,0	9,0	20,0	46,3
X Ctro Bs As	45,0	10,0	15,0	36,4
XI SO BA-S LP	5,0	-	5,0	12,5
XII SE BA	6,0	-	3,0	14,6
XIII San Luis	25,0	-	20,0	59,0
XIV Cuenca Sal	35,0	-	10,0	25,0
XV Others	30,0	-	15,0	46,0
National	36,6	27,5	39,0	42,6

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	28,0	64,0	8,0	-
IV	S Cba	-	15,0	53,0	32,0	-
V	Ctro N SFe	7,0	17,0	55,0	21,0	-
VI	Núcleo Norte	-	6,0	79,0	15,0	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	8,0	26,0	62,0	4,0	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,6	15,1	64,6	17,7	-
Nat.Dec. 20, 2017		-	10,9	42,6	37,6	8,9

Second Soybean Moisture Condition: as of December 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	23,0	69,0	8,0	-
IV	S Cba	-	32,0	65,0	3,0	-
V	Ctro N SFe	-	20,0	40,0	23,0	17,0
VI	Núcleo Norte	-	-	46,0	43,0	11,0
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	58,0	17,0	25,0
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	9,4	53,3	26,1	11,1
Nat.Dec. 20, 2017		-	21,8	69,2	9,0	-

Soybean

Soybean Planted: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	2,6	17,3	21,4	12,5
II	NEA	6,7	11,7	13,8	18,0
III	Ctro N Cba	73,9	79,0	88,4	78,5
IV	S Cba	91,3	80,1	88,0	91,4
V	Ctro N SFe	76,3	73,5	81,5	77,1
VI	Núcleo Norte	91,9	89,2	96,9	96,3
VII	Núcleo Sur	87,2	86,0	87,3	94,4
VIII	Ctro E ER	94,8	83,9	86,6	94,6
IX	N LP-OBA	81,3	75,6	79,0	87,2
X	Ctro Bs As	64,5	56,0	58,7	78,2
XI	SO BA-S LP	27,8	28,8	32,6	42,2
XII	SE BA	55,4	40,8	45,6	58,9
XIII	San Luis	89,2	91,6	95,6	88,3
XIV	Cuenca Sal	45,8	30,5	41,6	71,8
XV	Others	65,6	45,6	58,1	71,4
National		70,9	68,8	74,0	76,0

Soybean Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	4,1	8,9	64,5	22,5	-
VI	Núcleo Norte	-	14,5	73,3	12,2	-
VII	Núcleo Sur	2,7	18,5	56,7	22,1	-
VIII	Ctro E ER	1,1	27,7	68,1	3,1	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,2	15,7	62,3	20,8	-
Nat.Dec. 20, 2017		-	8,5	42,2	48,8	0,5

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of December 19, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	14,1	57,6	15,7	12,6
VI Núcleo Norte	-	-	58,7	25,3	16,0
VII Núcleo Sur	-	1,7	54,5	26,7	17,1
VIII Ctro E ER	-	-	61,5	15,3	23,3
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	9,5	61,9	18,2	10,3
Nat.Dec. 20, 2017	-	26,9	63,5	9,6	-

Early Corn

Early Corn Planted: as of December 19, 2018

Regions	December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I NOA	3,0	2,0	10,0	7,5
II NEA	4,0	2,0	8,0	12,5
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	100,0
XV Others	100,0	100,0	100,0	100,0
National	67,8	67,7	69,9	71,4

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	8,0	46,0	39,0	7,0
IV	S Cba	1,0	9,0	47,0	40,0	3,0
V	Ctro N SFe	1,0	5,0	33,0	52,0	9,0
VI	Núcleo Norte	-	2,0	34,0	54,0	10,0
VII	Núcleo Sur	-	2,0	31,0	55,0	12,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	8,0	44,0	42,0	5,0
X	Ctro Bs As	5,0	15,0	50,0	27,0	3,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	9,0	52,0	37,0	2,0
XIII	San Luis	1,0	25,0	47,0	26,0	1,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,7	6,8	40,9	44,8	6,8
Nat.Dec. 20, 2017		4,2	24,0	20,9	45,2	5,6

Early Corn Moisture Condition: as of December 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	33,0	57,0	10,0	-
IV	S Cba	3,0	41,0	47,0	9,0	-
V	Ctro N SFe	-	13,0	55,0	24,0	8,0
VI	Núcleo Norte	-	-	58,0	34,0	8,0
VII	Núcleo Sur	-	-	45,0	41,0	14,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	11,0	51,0	35,0	3,0
X	Ctro Bs As	-	-	52,0	38,0	10,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	38,0	53,0	8,0	-
XIII	San Luis	-	22,0	69,0	9,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,2	11,1	51,6	29,3	7,7
Nat.Dec. 20, 2017		1,2	34,6	50,9	11,2	2,1

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	1,0	1,8
II	NEA	-	-	1,0	2,9
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	95,0	100,0	94,6
XIII	San Luis	100,0	100,0	100,0	97,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,6	66,4	66,9	70,3

Early Corn Pollination: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	55,0	28,0	60,0	57,4
IV	S Cba	60,0	18,0	55,0	56,0
V	Ctro N SFe	100,0	97,0	100,0	99,0
VI	Núcleo Norte	80,0	66,0	77,0	79,5
VII	Núcleo Sur	72,0	44,0	75,0	72,9
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	48,0	6,0	43,0	53,8
X	Ctro Bs As	22,2	1,0	19,0	30,9
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	2,5
XIII	San Luis	10,0	4,0	10,0	11,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		38,6	24,3	37,7	41,1

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	15,0	14,0	31,0	32,7
IV	S Cba	29,0	5,0	30,0	28,7
V	Ctro N SFe	90,0	92,0	99,0	95,0
VI	Núcleo Norte	42,0	51,0	67,0	57,0
VII	Núcleo Sur	33,0	14,0	51,0	40,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	15,0	2,0	18,0	26,0
X	Ctro Bs As	5,0	-	7,0	12,3
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	2,0	2,0	5,0	4,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,8	16,2	27,5	25,5

Early Corn Grain Growth: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	7,0	5,0	21,0	22,1
VI	Núcleo Norte	-	-	-	1,6
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		0,3	0,3	1,0	1,0

CROP CONDITION & DEVELOPMENT STAGES

Late corn

Late Corn Planted: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	38,0	15,0	36,0	35,4
IV	S Cba	60,0	25,0	63,0	48,0
V	Ctro N SFe	11,0	-	8,0	15,2
VI	Núcleo Norte	56,0	16,0	50,0	53,8
VII	Núcleo Sur	53,0	24,0	49,0	54,4
VIII	Ctro E ER	15,0	3,0	11,0	29,0
IX	N LP-OBA	75,0	25,0	70,0	63,2
X	Ctro Bs As	81,0	40,0	55,0	80,2
XI	SO BA-S LP	85,0	35,0	65,0	74,0
XII	SE BA	65,0	36,0	60,0	62,0
XIII	San Luis	60,0	20,0	50,0	59,0
XIV	Cuenca Sal	66,0	25,0	50,0	67,2
XV	Others	27,0	-	-	40,4
National		53,5	21,2	48,9	47,8

Late Corn Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	4,0	48,0	44,0	4,0
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	2,0	8,0	60,0	27,0	3,0
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	8,0	47,0	40,0	4,0
X	Ctro Bs As	10,0	35,0	35,0	18,0	2,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,0	15,0	60,0	22,0	2,0
XIII	San Luis	-	23,0	53,0	21,0	3,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,5	10,1	55,6	30,2	2,7

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Moisture Condition: as of December 19, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	5,0	44,0	45,0	6,0	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	46,0	39,0	15,0
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	15,0	50,0	30,0	5,0
X Ctro Bs As	-	-	43,0	38,0	19,0
XI SO BA-S LP	-	-	-	-	-
XII SE BA	2,0	43,0	54,0	1,0	-
XIII San Luis	-	25,0	65,0	10,0	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	1,7	25,3	50,8	18,2	4,0

Corn

Corn Planted: as of December 19, 2018

Regions	December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I NOA	3,0	2,0	10,0	7,5
II NEA	4,0	2,0	8,0	12,5
III Ctro N Cba	47,3	27,8	45,6	48,1
IV S Cba	68,0	40,0	70,4	66,6
V Ctro N SFe	42,2	35,0	40,2	48,5
VI Núcleo Norte	93,4	89,1	93,5	91,4
VII Núcleo Sur	90,6	88,6	92,4	90,8
VIII Ctro E ER	66,0	61,2	64,4	73,0
IX N LP-OBA	87,5	62,5	85,0	84,1
X Ctro Bs As	88,6	67,0	75,3	91,7
XI SO BA-S LP	94,0	67,5	82,5	92,9
XII SE BA	86,0	68,0	80,0	92,4
XIII San Luis	68,0	36,0	60,0	71,2
XIV Cuenca Sal	79,6	58,8	72,5	89,7
XV Others	56,2	100,0	100,0	67,5
National	61,2	46,7	60,4	63,6

CROP CONDITION & DEVELOPMENT STAGES

Corn Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	0,3	5,4	47,7	42,9	3,7
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	0,1	2,4	35,8	52,1	9,5
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	8,0	45,2	41,2	4,6
X	Ctro Bs As	7,0	23,0	44,0	23,4	2,6
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	0,4	11,3	55,0	31,4	2,0
XIII	San Luis	0,3	23,7	51,0	22,7	2,3
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,0	8,0	46,2	39,4	5,3

Corn Moisture Condition: as of December 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	4,4	43,1	45,6	6,9	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	57,2	34,3	8,5
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	12,6	50,6	32,9	3,8
X	Ctro Bs As	-	-	48,4	38,0	13,6
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	1,4	39,9	53,4	5,4	-
XIII	San Luis	-	24,0	66,3	9,7	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,8	16,3	51,3	25,3	6,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower

Sunflower Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	8,0	33,0	55,0	4,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	4,0	6,0	48,0	39,0	3,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	7,0	18,0	38,0	37,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	7,0	60,0	31,0	2,0
XII	SE BA	-	5,0	44,0	51,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	3,0	34,0	41,0	22,0
XV	Others	-	-	-	-	-
National		1,5	8,2	44,1	42,8	3,4
Nat.Dec. 20, 2017		1,0	2,3	14,8	59,9	22,0

Sunflower Moisture Condition: as of December 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	6,0	46,0	35,0	13,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	5,0	11,0	31,0	37,0	16,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	9,0	60,0	31,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	17,0	65,0	18,0	-
XII	SE BA	-	18,0	77,0	5,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	3,0	46,0	42,0	9,0
XV	Others	-	-	-	-	-
National		0,9	12,0	55,3	25,1	6,7
Nat.Dec. 20, 2017		2,7	39,3	51,7	6,1	0,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	100,0	82,0	98,0	95,0
XII	SE BA	100,0	95,0	100,0	95,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	100,0	100,0	100,0	97,2
XV	Others	-	-	-	-
National		100,0	95,3	99,6	97,4

Sunflower Flowerbud Stage: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	49,0	35,0	42,0	57,4
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	12,0	-	5,0	19,0
XII	SE BA	25,0	-	4,0	22,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	41,0	23,0	38,0	51,2
XV	Others	-	-	-	-
National		53,6	45,1	49,4	51,8

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	95,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	16,0	-	11,0	12,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	0,4
XII	SE BA	-	-	-	0,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	8,0	1,6
XV	Others	-	-	-	-
National		39,0	38,7	41,2	32,9

Sunflower Seed Development: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	93,0	91,0	100,0	98,6
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	61,0	55,0	69,0	69,4
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	0,6
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		29,5	29,3	33,6	26,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	69,0	42,0	59,0	62,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	42,0	28,0	40,0	32,4
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		21,2	13,9	19,6	15,1

Wheat

Wheat Condition: as of December 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	8,0	37,0	35,0	20,0	-
IV	S Cba	-	24,0	50,0	26,0	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	22,0	31,0	28,0	13,0	6,0
VII	Núcleo Sur	-	18,0	34,0	35,0	13,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	3,0	14,0	40,0	36,0	7,0
X	Ctro Bs As	5,0	9,0	49,0	32,0	5,0
XI	SO BA-S LP	-	13,0	28,0	53,0	6,0
XII	SE BA	-	16,0	48,0	34,0	2,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,1	15,6	39,9	37,1	5,4
Nat.Dec. 20, 2017		1,2	10,6	20,5	46,2	21,5

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of December 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	11,0	22,0	51,0	16,0	-
IV	S Cba	-	12,0	56,0	32,0	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	2,0	27,0	53,0	18,0
VII	Núcleo Sur	-	-	29,0	53,0	18,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	4,0	50,0	38,0	8,0
X	Ctro Bs As	-	-	32,0	47,0	21,0
XI	SO BA-S LP	-	17,0	70,0	13,0	-
XII	SE BA	-	19,0	75,0	6,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,1	10,7	56,5	26,1	6,7
Nat.Dec. 20, 2017		2,6	39,7	45,4	11,8	0,4

Wheat Ripening: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	85,0	100,0	100,0
X	Ctro Bs As	97,0	75,0	96,0	97,0
XI	SO BA-S LP	85,0	67,0	85,0	93,4
XII	SE BA	70,0	71,0	87,0	87,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		94,7	91,6	97,3	97,4

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	95,0	96,0	100,0	99,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	91,0	100,0	100,0
VII	Núcleo Sur	97,0	81,0	100,0	98,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	68,0	46,0	64,0	88,6
X	Ctro Bs As	54,0	37,0	65,0	74,4
XI	SO BA-S LP	24,0	31,0	46,0	65,6
XII	SE BA	25,0	29,0	43,0	60,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		79,0	75,2	84,7	88,3

Wheat Harvested: as of December 19, 2018

Regions		December 20, 2017 %	December 12, 2018 %	December 19, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	85,0	98,0	100,0
IV	S Cba	87,0	56,0	82,0	94,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	96,0	75,0	90,0	98,6
VII	Núcleo Sur	90,0	60,0	70,0	92,6
VIII	Ctro E ER	98,0	86,0	96,0	97,4
IX	N LP-OBA	57,0	28,0	44,0	64,2
X	Ctro Bs As	50,0	7,0	26,0	49,6
XI	SO BA-S LP	15,0	3,0	12,0	21,4
XII	SE BA	5,0	-	7,0	4,6
XIII	San Luis	85,0	65,0	87,0	95,0
XIV	Cuenca Sal	55,0	15,0	39,0	49,2
XV	Others	100,0	100,0	100,0	100,0
National		72,5	57,4	68,2	71,3