



# CCDS

CROP CONDITION AND DEVELOPMENT STAGES

**JUNE 3, 2021**



## DEPARTAMENT & REGIONS

### HEAD OF DEPARTMENT

Ing. Esteban J. Copati  
*ecopati@bc.org.ar*

### CROP ANALYST

Ing. Martin López  
*martinlopez@bc.org.ar*

### CROP ANALYST

Ing. Daniela A. Venturino  
*dventurino@bc.org.ar*

### CROP ANALYST


Ing. Andrés Paterniti  
*apaterniti@bc.org.ar*

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Ing. Juan Francisco de Aramburu  
*jdearamburu@bc.org.ar*  
 Wheat and Sunflower

Ing. Sofía Console Insúa  
*sconsoleinsua@bc.org.ar*  
 Soybean

Justo Fernández Vidal  
*jfernandez@bc.org.ar*  
 Corn



### CONTACT

Av. Corrientes 123  
 C1043AAB - CABA  
 Tel.: +54 11 4515 8200 | 8300  
*estimacionesagricolas@bc.org.ar*  
 Twitter: @estimacionesbc


ISSN 2408-4344t

I - NWA (North-West Argentina)  
 II - NEA (North-East Argentina)  
 III - North-Central Córdoba  
 IV - South Córdoba  
 V - North-Central Santa Fe  
 VI - North Belt  
 VII - South Belt  
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires  
 X - Central Buenos Aires  
 XI - South-West de Buenos Aires - South La Pampa  
 XII - South-East Buenos Aires  
 XIII - San Luis  
 XIV - Cuenca del Salado  
 XV - Others

*We appreciate the contribution of our Network of Collaborators throughout the country.*

## RECENT ADVERSE EVENTS






## METHODOLOGY

Findings of the survey conducted through June 2, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## WHEAT 2020/21

Wheat															
Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	I	II	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture condition, Crop condition & Development stages <span style="float: right;">Week 23</span>															
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested				
I - NOA		21/22	30,0	-	53,3	-	-	-	-	-	-				
		20/21	9,0	-	78,0	-	-	-	-	-	-				
		16/21 Average	-	-	63,6	-	-	-	-	-	-				
II - NEA	Drought	21/22	75,0	-	28,7	-	-	-	-	-	-				
		20/21	29,0	-	33,0	-	-	-	-	-	-				
		16/21 Average	-	-	23,6	-	-	-	-	-	-				
III - CN Cba	Drought	21/22	70,0	-	32,0	-	-	-	-	-	-				
		20/21	7,0	-	37,0	-	-	-	-	-	-				
		16/21 Average	-	-	38,6	-	-	-	-	-	-				
IV - S Cba		21/22	100,0	-	17,5	-	-	-	-	-	-				
		20/21	9,0	-	21,0	-	-	-	-	-	-				
		16/21 Average	-	-	17,8	-	-	-	-	-	-				
V - CN S Fe		21/22	100,0	-	7,3	-	-	-	-	-	-				
		20/21	22,0	-	34,0	-	-	-	-	-	-				
		16/21 Average	-	-	21,2	-	-	-	-	-	-				
VI - Núcleo Norte		21/22	80,0	-	20,6	-	-	-	-	-	-				
		20/21	21,0	-	49,0	-	-	-	-	-	-				
		16/21 Average	-	-	24,4	-	-	-	-	-	-				
VII - Núcleo Sur		21/22	85,0	-	8,9	-	-	-	-	-	-				
		20/21	46,0	-	22,0	-	-	-	-	-	-				
		16/21 Average	-	-	10,0	-	-	-	-	-	-				
IX - N LP - O BA		21/22	80,0	-	5,0	-	-	-	-	-	-				
		20/21	63,0	-	16,0	-	-	-	-	-	-				
		16/21 Average	-	-	9,4	-	-	-	-	-	-				
X - Ctro BA	Floods	21/22	85,0	-	2,7	-	-	-	-	-	-				
		20/21	81,0	-	14,0	-	-	-	-	-	-				
		16/21 Average	-	-	6,0	-	-	-	-	-	-				
XI - SO BA - S LP		21/22	70,0	-	15,0	-	-	-	-	-	-				
		20/21	87,0	-	18,0	-	-	-	-	-	-				
		16/21 Average	-	-	6,8	-	-	-	-	-	-				
XII - SE BA		21/22	75,0	-	8,6	-	-	-	-	-	-				
		20/21	100,0	-	12,0	-	-	-	-	-	-				
		16/21 Average	-	-	5,4	-	-	-	-	-	-				
National		21/22	68,9	-	17,1	-	-	-	-	-	-				
		20/21	30,3	-	30,0	0,3	-	-	-	-	-				
		16/21 Average	-	-	21,4	0,1	-	-	-	-	-				

## SOYBEAN 2020/21



Regional participation in the total national area (%)																	
Regions	VII	VI	IX	III	II	IV	I	V	VIII	X	XII	XI	XIII	XIV	XV		
Nat. Part. 2019/20	13,5	13,1	10,9	10,2	9,7	9,5	8,0	6,4	6,2	4,1	3,6	1,7	1,6	1,1	0,4		
Hist. Nat. Part.	12,8	13,9	11,0	11,3	8,2	9,2	5,3	6,7	6,4	4,2	5,9	2,3	1,3	1,1	0,4		
Moisture condition, Crop condition & Development stages												Week 22					
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested						
I - NOA		20/21	76,9	89,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	83,9					
		19/20	75,9	50,1	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,1					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6	80,5				
II - NEA	Floods	20/21	91,3	68,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	81,7					
		19/20	61,3	54,5	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,5					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5	68,0				
III - CN Cba		20/21	85,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,1				
IV - S Cba		20/21	95,0	96,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,3				
V - CN S Fe	Floods	20/21	99,2	88,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	84,6					
		19/20	84,6	68,4	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,2				
VI - Núcleo Norte		20/21	97,0	60,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,3				
VII - Núcleo Sur		20/21	98,0	40,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,3					
		19/20	87,0	78,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,3					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,9				
VIII - CE E. Ríos		20/21	99,0	27,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0					
		19/20	80,0	44,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,6				
IX - N LP - O BA		20/21	94,2	40,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,5					
		19/20	100,0	83,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	88,4				
X - Ctro BA	Floods	20/21	97,4	71,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	79,3					
		19/20	92,8	78,3	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,8					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	81,2				
XI - SO BA - S LP		20/21	97,1	40,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,7					
		19/20	82,7	64,5	100,0	100,0	100,0	100,0	100,0	100,0	100,0	86,7					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	69,2				
XII - SE BA		20/21	94,6	82,1	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,9					
		19/20	95,5	64,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	66,8					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,9	54,9				
XIII - San Luis		20/21	81,6	40,3	100,0	100,0	100,0	100,0	100,0	100,0	100,0	86,7					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,5				
XIV - Cuenca Sal.		20/21	94,4	77,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,8					
		19/20	79,0	58,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	92,8					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,9				
National		20/21	91,9	71,1	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,4					
		19/20	87,6	64,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,2					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,9	88,3				

## FIRST SOYBEAN 2020/21




Regional participation in the total national area (%)																	
Regions	VII	VI	III	IX	IV	II	I	VIII	V	X	XIII	XII	XIV	XI	XV		
Nat. Part. 2019/20	13,7	12,7	11,7	11,4	10,8	10,6	8,2	6,8	5,9	2,6	2,2	1,9	0,7	0,4	0,4		
Hist. Nat. Part.	13,9	14,1	11,4	11,3	9,9	8,6	5,3	7,2	6,4	3,6	1,7	4,4	0,9	1,0	0,4		
Moisture condition, Crop condition & Development stages														Week 22			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested						
I - NOA		20/21	78,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,5					
		19/20	75,0	46,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,6				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	80,5				
II - NEA		20/21	91,0	70,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	83,8					
		19/20	61,0	50,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,7				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	68,5				
III - CN Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,5				
IV - S Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,1				
V - CN S Fe	Floods	20/21	98,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,0					
		19/20	72,0	55,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	92,1				
VI - Núcleo Norte		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,8				
VII - Núcleo Sur		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,7				
VIII - CE E. Ríos		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0					
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,5				
IX - N LP - O BA		20/21	97,0	70,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,4				
National		20/21	88,9	75,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,6				
		19/20	79,8	48,9	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,9				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,2				

## SECOND SOYBEAN 2020/21

Regional participation in the total national area (%)															
Regions	VI	VII	IX	II	I	XII	V	X	III	IV	VIII	XI	XIV	XV	XIII
Nat. Part. 2019/20	13,9	13,1	9,8	7,7	7,5	7,4	7,4	7,2	7,1	6,7	4,9	4,6	1,9	0,4	0,2
Hist. Nat. Part.	13,3	9,8	10,1	7,1	5,3	10,4	7,5	6,1	10,9	7,5	3,9	6,0	1,6	0,4	0,2
Moisture condition, Crop condition & Development stages															Week 22
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NOA		20/21	75,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	80,0				
		19/20	79,0	64,0	100,0	100,0	100,0	100,0	100,0	100,0	98,1				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	98,0	78,1				
II - NEA	Floods	20/21	92,0	66,0	100,0	100,0	100,0	100,0	100,0	100,0	75,5				
		19/20	62,0	65,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	98,4	66,0				
III - CN Cba		20/21	85,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	95,9				
IV - S Cba		20/21	95,0	96,0	100,0	100,0	100,0	100,0	100,0	100,0	95,4				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	86,9				
V - CN S Fe		20/21	100,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	75,0				
		19/20	88,0	72,0	100,0	100,0	100,0	100,0	100,0	100,0	93,7				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	85,7				
VI - Núcleo Norte		20/21	97,0	60,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	95,8				
VII - Núcleo Sur		20/21	98,0	40,0	100,0	100,0	100,0	100,0	100,0	100,0	94,5				
		19/20	87,0	78,0	100,0	100,0	100,0	100,0	100,0	100,0	97,3				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	90,2				
VIII - CE E. Ríos		20/21	99,0	27,0	100,0	100,0	100,0	100,0	100,0	100,0	87,0				
		19/20	80,0	44,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	92,4				
IX - N LP - O BA		20/21	94,0	38,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0				
		19/20	100,0	83,0	100,0	100,0	100,0	100,0	100,0	100,0	96,4				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	81,0				
X - Ctro BA	Floods	20/21	97,0	71,0	100,0	100,0	100,0	100,0	100,0	100,0	70,0				
		19/20	93,0	79,0	100,0	100,0	100,0	100,0	100,0	100,0	96,3				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	70,9				
XI - SO BA - S LP		20/21	97,0	40,0	100,0	100,0	100,0	100,0	100,0	100,0	57,0				
		19/20	83,0	65,0	100,0	100,0	100,0	100,0	100,0	100,0	80,3				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	98,0	60,8				
XII - SE BA		20/21	94,0	85,0	100,0	100,0	100,0	100,0	100,0	100,0	50,0				
		19/20	96,0	70,0	100,0	100,0	100,0	100,0	100,0	100,0	46,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	97,6	35,1				
XIII - San Luis		20/21	76,0	44,0	100,0	100,0	100,0	100,0	100,0	100,0	80,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	73,2				
XIV - Cuenca Sal.		20/21	94,0	76,0	100,0	100,0	100,0	100,0	100,0	100,0	40,0				
		19/20	79,0	58,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	62,4				
National		20/21	93,6	68,8	100,0	100,0	100,0	100,0	100,0	100,0	82,1				
		19/20	90,5	69,8	100,0	100,0	100,0	100,0	100,0	100,0	93,6				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	99,3	79,2				



**CORN 2020/21**



Regional participation in the total national area (%)																	
Regions	III	IV	II	IX	VI	VII	I	X	VIII	XIII	XII	V	XI	XIV	XV		
Nat. Part. 2019/20	14,3	12,3	11,3	11,0	9,5	7,3	6,4	5,3	5,3	4,7	3,8	3,8	2,7	1,9	0,5		
Hist. Nat. Part.	14,5	12,4	11,3	10,6	10,1	7,9	6,6	5,1	4,3	4,7	3,5	3,8	2,7	1,9	0,5		
Moisture condition, Crop condition & Development stages													Week 23				
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested						
I - NOA		20/21	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	7,0	
		19/20	100,0	86,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	8,5
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4	4,5
II - NEA		20/21	78,0	75,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	6,0
		19/20	100,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	19,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	7,3
III - CN Cba		20/21	80,0	87,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	18,8
		19/20	97,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	48,8
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	26,7
IV - S Cba		20/21	90,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	17,9
		19/20	99,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	52,3
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,0
VI - Núcleo Norte		20/21	94,0	87,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,1
		19/20	97,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,9
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	88,1
VII - Núcleo Sur		20/21	88,0	66,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,9
		19/20	98,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,9
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	86,1
VIII - CE E. Ríos		20/21	29,0	39,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	42,4
		19/20	97,0	69,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	68,3
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	68,4
IX - N LP - S BA		20/21	82,0	93,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	41,2
		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	74,3
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	53,6
X - Ctro BA	Floods	20/21	92,7	93,4	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	32,7
		19/20	100,0	92,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	59,4
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	43,2
XII - SE BA		20/21	77,4	78,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	32,1
		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	29,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4	37,3
XIII - San Luis		20/21	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	17,0
		19/20	90,0	69,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	35,2
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4	24,5
National		20/21	82,0	85,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,7	34,1
		19/20	98,3	88,9	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	55,6
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,8	41,5

## EARLY CORN 2020/21

Regional participation in the total national area (%)																
Regions	II	VI	I	VII	IX	X	VIII	XII	III	IV	V	XI	XIV	XIII	XV	
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0	
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9	
Moisture condition, Crop condition & Development stages														Week 23		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested					
I - NOA		20/21	76,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	7,0				
		19/20	100,0	86,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	8,5				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,4	4,9				
II - NEA		20/21	78,0	75,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	6,0				
		19/20	100,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	19,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,0	8,2				
III - CN Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IV - S Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VI - Núcleo Norte		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VII - Núcleo Sur		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
VIII - CE E. Ríos		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
IX - N LP - O BA		20/21	82,0	37,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,6			
X - Ctro BA		20/21	83,0	74,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	80,0			
		19/20	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	88,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	84,6			
XII - SE BA		20/21	76,0	73,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,0			
		19/20	100,0	98,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	45,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	55,8			
National		20/21	77,8	83,1	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,3	62,0			
		19/20	100,0	88,9	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,0	74,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6	70,4			

## LATE CORN 2020/21

Regional participation in the total national area (%)															
Regions	III	IV	IX	XIII	VIII	X	V	XII	VI	XI	VII	XIV	II	I	XV
Nat. Part. 2019/20	25,8	21,7	13,2	8,2	6,6	6,4	4,7	3,8	2,9	2,7	2,0	2,1	0,0	0,0	0,0
Hist. Nat. Part.	28,0	22,1	12,0	8,8	3,7	6,1	5,9	2,7	3,2	2,4	3,0	2,1	0,0	0,0	0,0
Moisture condition, Crop condition & Development stages													Week 23		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
III - CN Cba		20/21	80,0	87,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	10,0			
		19/20	97,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	33,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	12,6			
IV - S Cba		20/21	90,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	7,0			
		19/20	99,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	36,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	13,3			
V - CN S Fe	Gusts	20/21	95,0	85,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	5,0			
		19/20	97,0	86,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	18,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,4	9,4			
VIII - CE E. Ríos		20/21	29,0	39,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	8,0			
		19/20	97,0	69,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	12,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	10,4			
IX - N LP - S BA		20/21	82,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	5,0			
		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	28,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	15,1			
X - Ctro BA	Floods	20/21	94,0	96,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	2,0			
		19/20	100,0	91,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	10,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	5,6			
XII - SE BA		20/21	78,0	81,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	3,0			
		19/20	100,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0	-			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	98,4	-			
XIII - San Luis		20/21	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	6,0			
		19/20	90,0	69,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0	13,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,2	7,2			
National		20/21	83,6	86,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	6,5			
		19/20	97,4	88,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	25,5			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,8	11,7			