



#### **DEPARTAMENT & REGIONS**

# HEAD OF DEPARTMENT

Ing. Esteban J. Copati ecopati @bc.org.ar

#### **CROP ANALYST**

Ing. Martin López martinlopez @bc.org.ar

#### **CROP ANALYST**

Ing. Daniela A. Venturino dventurino @bc.org.ar

#### **CROP ANALYST**

Ing. Andrés Paterniti apaterniti @bc.org.ar

# CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Justo Fernández Vidal jfernandez @bc.org.ar

Jorgelina Mediote jmediote @bc.org.ar


Florencia Rostagno frostagno @bc.org.ar

#### **CONTACT**

Av. Corrientes 123 C1043AAB - CABA Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar

Twitter: @estimacionesbc

ISSN 2408-4344t



I - NWA (North-West Argentina)

II - NEA (North-East Argentina)

III - North-Central Córdoba

IV - South Córdoba

V - North-Central Santa Fe

VI - North Belt

VII - South Belt

VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires

X - Central Buenos Aires

XI - South-West de Buenos Aires - South La Pampa

XII - South-East Buenos Aires

XIII - San Luis


XIV - Cuenca del Salado

XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.



### **RECENT ADVERSE EVENTS**





## **METHODOLOGY**


Findings of the survey conducted through September 15, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to



# **SUNFLOWER 2021/22**












Regional participation in the total national area (%)															
Regions	XII	XI	II.	V	IX	XIV	Х	IV	XIII	VI	VII	VIII	XV	III	1
Nat. Part. 2019/20	23,0	21,6	10,6	14,2	12,4	7,3	4,5	1,7	1,4	0,9	0,8	0,7	0,5	0,4	0,0
Hist. Nat. Part.	23,3	22,3	17,5	14,1	7,7	6,1	3,9	1,3	1,4	0,7	0,5	0,4	0,5	0,3	0,0
Moisture o	onditio	n, Crop	conditi	on & D	evelopr	nent st	ages							Week	38
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested
II - NEA	Drought		21/22		-		90,0		100,0	62,0	-	-	-	-	-
			20/21		-		63,0		100,0	68,0	1,0	-	-	-	-
V - NC S Fe	Drought		16/21 Average 21/22		37,0		-		99,6 72,9	77,8	2,6	-	-	-	-
			20/21		29,0		-		83,0		-		-	-	_
			16/21 Average		-		-		94,6	_	_	_	_	_	_
IX - N LP - W BA		21/22			-		-		-	-	-	-	-	-	-
			20/21		-		-		-	-	-	-	-	-	-
			16/21 Average		-		-		-	-	-	-	-	-	-
X - Central BA		21/22		/22	-		-		-	-	-	-	-	-	-
			20/21			-		-	-	-	-	-	-	-	-
				verage		-		-	-	-	-	-	-	-	-
XI - SW BA - S LP				/22	-		-		-	-	-	-	-	-	-
				20/21		-		-	-	-	-	-	-	-	-
			_	16/21 Average		-		-		-	-	_	-		-
XII - SE BA XIV - Cuenca Sal.			21/22		-		-		-		•	-		-	-
			20/21 16/21 Average		-		-		_		-	-	-	-	-
			16/21 Average 21/22		-		-								
			20/21												
		I			]		_			_	_	_	_	_	_
National			16/21 Average 21/22		20,1		91,4		21,5	8,3	0,0				-
			20,					86,6	15,0	8,0	-		-		-
				Average	20,4				30,6	21,2	0,6	-	-	-	-



# **WHEAT 2021/22**









Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	ΧI	IX	V	IV	1	III.	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture o	Noisture condition, Crop condition & Development stages Week 38														
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
I - NWA			21/22		-		-		100,0	100,0	100,0	86,0	18,0	-	-
	Dro	ught	20/21		-		-		100,0	100,0	100,0	82,0	19,0	5,0	-
			16/21 Average		-		-		100,0	100,0	100,0	81,2	10,0	1,0	-
II - NEA	Drought		21/22		2,0		10,0		100,0	100,0	100,0	52,0	4,0	-	-
			20/21		-		2,0		100,0	100,0	83,0	47,0	8,0	-	-
			16/21 Average		-		-		100,0	100,0	90,4	54,4	5,2	-	-
III - NC Cba	Drought - Frost		21/22			14,0	17,0		100,0	100,0	61,0	12,0	-	-	-
			20/21		-		-		100,0	100,0	60,0	20,0	-	-	-
			16/21 Average		-		-		100,0	100,0	71,4	21,4	-	-	-
IV - S Cba			21/22		39,0		69,0		100,0	100,0	66,0	15,0	-	-	-
			20/21		-		25,0		100,0	100,0	55,0	4,0	-	-	-
			16/21 Average		-		-		100,0	100,0	61,2	11,2	-	-	-
V - NC S Fe	Frost		21/	/22	61,0		77,0		100,0	100,0	64,0	24,0	-	-	-
			20,	/21	26,0		66,0		100,0	100,0	71,0	26,0	-	-	-
			16/21	Average	-		-		100,0	100,0	77,6	31,4	_	-	-
VI - North Belt			21/		84,0		100,0		100,0	100,0	47,0	11,0	-	-	-
			20/	/21	17,0		48,0		100,0	100,0	57,0	4,0	-	-	-
			16/21	Average	-		-		100,0	99,4	68,4	18,0	_	_	_
VII - South Belt			21/22		98,0	,0 100,0		100,0	100,0	43,0	-	-	-	-	
	Frost		20/21			73,0		51,0	100,0	100,0	50,0	1,0	-	-	-
			16/21	Average			_		100,0	100,0	51,8	5,0	_	_	_
			21/22		92,0		100,0		100,0	93,0	23,0	-	-	-	-
IX - N LP -				20/21 65,0		93,0		100,0	92,0	27,0	-	-	-	-	
W BA			16/21			_		· -	100,0	92,0	32,6	0.4	_	_	_
X - Central BA	Foods		_	21/22 86,0		100,0		100,0	89,0	34,0	-	-	-	-	
				/21	92,0		100,0		100,0	100,0	33,0	_	_	_	-
				Average	1		,-		100,0	94,6	21,4	_	_	_	_
XI - SW BA - S LP				/22			100,0		100,0	80,0	5,0	-	-	-	-
				/21	93,0		94,0		100,0	91,0	18,0	-	-	-	-
			16/21		1		,0		100,0	83,4	14,2	_	_	_	_
XII - SE BA				/22	96,0		100,0		100,0	97,0	11,0	-	-	-	-
				/21		100,0		97,0	100,0	85,0	11,0	-	_	_	-
			16/21		1		l	37,0		81,8	13,0	_	_	_	_
				/22			77,7		100,0	96,2	44,9	13,7	1,3	-	
National				/21		50,6		59,8	100,0	96,7	47,9	12,7	1,6	0,3	_
			16/21			20,0	l	-	100,0	95,5	53,6	17,3	0,7	0,1	_
	<u></u>		10/21/	age			-		200,0	20,0	20,0	27,0	٠,,	0,1	