

CROP CONDITION AND DEVELOPMENT STAGES

# **SEPTEMBER 8, 2022**





#### **DEPARTAMENT & REGIONS**

**CROP ANALYST** Ing. Martin López *martinlopez@bc.org.ar* 

**CROP ANALYST** Ing. Daniela A. Venturino *dventurino*@bc.org.ar


#### **CROP ANALYST**

Ing. Andrés Paterniti apaterniti @bc.org.ar

#### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Joaquín Pellejero jpellejero@bc.org.ar

Agustín Podestá apodesta @bc.org.ar



#### CONTACT


Av. Corrientes 123 C1043AAB - CABA Tel.: +54 11 3221 7230 estimacionesagricolas@bc.org.ar Twitter: @BolsadeC\_ETyM www.bolsadecereales.com

ISSN 2408-4344t

- I NWA (North-West Argentina)
- II NEA (North-East Argentina)
- III North-Central Córdoba
- IV South Córdoba
- V North-Central Santa Fe
- VI North Belt VII - South Belt
- VIII East-Central Entre Ríos
- IX North La Pampa West Buenos Aires
- X Central Buenos Aires
- XI South-West de Buenos Aires South La Pampa
- La Pampa
- XII South-East Buenos Aires
- XIII San Luis
- XIV Cuenca del Salado XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.






# **RECENT ADVERSE EVENTS**

# **METHODOLOGY**

**Findings of the survey conducted through September 07**, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to



## **SUNFLOWER 2022/23**









Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	Ш	XIV	Х	IV	XIII	VI	VII	VIII	XV	Ш	1
Nat. Part. 2022/23	26,3	23,7	13,2	9,0	8,5	6,1	4,7	2,6	2,4	1,3	0,6	0,5	0,4	0,9	0,0
Hist. Nat. Part.	24,0	21,9	13,9	8,5	15,8	6,4	4,1	1,4	1,3	0,7	0,6	0,5	0,5	0,3	0,0
Moisture o	Moisture condition, Crop condition & Development stages Week 37														37
Regions	Adverse event		Season		Cond Favou	Condition Cor avourable / F		op lition ir / llent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested
II - NEA	Dro	Drought		22/23 21/22		36,0 70,0 - 85,0		100,0 64,0	53,0 56,0	5,0	-	-	-	-	
	Drought		17/22 Average				-		92,3	65,8	0,8	-	-	-	-
V - NC S Fe			22/23 21/22 17/22 Average		56,0 41,0		-		83,3 48,9 76,8	-	-	-	-	-	-
IX - N LP - W BA			22/23 21/22 17/22 Average		-		-		-	-	-	-	-	-	-
X - Central BA			22/23 21/22 17/22 Average		-				-	-	-	-	-	-	-
XI - SW BA - S LP			22/23 21/22 17/22 Average			-		-	-	-	-	-	-	-	-
XII - SE BA			21,	/23 /22 Average	-		-		-	-	-	-	-	-	-
XIV - Cuenca Sal.			22/23 21/22 17/22 Average			-		-		-	-	-	-	-	-
National			21,	/23 /22 Average		47,1 19,1		79,1 91,1	19,9 15,4 26,4	5,6 10,0 16,3	0,4 - 0,2	-	-	-	-





### WHEAT 2022/23







Regional participation in the total national area (%)															
Regions	XII	VI	VII	XI	IX	V	Ш	III	VIII	Х	IV	1	XIV	XV	XIII
Nat. Part. 2022/23	13,5	12,6	12,1	11,0	9,6	7,2	6,9	5,4	6,8	6,4	4,4	3,0	0,8	0,4	0,2
Hist. Nat. Part.	10,4	13,3	10,0	9,2	8,3	7,6	6,9	9,3	5,1	5,5	6,2	6,2	1,6	0,3	0,2
	onditio	n, Crop	conditi	tion & Development stages										Week 37	
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
			22/23			23,0		19,0	100,0	100,0	85,0	50,0	-	-	-
I - NWA	Drought		21/22		-		6,0 -		100,0	100,0	100,0	79,0	12,0	-	-
			17/22 Average						100,0	100,0	97,0	67,4	6,4	0,4	-
	Drought		22/23			35,0 29,0		29,0	100,0	100,0	78,0	45,0	-	-	-
II - NEA			21/22		10,0		20,0		100,0	100,0	100,0	36,0	-	-	-
			17/22	17/22 Average		-	-		100,0	100,0	79,4	36,6	0,4	-	-
III - NC Cba	Drought		22/	/23	35			37,0	100,0	100,0	30,0	12,0	-	-	-
			21/22		16,0		26,0		100,0	100,0	54,0	5,0	-	-	-
			17/22 Average		-		-		100,0	100,0	55,6	10,4	-	-	-
	Drought		22/	22/23		41,0	40,0		100,0	100,0	20,0	11,0	-	-	-
IV - S Cba			21/22		45,0		68,0		100,0	100,0	58,0	6,0	-	-	-
			17/22 Average		-		-		100,0	99,4	51,2	5,0	-	-	-
			22/	/23	54,0		70,0		100,0	100,0	48,0	30,0	-	-	-
V - NC S Fe	C S Fe		21/22		69,0		77,0		100,0	100,0	57,0	15,0	-	-	-
		17/22	Average	age		-		100,0	99,4	60,4	15,4	-	-	-	
VI - North Belt	Drought		22/	/23	45,0		68,0		100,0	100,0	23,0	-	-	-	-
			21/	/22	84,0		100,0		100,0	100,0	39,0	6,0	-	-	-
			17/22	Average	-		-		100,0	100,0	51,8	12,0	-	-	-
VII - South Belt			22/	/23		50,0	72,0		100,0	83,0	17,0	-	-	-	-
			21/	/22	97,0		100,0		100,0	98,0	35,0	-	-	-	-
			17/22	Average		-		-	100,0	96,0	36,0	0,8	-	-	-
IX - N LP - W BA	Frost		22/	/23		72,0		84,0	100,0	70,0	4,0	-	-	-	-
			21/	/22		91,0		92,0	100,0	84,0	11,0	-	-	-	-
			17/22	Average			-		100,0	84,4	15,6	-	-	-	-
X - Central BA	Frost		22/			95,0		96,0	100,0	71,0	14,0	-	-	-	-
			21/	/22	89,0		100,0		100,0	80,0	29,0	-	-	-	-
			17/22	Average			-		100,0	84,0	16,2	-	-	-	-
XI - SW BA - S LP			22/	/23	80,0		88,0		100,0	68,0	1,0	-	-	-	-
	Fr	Frost		/22	86,0		98,0		100,0	71,0	1,0	-	-	-	-
			17/22				-		100,0	73,8	6,4	-	-	-	-
XII - SE BA				/23		100,0		100,0	100,0	69,0	-	-	-	-	-
				/22		89,0		100,0	100,0	91,0	5,0	-	-	-	-
			17/22			-		-	100,0	76,8	7,6	-	-	-	-
				/23		65,1		73,5	100,0	84,7	23,1	8,2	-	-	-
National				/22		67,7		78,5	100,0	92,7	38,4	9,8	0,7	-	-
Rational						-		-,-							-
			17/22 /	Average		-		-	100,0	91,8	40,7	10,9	0,4	0,0	-