



# CCDS

CROP CONDITION AND DEVELOPMENT STAGES

**AUGUST 27, 2020**



## DEPARTAMENT & REGIONS

### HEAD OF DEPARTMENT

Ing. Esteban J. Copati  
*ecopati@bc.org.ar*

### CROP ANALYST

Ing. Martin López  
*martinlopez@bc.org.ar*

### CROP ANALYST

Daniela A. Venturino  
*dventurino@bc.org.ar*

### CROP ANALYST


Ing. Andrés Paterniti  
*apaterniti@bc.org.ar*

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Sofía Console Insúa  
*sconsoleinsua@bc.org.ar*  
 Soybean

Matías Mihura  
*mmihura@bc.org.ar*  
 Corn

María Victoria De Carli  
*mdecarli@bc.org.ar*  
 Wheat & Sunflower



I - NWA (North-West Argentina)  
 II - NEA (North-East Argentina)  
 III - North-Central Córdoba  
 IV - South Córdoba  
 V - North-Central Santa Fe  
 VI - North Belt  
 VII - South Belt  
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires  
 X - Central Buenos Aires  
 XI - South-West de Buenos Aires - South La Pampa  
 XII - South-East Buenos Aires  
 XIII - San Luis  
 XIV - Cuenca del Salado  
 XV - Others


### CONTACT

Av. Corrientes 123  
 C1043AAB - CABA  
 Tel.: +54 11 4515 8200 | 8300  
*estimacionesagricolas@bc.org.ar*  
 Twitter: @estimacionesbc

ISSN 2408-4344t

*We appreciate the contribution of our Network of Collaborators throughout the country.*

## RECENT ADVERSE EVENTS



## METHODOLOGY

Findings of the survey conducted through August 26, 2020. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.




## SUNFLOWER 2020/21

Regional participation in the total national area (%)															
Regions	XII	XI	II	V	IX	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2019/20	26,3	25,0	8,9	13,7	9,3	6,7	4,7	1,4	1,3	0,7	0,6	0,5	0,5	0,4	0,0
Hist. Nat. Part.	22,0	21,8	20,4	14,2	7,6	5,6	3,6	1,3	1,4	0,6	0,5	0,4	0,4	0,3	0,0

Moisture condition, Crop condition & Development stages												Week 35			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaf Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA	Frost - Drought	20/21	-	-	44,8	-	-	-	-	-	-				
		19/20	96,0	-	76,0	-	-	-	-	-	-				
		15/20 Average	-	-	82,2	-	-	-	-	-	-				
V - CN S Fe	Drought	20/21	8,0	-	28,5	-	-	-	-	-	-				
		19/20	100,0	-	45,0	-	-	-	-	-	-				
		15/20 Average	-	-	50,0	-	-	-	-	-	-				
IX - N LP - S BA		20/21	-	-	-	-	-	-	-	-	-				
		19/20	-	-	-	-	-	-	-	-	-				
		15/20 Average	-	-	-	-	-	-	-	-	-				
XI - SO BA - S LP		20/21	-	-	-	-	-	-	-	-	-				
		19/20	-	-	-	-	-	-	-	-	-				
		15/20 Average	-	-	-	-	-	-	-	-	-				
XII - SE BA		20/21	-	-	-	-	-	-	-	-	-				
		19/20	-	-	-	-	-	-	-	-	-				
		15/20 Average	-	-	-	-	-	-	-	-	-				
XIV - Cuenca Sal.		20/21	-	-	-	-	-	-	-	-	-				
		19/20	-	-	-	-	-	-	-	-	-				
		15/20 Average	-	-	-	-	-	-	-	-	-				
National		20/21	4,0	100,0	7,9	0,6	-	-	-	-	-				
		19/20	97,2	97,6	21,0	5,0	-	-	-	-	-				
		15/20 Average	-	-	22,2	9,8	-	-	-	-	-				

**WHEAT 2020/21**



Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	II	I	X	VIII	XIV	XV	XIII
Nat. Part. 2019/20	13,1	7,9	11,0	10,0	9,8	9,2	7,7	5,7	5,6	6,2	6,1	5,1	2,0	0,4	0,2
Hist. Nat. Part.	13,3	11,6	9,7	9,5	9,3	8,3	6,9	6,6	6,8	6,1	5,3	4,6	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages														Week 35	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested				
I - NOA	Drought	20/21	-	11,0	100,0	100,0	59,0	29,0	-	-	-				
		19/20	84,0	82,0	100,0	100,0	72,0	29,0	-	-	-				
		15/20 Average	-	-	100,0	99,6	76,0	33,8	-	-	-				
II - NEA	Frost - Drought	20/21	-	17,0	100,0	95,0	37,0	7,0	-	-	-				
		19/20	93,0	92,0	100,0	95,0	35,0	-	-	-	-				
		15/20 Average	-	-	100,0	92,0	52,6	13,8	-	-	-				
III - CN Cba	Drought	20/21	-	15,0	100,0	96,0	24,0	-	-	-	-				
		19/20	90,0	94,0	100,0	96,0	38,0	-	-	-	-				
		15/20 Average	-	-	100,0	97,0	40,4	0,6	-	-	-				
IV - S Cba	Drought	20/21	-	26,0	100,0	78,0	20,0	-	-	-	-				
		19/20	67,0	89,0	100,0	78,0	24,0	-	-	-	-				
		15/20 Average	-	-	100,0	80,4	19,0	-	-	-	-				
V - CN S Fe	Drought	20/21	-	62,0	100,0	88,0	26,0	-	-	-	-				
		19/20	100,0	88,0	100,0	88,0	32,0	-	-	-	-				
		15/20 Average	-	-	100,0	84,2	39,4	4,2	-	-	-				
VI - Núcleo Norte	Drought	20/21	-	40,0	100,0	85,0	23,0	-	-	-	-				
		19/20	95,0	91,0	100,0	85,0	27,0	-	-	-	-				
		15/20 Average	-	-	100,0	80,8	32,6	4,2	-	-	-				
VII - Núcleo Sur		20/21	27,0	40,0	100,0	70,0	17,0	-	-	-	-				
		19/20	91,0	91,0	100,0	70,0	9,0	-	-	-	-				
		15/20 Average	-	-	100,0	72,0	12,8	-	-	-	-				
IX - N LP - S BA		20/21	58,0	100,0	100,0	60,0	7,0	-	-	-	-				
		19/20	69,0	87,0	100,0	60,0	-	-	-	-	-				
		15/20 Average	-	-	100,0	62,0	7,0	-	-	-	-				
X - Ctro BA		20/21	91,0	100,0	100,0	58,0	4,0	-	-	-	-				
		19/20	84,0	91,0	100,0	58,0	-	-	-	-	-				
		15/20 Average	-	-	100,0	69,4	-	-	-	-	-				
XI - SO BA - S LP		20/21	85,0	100,0	100,0	57,0	-	-	-	-	-				
		19/20	73,0	84,0	100,0	57,0	-	-	-	-	-				
		15/20 Average	-	-	100,0	54,6	0,6	-	-	-	-				
XII - SE BA		20/21	92,0	100,0	100,0	48,0	-	-	-	-	-				
		19/20	87,0	90,0	100,0	48,0	-	-	-	-	-				
		15/20 Average	-	-	99,6	47,4	1,0	-	-	-	-				
National		20/21	37,8	61,9	100,0	73,8	17,7	2,2	-	-	-				
		19/20	86,2	89,5	100,0	75,7	20,9	2,0	-	-	-				
		15/20 Average	-	-	100,0	75,9	24,4	3,9	-	-	-				