

CROP CONDITION AND DEVELOPMENT STAGES

JULY 15, 2021





DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT Ing. Esteban J. Copati ecopati@bc.org.ar

CROP ANALYST Ing. Martin López *martinlopez@bc.org.ar*

CROP ANALYST Ing. Daniela A. Venturino *dventurino*@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti apaterniti @bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Ing. Juan Francisco de Aramburu *jdearamburu@bc.org.ar* Wheat and Sunflower

Justo Fernández Vidal *jfernandez@bc.org.ar* Corn

CONTACT

Av. Corrientes 123 C1043AAB - CABA Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc


ISSN 2408-4344t



- I NWA (North-West Argentina)
- II NEA (North-East Argentina)
- III North-Central Córdoba
- IV South Córdoba
- V North-Central Santa Fe
- VI North Belt
- VII South Belt
- VIII East-Central Entre Ríos
- IX North La Pampa West Buenos Aires X - Central Buenos Aires XI - South-West de Buenos Aires - South La Pampa
- XII South-East Buenos Aires
- XIII San Luis
- XIV Cuenca del Salado
- XV Others

We appreciate the contribution of our Network of Collaborators throughout the country.






RECENT ADVERSE EVENTS


METHODOLOGY

Findings of the survey conducted through July 14, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.



WHEAT 2020/21






| Wheat | | | | | | | | | | | | | | | | |
|-----------------------|--|----------|------------------------|-----------------------|--------------------------------------|-------|----------------------------------|-------|---------------|--------------|--------------------|---------|----------|--------|-----------|--|
| Regional p | articipa | ation in | the tot | al natio | nal area | a (%) | | | | | | | | | | |
| Regions | VI | Ш | XII | VII | XI | IX | V | IV | 1 | Ш | Х | VIII | XIV | XV | XIII | |
| Nat. Part. 2021/22 | 12,9 | 10,0 | 9,9 | 9,8 | 8,8 | 8,0 | 7,4 | 6,8 | 6,6 | 6,6 | 5,5 | 5,1 | 2,1 | 0,4 | 0,2 | |
| Hist. Nat. Part. | 13,5 | 10,5 | 9,8 | 9,8 | 8,8 | 8,3 | 7,2 | 6,7 | 6,2 | 6,7 | 5,5 | 4,8 | 1,8 | 0,3 | 0,2 | |
| Moisture o | ure condition, Crop condition & Development stages | | | | | | | | | Week | Week 29 | | | | | |
| Moisturo | | | | | | | | | | | | | | | | |
| Regions | Adverse event | | Season | | Condition Favourable / Optimum | | Condition Fair / Excellent | | Planted | Tillering | Steam Extension | Heading | Ripening | Mature | Harvested | |
| | | | 21/ | /22 | | 15,0 | | 75,0 | 100,0 | 64,0 | 22,0 | - | - | - | - | |
| I - NOA | Dro | ught | 20, | /21 | | - | | 61,0 | 100,0 | 59,0 | 12,0 | - | - | | | |
| | | | 16/21/ | Average | - | | | - | 100,0 | 53,6 | 11,8 | - | - | - | - | |
| | | | 21/ | /22 | | 50,0 | | 100,0 | 100,0 | 36,0 | 11,0 | - | - | - | - | |
| II - NEA | | | 20, | /21 | | - | | 62,0 | 100,0 | 34,0 | 3,0 | - | - | - | - | |
| | | | 16/21 Average | | - | | - | | 99,6 | 31,6 | 2,6 | - | - | - | - | |
| | | | 21/ | | | 45,0 | | 100,0 | 100,0 | 40,0 | - | - | - | | | |
| III - CN Cba | Dro | ught | 20, | | - | | 52,0 | | 100,0 | 31,0 | - | - | - | - | - | |
| | | | | Average | - | | | - | 99,4 | 34,6 | - | - | - | - | - | |
| | | | 21/ | | 72,0 | | | 100,0 | 100,0 | 35,0 | - | - | | - | - | |
| IV - S Cba | | | | /21 | | - | | 63,0 | 100,0 | 24,0 | - | - | | - | - | |
| | | | | 6/21 Average 21/22 | | 93,0 | | - | 97,8 | 22,8 | | | | | - | |
| V - CN S Fe | | | | | | | | 100,0 | 100,0 | 21,0 | - | - | - | - | - | |
| V - CN S Fe | | | 20/21 16/21 Average | | 60,0 | | | 100,0 | 100,0 | 30,0 | | | - | - | - | |
| | | | | | 100,0 | | | 100,0 | 97,0 100,0 | 23,4 28,0 | - | - | | | - | |
| VI - Núcleo | VI - Núcleo | | 21/22 20/21 | | 100,0 | | | 72,0 | 100,0 | 25,0 | | - | - | - | - | |
| Norte | | | 16/21 Averag | | - | | | , 2,0 | 96,0 | 21,2 | - | - | - | - | - | |
| | | | 21/22 | | 90,0 | | | - | 95,3 | | - | - | | - | - | |
| VII - Núcleo | | | 20/ | | | | | - | 92,0 | - | - | - | - | - | - | |
| Sur | | | 16/21 | | - | | | - | | - | - | - | - | - | - | |
| | | | 21/ | | | 45,0 | | - | 86,2 97,1 | - | - | - | - | - | - | |
| IX - N LP - | | | | /21 | | 63,0 | | - | 92,0 | - | - | - | - | - | - | |
| O BA | | | 16/21 | Average | | - | - | | 84,8 | - | - | - | - | - | - | |
| | | | 21/ | /22 | | 95,0 | | - | 78,3 | - | - | - | - | - | - | |
| X - Ctro BA | Flo | ods | 20/ | /21 | | 100,0 | | - | 86,0 | - | - | - | - | - | - | |
| | | | 16/21/ | Average | | - | | - | 72,8 | - | - | - | - | - | - | |
| XI - SO BA - | | | 21/ | /22 | | 52,0 | | - | 96,3 | - | - | - | - | - | - | |
| S LP | | | 20/ | /21 | | 100,0 | | - | 87,0 | - | - | - | - | - | - | |
| | | | 16/21/ | | | - | | - | 74,2 | - | - | - | - | - | - | |
| | | | | /22 | | 80,0 | | - | 91,0 | - | - | - | - | - | - | |
| XII - SE BA | | | | /21 | | 100,0 | | - | 58,0 | - | - | - | - | - | - | |
| | | | 16/21/ | | | - | | - | 61,2 | - | - | - | | - | - | |
| | | | | /22 | | 70,5 | | 97,8 | 96,2 | 23,8 | 2,0 | - | - | - | - | |
| National | | | | /21 | | 40,7 | | 81,2 | 91,0 | 20,8 | 0,9 | - | - | - | - | |
| | | | 16/21/ | Average | | - | | - | 88,4 | 18,5 | 0,9 | - | - | - | - | |



CORN 2020/21







| Regional participation in the total national area (%) | | | | | | | | | | | | | | | | | |
|---|---------|-------------|------------------------|---------|---------------|-------|---------------|-----------------------------------|------------|-------------------------------|---------|-----------------------|-------------|---------|--------------|--------|-----------|
| Regions | Ш | IV | Ш | IX | VI | VII | 1 | X | VIII | XIII | XII | V | XI | XIV | XV | | |
| Nat. Part. | 14,3 | 12,3 | 11,3 | 11,0 | 9,5 | 7,3 | 6,4 | 5,3 | 5,3 | 4,7 | 3,8 | 3,8 | 2,7 | 1,9 | 0,5 | | |
| 2019/20 Hist. Nat. | 14,5 | 12,5 | 11,5 | 11,0 | 5,5 | 7,5 | 0,4 | 3,3 | 3,3 | -,, | 5,0 | 3,0 | 2,1 | 1,5 | 0,0 | | |
| Part. | 14,5 | 12,4 | 11,3 | 10,6 | 10,1 | 7,9 | 6,6 | 5,1 | 4,3 | 4,7 | 3,5 | 3,8 | 2,7 | 1,9 | 0,5 | | |
| Moisture c | onditio | n, Crop | conditi | on & D | | | | | | | Week | 29 | | | | | |
| Regions | | erse ent | Season | | Season | | Cond Favou | sture lition rable / mum | Cond Fa | op lition ir / llent | Planted | Leaves Development | Pollination | Silking | Grain Growth | Mature | Harvested |
| | | | 20/ | /21 | | 26,0 | | 84,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 50,0 | | |
| I - NOA | | | 19/ | /20 | | 100,0 | | 91,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 76,0 | | |
| | | | 15/20 / | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 40,8 | | |
| | | | 20/ | /21 | | 38,0 | | 70,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 47,0 | | |
| II - NEA | | | 19/20 | | | 100,0 | | 92,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 89,0 | | |
| | | | 15/20 Average 20/21 | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 46,9 | | |
| | | | | | 59,0 100,0 | | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 41,4 | | |
| III - CN Cba | | | | | | | 99,0 | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 94,7 | | |
| | | | 15/20 | Average | - | | - | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 58,1 | | |
| | | | 20/ | | | 66,0 | | 70,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 40,0 | | |
| IV - S Cba | | | | /20 | | 100,0 | | 98,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 84,4 | | |
| | | | 15/20 Average | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 58,5 | | |
| | | | 20/ | | 69,0 | | 91,0 | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 96,2 | | |
| VI - Núcleo | | | | /20 | | 100,0 | | 97,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 99,6 | | |
| Norte | | | 15/20 4 | | | | | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 93,7 | | |
| | | | | /21 | | 100,0 | | 76,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 95,1 | | |
| VII - Núcleo | | | | /20 | | 98,0 | | 94,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 99,0 | | |
| Sur | | | 15/20 | | | 50,0 | | 54,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 93,8 | | |
| | | | 20/ | - | | 22,0 | | 10,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 90,7 | | |
| VIII - CE E. | | | | /20 | | 97,0 | | 86,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 98,9 | | |
| Rios | | | | Average | | 57,0 | | 80,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 90,5 | | |
| | | | 20/ | - | | 71,0 | | 84,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 72,3 | | |
| IX - N LP - S | | | | /20 | | 97,0 | | 95,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 87,6 | | |
| BA | | | | | | 97,0 | | 95,0 | ,- | - C | | | · · · · | | | | |
| | | | 15/20 / | - | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 76,4 | | |
| V. Chu- DA | | | | /21 | | 96,0 | | 89,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 72,9 | | |
| X - Ctro BA | | | | /20 | | 96,0 | | 91,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 89,9 | | |
| | | | 15/20 / | - | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 74,2 | | |
| VII. 65.54 | | | | /21 | | 64,8 | | 75,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 62,3 | | |
| XII - SE BA | | | | /20 | | 95,0 | | 90,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 80,6 | | |
| | | | | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 61,9 | | |
| XIII - San | | | | /21 | | 90,0 | | 91,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 51,5 | | |
| Luis | | | | /20 | | 100,0 | | 81,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 88,9 | | |
| | | | | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 56,3 | | |
| | | | | /21 | | 59,5 | | 81,3 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 62,4 | | |
| National | | | | /20 | | 98,7 | | 93,1 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 90,4 | | |
| | | | 15/20 / | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 66,9 | | |



EARLY CORN 2020/21

| Regional participation in the total national area (%) | | | | | | | | | | | | | | | | |
|---|--------------------------|------|---------------------------------|------------|--|-------|--|------|----------------|-----------------------|----------------|----------------|----------------|----------------|----------------|--|
| Regions | Ш | VI | 1 | VII | IX | X | VIII | XII | Ш | IV | V | XI | XIV | XIII | XV | |
| Nat. Part. 2019/20 | 22,5 | 16,2 | 12,8 | 12,5 | 8,7 | 4,2 | 4,0 | 3,8 | 2,9 | 2,9 | 2,9 | 2,7 | 1,7 | 1,1 | 1,0 | |
| Hist. Nat. Part. | 19,8 | 15,2 | 11,5 | 11,7 | 9,6 | 4,4 | 4,8 | 4,0 | 4,3 | 5,1 | 2,3 | 3,0 | 1,7 | 1,7 | 0,9 | |
| Moisture condition, Crop condition & Development stages W | | | | | | | | | | | | | Week | k 29 | | |
| Regions | Adverse Regions event | | Season | | Moisture Condition Favourable / Optimum | | Crop Condition Fair / Excellent | | Planted | Leaves Development | Pollination | Silking | Grain Growth | Mature | Harvested | |
| | | | | /21 | | 26,0 | | 84,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 50,0 | |
| I - NOA | | | | /20 | | 100,0 | | 91,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 76,0 | |
| | | | 15/20 Average 20/21 | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 40,8 | |
| | | | | | 38,0 | | 70,0 | | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 47,0 89,0 | |
| | II - NEA | | 19/20 15/20 Average | | 100,0 | | 92,0 | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 47,2 | |
| | | | | /21 | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| III - CN Cba | | | | /20 | | - | | - | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | | Average | | - | | - | 100,0 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | 20/21 | | - | | - | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| IV - S Cba | | | 19/20 | | - | | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | 15/20/ | Average | - | | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| VI - Núcleo | | | 20/21 19/20 | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| Norte | | | | | - | | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | 15/20 Average | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| VII - Núcleo | | | | /21 | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| Sur | | | | /20 | - | | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| VIII - CE E. | | | | /21 /20 | | - | | - | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | |
| Rios | | | | Average | | | | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| IX - N LP - | | | 20/21 19/20 15/20 Average | | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| O BA | | | | | - | | - | | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 99,4 | |
| | | | | /21 | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| X - Ctro BA | | | 19 | /20 | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | 15/20/ | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 97,2 | |
| | | | 20, | /21 | | 57,0 | | 75,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 90,0 | |
| XII - SE BA | | | | /20 | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | |
| | | | | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 80,4 | |
| | | | | /21 | | 35,0 | | 74,6 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 80,6 | |
| National | | | | /20 | | 99,9 | | 91,5 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 95,9 | |
| | | | 15/20/ | Average | | - | | - | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 100,0 | 84,4 | |



LATE CORN 2020/21

| Regional participation in the total national area (%) | | | | | | | | | | | | | | | |
|--|------------------|------|---------------------------------|-----------------------|--|--------------------|--|--------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|----------------------|
| Regions | Ш | IV | IX | XIII | VIII | Х | V | XII | VI | XI | VII | XIV | Ш | 1 | XV |
| Nat. Part. 2019/20 | 25,8 | 21,7 | 13,2 | 8,2 | 6,6 | 6,4 | 4,7 | 3,8 | 2,9 | 2,7 | 2,0 | 2,1 | 0,0 | 0,0 | 0,0 |
| Hist. Nat. Part. | 28,0 | 22,1 | 12,0 | 8,8 | 3,7 | 6,1 | 5,9 | 2,7 | 3,2 | 2,4 | 3,0 | 2,1 | 0,0 | 0,0 | 0,0 |
| Moisture condition, Crop condition & Development stages Week | | | | | | | | | | | | | | 29 | |
| Regions | Adverse event | | Season | | Moisture Condition Favourable / Optimum | | Crop Condition Fair / Excellent | | Planted | Leaves Development | Pollination | Silking | Grain Growth | Mature | Harvested |
| III - CN Cba | | | 20/21 19/20 | | | 59,0 100,0 | | | 100,0 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 35,0 93,0 |
| | | | | 15/20 Average 20/21 | | 66,0 70,0 | | 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 51,2 32,0 | |
| IV - S Cba | | | 19/20 15/20 Average | | 100,0 | | 98,0 | | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 100,0 100,0 | 79,0 47,0 |
| V - CN S Fe | | | 20/21 19/20 15/20 Average | | | 71,0 99,0 | | 85,0 94,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 36,0 80,0 54,2 |
| VIII - CE E. Rios | | | 20/21 19/20 15/20 Average | | | 22,0 97,0 | | 10,0 86,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 85,0 97,0 73,4 |
| IX - N LP - S BA | | | 20, | /21 /20 | | 71,0 97,0 | | 84,0 95,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 54,0 65,0 56,0 |
| X - Ctro BA | Flo | ods | 20/21 19/20 15/20 Average | | | 96,0 96,0 | | 89,0 91,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 55,0 72,0 55,4 |
| XII - SE BA | | | 20/21 19/20 15/20 Average | | | 66,0 95,0 | | 75,0 90,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 35,0 45,0 21,2 |
| XIII - San Luis | | | 20/21 19/20 15/20 Average | | | 90,0 100,0 - | | 91,0 81,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 45,0 85,0 52,4 |
| National | | | 19, | /21 /20 Average | | 68,0 98,2 | | 83,6 93,7 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 100,0 100,0 100,0 | 44,2 81,4 51,8 |