

CROP CONDITION & DEVELOPMENT STAGES


JUNE, 28
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 19, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Season 2018/2019

Wheat

Wheat Planted: as of June 27, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2013/2018 Average %
I NOA	100,0	92,0	100,0	98,2
II NEA	95,0	68,0	92,0	84,8
III Ctro N Cba	98,0	75,0	97,0	92,0
IV S Cba	78,0	60,0	81,0	71,0
V Ctro N SFe	75,0	62,0	75,0	66,8
VI Núcleo Norte	85,0	55,0	72,0	78,8
VII Núcleo Sur	55,0	31,0	67,0	48,0
VIII Ctro E ER	28,0	42,0	58,0	38,4
IX N LP-OBA	35,0	30,0	43,0	43,4
X Ctro Bs As	30,0	27,0	47,0	35,2
XI SO BA-S LP	40,0	23,0	40,0	40,4
XII SE BA	35,0	21,0	31,0	24,6
XIII San Luis	75,0	50,0	75,0	81,0
XIV Cuenca Sal	49,0	32,0	50,0	41,8
XV Others	90,0	80,0	95,0	89,0
National	64,7	49,0	67,5	58,7

Wheat Condition: as of June 27, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	28,0	39,0	28,0	5,0
II NEA	-	-	77,0	20,0	3,0
III Ctro N Cba	-	25,0	60,0	15,0	-
IV S Cba	-	14,0	30,0	56,0	-
V Ctro N SFe	-	7,0	72,0	21,0	-
VI Núcleo Norte	-	-	36,0	64,0	-
VII Núcleo Sur	-	-	16,0	69,0	15,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	13,0	47,0	40,0	-
X Ctro Bs As	-	21,0	36,0	43,0	-
XI SO BA-S LP	-	-	52,0	48,0	-
XII SE BA	-	9,0	44,0	47,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	10,1	48,4	39,3	2,2
Nat. Jun. 28, 2017	-	2,0	29,4	49,3	19,3

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of June 27, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	20,0	56,0	24,0	-	-
II	NEA	5,0	22,0	51,0	22,0	-
III	Ctro N Cba	17,0	31,0	48,0	4,0	-
IV	S Cba	12,0	7,0	60,0	21,0	-
V	Ctro N SFe	-	18,0	76,0	6,0	-
VI	Núcleo Norte	-	18,0	46,0	36,0	-
VII	Núcleo Sur	-	11,0	51,0	35,0	3,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	21,0	45,0	34,0	-
X	Ctro Bs As	-	3,0	55,0	42,0	-
XI	SO BA-S LP	-	15,0	61,0	24,0	-
XII	SE BA	-	19,0	42,0	30,0	9,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		6,1	21,4	49,0	22,3	1,2
Nat. Jun. 28, 2017		-	2,8	27,4	50,7	19,1

Wheat Tillering: as of June 27, 2018

Regions		June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2013/2018 Average %
I	NOA	12,0	12,0	27,0	15,4
II	NEA	7,0	-	7,0	3,0
III	Ctro N Cba	18,0	-	6,0	3,8
IV	S Cba	7,0	-	-	2,0
V	Ctro N SFe	3,0	-	5,0	1,2
VI	Núcleo Norte	-	-	3,0	-
VII	Núcleo Sur	3,0	-	-	0,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	0,2
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		4,6	0,8	3,9	1,6

CROP CONDITION & DEVELOPMENT STAGES

Season 2017/2018

Early Corn

Early Corn Harvested: as of June 27, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	16,0	14,0	17,0	17,2
II NEA	12,2	18,0	29,0	27,2
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	99,8
VIII Ctro E ER	100,0	100,0	100,0	99,9
IX N LP-OBA	99,0	98,0	99,0	96,2
X Ctro Bs As	99,0	80,0	85,0	89,8
XI SO BA-S LP	91,0	63,0	65,0	77,4
XII SE BA	91,0	59,0	61,0	63,2
XIII San Luis	100,0	100,0	100,0	98,0
XIV Cuenca Sal	100,0	95,0	98,0	96,8
XV Others	100,0	100,0	100,0	100,0
National	79,8	67,5	70,8	82,6

Late Corn

Late Corn Harvested: as of June 27, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	18,0	32,0	35,0	27,6
IV S Cba	27,0	36,0	38,0	31,2
V Ctro N SFe	19,0	30,0	48,0	31,0
VI Núcleo Norte	38,0	60,0	62,0	47,8
VII Núcleo Sur	36,0	62,0	64,0	47,6
VIII Ctro E ER	36,0	65,0	80,0	52,6
IX N LP-OBA	34,0	30,0	40,0	33,8
X Ctro Bs As	24,0	25,0	35,0	30,8
XI SO BA-S LP	4,0	-	-	23,8
XII SE BA	2,0	-	-	15,4
XIII San Luis	30,0	31,0	38,0	37,0
XIV Cuenca Sal	37,0	20,0	25,0	44,4
XV Others	70,0	42,0	50,0	63,0
National	25,3	32,5	37,9	33,1

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Harvested: as of June 27, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	16,0	14,0	17,0	17,2
II NEA	12,2	18,0	29,0	27,2
III Ctro N Cba	30,3	41,9	44,4	38,6
IV S Cba	48,9	48,5	50,2	49,5
V Ctro N SFe	43,3	54,0	65,9	55,9
VI Núcleo Norte	90,7	94,4	94,7	88,3
VII Núcleo Sur	90,4	92,4	92,9	86,6
VIII Ctro E ER	77,6	86,3	92,2	83,0
IX N LP-OBA	60,0	63,4	69,0	63,8
X Ctro Bs As	61,5	46,6	54,6	65,8
XI SO BA-S LP	60,6	37,1	38,3	62,0
XII SE BA	73,2	34,8	36,0	55,2
XIII San Luis	44,0	44,0	49,7	52,3
XIV Cuenca Sal	74,8	49,4	53,7	79,3
XV Others	82,0	63,1	68,2	75,6
National	51,0	51,3	55,6	55,7

First Soybean

First Soybean Harvested: as of June 27, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	99,0	100,0	100,0	97,9
II NEA	99,0	98,5	100,0	99,3
III Ctro N Cba	100,0	100,0	100,0	99,8
IV S Cba	97,5	100,0	100,0	99,1
V Ctro N SFe	100,0	100,0	100,0	99,8
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	99,8
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	95,5	100,0	100,0	98,4
X Ctro Bs As	97,0	93,0	97,5	95,3
XI SO BA-S LP	97,5	100,0	100,0	96,6
XII SE BA	100,0	74,0	93,6	91,6
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	98,4
XV Others	100,0	100,0	100,0	100,0
National	99,0	98,5	99,7	98,8

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean

Second Soybean Harvested: as of June 27, 2018

Regions	June 17, 2017 %	June 9, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	100,0	100,0	100,0	94,0
II NEA	100,0	98,5	100,0	96,0
III Ctro N Cba	100,0	100,0	100,0	99,8
IV S Cba	97,0	100,0	100,0	98,8
V Ctro N SFe	99,4	99,0	100,0	99,8
VI Núcleo Norte	100,0	100,0	100,0	99,9
VII Núcleo Sur	100,0	100,0	100,0	99,0
VIII Ctro E ER	99,5	100,0	100,0	99,3
IX N LP-OBA	92,1	98,5	100,0	96,3
X Ctro Bs As	95,6	80,0	92,0	91,3
XI SO BA-S LP	90,0	98,3	99,5	93,0
XII SE BA	96,0	50,0	76,0	79,4
XIII San Luis	100,0	100,0	100,0	98,4
XIV Cuenca Sal	99,5	70,0	93,0	88,3
XV Others	100,0	100,0	100,0	99,0
National	97,6	92,8	96,9	94,1

Soybean

Soybean Harvested: as of June 30, 2018

Regions	June 28, 2017 %	June 19, 2018 %	June 27, 2018 %	2012/2017 Average %
I NOA	99,2	100,0	100,0	96,5
II NEA	99,2	98,5	100,0	98,6
III Ctro N Cba	100,0	100,0	100,0	99,7
IV S Cba	97,4	100,0	100,0	98,5
V Ctro N SFe	99,8	99,7	100,0	99,7
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	99,7
VIII Ctro E ER	99,9	100,0	100,0	99,7
IX N LP-OBA	94,7	99,7	100,0	97,8
X Ctro Bs As	96,4	88,0	95,4	94,2
XI SO BA-S LP	93,0	99,0	99,7	90,5
XII SE BA	98,4	63,1	85,6	86,2
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	99,8	75,5	94,3	95,8
XV Others	100,0	100,0	100,0	99,9
National	98,7	97,1	99,0	97,7