



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

NOVEMBER 03, 2022



DEPARTAMENT & REGIONS

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Joaquín Pellejero
jpellejero@bc.org.ar

Agustín Podestá
apodesta@bc.org.ar

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 3221 7230
 estimacionesagricolas@bc.org.ar
 Twitter: @BolsadeC_ETyM
 www.bolsadecereales.com


ISSN 2408-4344t



- | | |
|---------------------------------|--|
| I - NWA (North-West Argentina) | IX - North La Pampa - West Buenos Aires |
| II - NEA (North-East Argentina) | X - Central Buenos Aires |
| III - North-Central Córdoba | XI - South-West de Buenos Aires - South La Pampa |
| IV - South Córdoba | XII - South-East Buenos Aires |
| V - North-Central Santa Fe | XIII - San Luis |
| VI - North Belt | XIV - Cuenca del Salado |
| VII - South Belt | XV - Others |
| VIII - East-Central Entre Ríos | |

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY

Findings of the survey conducted through November 2, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

CORN 2022/23






EARLY CORN 2022/23

Participación zonal en el área total nacional (%)															
Zona	II	I	VI	VII	IX	X	XII	VIII	V	XI	IV	III	XIV	XV	XIII
Part Nac 2022/23	26,5	15,4	13,0	11,6	8,7	4,8	3,9	3,7	2,8	2,3	1,9	1,8	1,7	1,3	0,6
Part Nac Histórica	20,2	11,5	16,5	12,9	9,5	4,4	3,6	4,8	2,6	2,6	3,7	3,6	1,7	0,9	1,6

Condición hídrica, de cultivo y Fenología												Semana 45			
Zona	Evento adverso	Campaña	Cond. Híd. Ad/Op	Cond. Cult Nor/Exc	Siembra	Expansión foliar	Panojamiento	Floración Femenina	Grano Pastoso	Madurez Fisiológica	Cosecha				
I - NOA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		Prom 17/22	-	-	-	-	-	-	-	-	-				
II - NEA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		Prom 17/22	-	-	-	-	-	-	-	-	-				
V - CN S Fe		22/23	63,0	64,0	100,0	100,0	-	-	-	-	-				
		21/22	100,0	100,0	100,0	81,0	-	-	-	-	-				
		Prom 17/22	-	-	100,0	87,3	-	-	-	-	-				
VI - Núcleo Norte	Heladas	22/23	56,0	59,0	100,0	75,0	-	-	-	-	-				
		21/22	90,0	100,0	100,0	93,0	-	-	-	-	-				
		Prom 17/22	-	-	100,0	94,7	1,3	-	-	-	-				
VII - Núcleo Sur	Heladas	22/23	51,0	46,0	100,0	63,0	-	-	-	-	-				
		21/22	80,0	100,0	100,0	87,0	-	-	-	-	-				
		Prom 17/22	-	-	100,0	90,9	-	-	-	-	-				
VIII - CE E. Ríos	Heladas	22/23	59,0	55,0	100,0	100,0	-	-	-	-	-				
		21/22	83,0	100,0	100,0	99,0	-	-	-	-	-				
		Prom 17/22	-	-	100,0	99,6	-	-	-	-	-				
IX - N LP - O BA	Heladas	22/23	75,0	65,0	100,0	58,0	-	-	-	-	-				
		21/22	88,0	100,0	100,0	69,0	-	-	-	-	-				
		Prom 17/22	-	-	99,4	77,8	-	-	-	-	-				
X - Ctro BA		22/23	69,0	-	95,0	-	-	-	-	-	-				
		21/22	98,0	-	93,0	-	-	-	-	-	-				
		Prom 17/22	-	-	92,0	-	-	-	-	-	-				
XII - SE BA		22/23	62,0	-	60,0	-	-	-	-	-	-				
		21/22	82,0	-	45,0	-	-	-	-	-	-				
		Prom 17/22	-	-	61,0	-	-	-	-	-	-				
Total		22/23	61,0	61,9	54,2	35,6	-	-	-	-	-				
		21/22	84,9	99,9	59,8	49,1	-	-	-	-	-				
		Prom 17/22	-	-	64,2	54,9	0,4	-	-	-	-				




SUNFLOWER 2022/23



Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	II	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2022/23	26,3	23,7	13,2	9,0	8,5	6,1	4,7	2,6	2,4	1,3	0,6	0,5	0,4	0,9	0,0
Hist. Nat. Part.	25,1	22,6	13,2	7,8	15,0	6,3	4,1	1,6	1,5	0,8	0,5	0,5	0,5	0,4	0,0

Moisture condition, Crop condition & Development stages												Week 45			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		22/23	78,0	71,0	100,0	100,0	77,0	35,0	1,0	-	-				
		21/22	7,0	62,0	100,0	100,0	79,0	39,0	3,0	-	-				
		17/22 Average	-	-	100,0	100,0	78,2	45,7	10,3	-	-				
V - NC S Fe		22/23	65,0	72,0	100,0	100,0	52,0	10,0	-	-	-				
		21/22	45,0	83,0	100,0	100,0	54,0	8,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	58,2	18,3	-	-	-				
IX - N LP - W BA		22/23	93,0	-	74,0	-	-	-	-	-	-				
		21/22	90,0	-	86,6	-	-	-	-	-	-				
		17/22 Average	-	-	62,6	-	-	-	-	-	-				
X - Central BA		22/23	75,0	-	60,0	-	-	-	-	-	-				
		21/22	100,0	-	86,0	-	-	-	-	-	-				
		17/22 Average	-	-	68,9	-	-	-	-	-	-				
XI - SW BA - S LP		22/23	93,0	-	46,0	-	-	-	-	-	-				
		21/22	100,0	-	57,1	-	-	-	-	-	-				
		17/22 Average	-	-	45,0	-	-	-	-	-	-				
XII - SE BA		22/23	86,0	-	31,0	-	-	-	-	-	-				
		21/22	100,0	-	58,3	-	-	-	-	-	-				
		17/22 Average	-	-	55,7	-	-	-	-	-	-				
XIV - Cuenca Sal.		22/23	85,0	-	70,0	-	-	-	-	-	-				
		21/22	85,0	-	89,0	-	-	-	-	-	-				
		17/22 Average	-	-	70,5	-	-	-	-	-	-				
National		22/23	77,6	85,3	62,7	31,7	13,7	4,3	0,1	-	-				
		21/22	72,1	88,3	78,0	46,0	17,0	5,3	0,3	-	-				
		17/22 Average	-	-	71,0	48,0	21,5	10,5	2,0	-	-				

WHEAT 2022/23



Regional participation in the total national area (%)															
Regions	XII	VI	VII	XI	IX	V	II	III	VIII	X	IV	I	XIV	XV	XIII
Nat. Part. 2022/23	13,5	12,6	12,1	11,0	9,6	7,2	6,9	5,4	6,8	6,4	4,4	3,0	0,8	0,4	0,2
Hist. Nat. Part.	10,4	13,3	10,0	9,2	8,3	7,6	6,9	9,3	5,1	5,5	6,2	6,2	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages														Week 45	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested				
I - NWA	Drought	22/23	19,0	12,0	100,0	100,0	100,0	100,0	100,0	78,0	-				
		21/22	-	-	100,0	100,0	100,0	100,0	100,0	88,0	78,4				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	98,0	81,6	69,0				
II - NEA	Drought	22/23	40,0	15,0	100,0	100,0	100,0	100,0	85,0	67,0	-				
		21/22	20,0	-	100,0	100,0	100,0	100,0	100,0	80,0	79,6				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	88,8	70,4	60,0				
III - NC Cba	Drought	22/23	21,0	15,0	100,0	100,0	100,0	100,0	45,0	16,0	-				
		21/22	50,0	45,0	100,0	100,0	100,0	100,0	61,0	23,0	8,4				
		17/22 Average	-	-	100,0	100,0	100,0	97,8	54,8	18,6	4,3				
IV - S Cba	Frost - Drought	22/23	40,0	19,0	100,0	100,0	100,0	100,0	25,0	-	-				
		21/22	70,0	75,0	100,0	100,0	100,0	98,0	33,0	2,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	90,2	34,0	6,8	-				
V - NC S Fe	Drought	22/23	42,0	35,0	100,0	100,0	100,0	100,0	60,0	33,0	-				
		21/22	41,0	59,0	100,0	100,0	100,0	100,0	78,0	41,0	15,0				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	69,6	33,2	10,5				
VI - North Belt	Frost - Drought	22/23	32,0	15,0	100,0	100,0	100,0	100,0	39,0	5,0	-				
		21/22	91,0	98,0	100,0	100,0	100,0	96,0	59,0	24,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	96,8	46,0	10,2	0,2				
VII - South Belt	Frost - Drought	22/23	29,0	22,0	100,0	100,0	100,0	89,0	34,0	-	-				
		21/22	88,0	100,0	100,0	100,0	100,0	92,0	34,0	-	-				
		17/22 Average	-	-	100,0	100,0	100,0	91,0	27,8	2,6	-				
IX - N LP - W BA	Frost	22/23	65,0	62,0	100,0	100,0	100,0	70,0	6,0	-	-				
		21/22	88,0	100,0	100,0	100,0	100,0	80,0	7,0	-	-				
		17/22 Average	-	-	100,0	100,0	100,0	67,2	4,4	-	-				
X - Central BA	Frost	22/23	71,0	80,0	100,0	100,0	100,0	65,0	1,0	-	-				
		21/22	89,0	100,0	100,0	100,0	100,0	68,0	4,0	-	-				
		17/22 Average	-	-	100,0	100,0	97,0	62,2	3,6	-	-				
XI - SW BA - S LP	Frost	22/23	83,0	80,0	100,0	100,0	100,0	60,0	-	-	-				
		21/22	61,0	84,0	100,0	100,0	100,0	64,0	1,0	-	-				
		17/22 Average	-	-	100,0	100,0	94,0	58,6	1,0	-	-				
XII - SE BA	Frost	22/23	83,0	77,0	100,0	100,0	100,0	55,0	-	-	-				
		21/22	74,0	84,0	100,0	100,0	100,0	70,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	93,0	56,6	1,0	-	-				
National		22/23	53,5	46,0	100,0	100,0	99,9	82,7	29,8	12,2	-				
		21/22	73,4	83,5	100,0	100,0	100,0	87,4	39,8	19,2	10,5				
		17/22 Average	-	-	100,0	100,0	98,5	83,5	36,9	16,5	9,1				