




BUENOS AIRES GRAIN EXCHANGE

DEPARTMENT OF AGRICULTURAL ESTIMATES



HEAD OF DEPARTMENT

Esteban J Copati ecopati @bc.org.ar

CROP ANALYST

Martin López martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino dventurino @bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa sconsoleinsua@bc.org.ar Soybean

Matías Mihura mmihura @bc.org.ar Corn

Juan F. De Aramburu idearamburu@bc.org.ar Wheat and Sunflower

CONTACT

C1043AAB - CABA Phone: +54 11 4515 8200 | 8300

estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2591-4715

Findings of the survey conducted through October, 2 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Corn Season 2019/2020

Early Corn Planted: as of October 2, 2019

	Regions	October 3, 2018 %	September 25, 2019 %	October 2, 2019 %	2013/2018 Average %
- 1	NOA	/0 _	/6 -	/0 -	/6 -
II	NEA	_	_	-	_
III	Ctro N Cba	65,0	11,0	23,0	56,6
IV	S Cba	26,0	6,0	21,0	42,8
V	Ctro N SFe	98,0	75,0	95,0	95,4
VI	Núcleo Norte	80,0	71,0	82,0	72,2
VII	Núcleo Sur	65,0	54,0	66,0	64,0
VIII	Ctro E ER	97,0	67,0	89,0	88,4
IX	N LP-OBA	38,0	8,2	12,0	35,6
X	Ctro Bs As	10,0	4,0	10,0	17,0
ΧI	SO BA-S LP	8,0	-	-	2,6
XII	SE BA	5,0	-	-	2,4
XIII	San Luis	30,0	5,0	20,0	37,0
XIV	Cuenca Sal	8,0	4,0	8,0	15,0
XV	Others	20,0	4,0	7,0	81,0
	National	36,0	26,0	33,6	39,4

Early Corn Condition: as of October 2, 2019

Regions		Very Poor	Poor	Fair	Good	Excellent
	Regions	%	%	%	%	%
1	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	13,0	58,0	29,0	-
IV	S Cba	-	14,0	67,0	19,0	-
V	Ctro N SFe	-	2,0	43,0	55,0	-
VI	Núcleo Norte	-	12,0	63,0	25,0	-
VII	Núcleo Sur	-	14,0	52,0	34,0	-
VIII	Ctro E ER	-	2,0	47,0	51,0	-
IX	N LP-OBA	-	31,0	53,0	16,0	-
X	Ctro Bs As	-	15,0	59,0	26,0	-
ΧI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	20,0	51,0	29,0	-
XIV	Cuenca Sal	-	24,0	55,0	21,0	-
XV	Others	-	15,0	65,0	20,0	-
	National	-	7,2	57,4	35,4	-
Nat.O	ctober 3, 2018	1,6	18,2	46,9	30,5	2,8



Early Corn Moisture Condition: as of October 2, 2019

	Regions	Dry	Poor	Favourable %	Optimum	Wet
- 1	NOA	% -	% -	% -	% -	% -
Ш	NEA	_	-	<u>-</u>	_	_
III	Ctro N Cba	6,0	25,0	49,0	20,0	<u>-</u>
IV	S Cba	5,0	32,0	43,0	20,0	-
V	Ctro N SFe	1,0	7,0	64,0	28,0	-
VI	Núcleo Norte	3,0	27,0	53,0	17,0	-
VII	Núcleo Sur	4,0	22,0	51,0	23,0	-
VIII	Ctro E ER	-	17,0	63,0	20,0	-
IX	N LP-OBA	15,0	50,0	27,0	8,0	-
X	Ctro Bs As	11,0	42,0	33,0	14,0	-
ΧI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	10,0	33,0	39,0	18,0	-
XIV	Cuenca Sal	10,0	37,0	39,0	14,0	-
XV	Others	4,0	33,0	48,0	15,0	-
	National	3,6	24,2	52,7	19,6	-
Nat.O	ctober 3, 2018	8,0	35,8	42,4	11,7	2,1

Sunflower

Sunflower Planted: as of October 2, 2019

	Pagions	October 3, 2018	September 25, 2019	October 2, 2019	2013/2018 Average
	Regions	%	%	%	%
1	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	61,0	72,1	63,0
IV	S Cba	25,0	3,0	6,7	6,6
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	80,0	51,0	54,8	50,0
VII	Núcleo Sur	15,0	12,0	16,5	4,2
VIII	Ctro E ER	60,0	44,0	57,0	39,0
IX	N LP-OBA	3,0	-	-	3,0
X	Ctro Bs As	2,0	-	0,9	1,6
XI	SO BA-S LP	-	-	-	0,4
XII	SE BA	-	-	-	1,4
XIII	San Luis	-	-	-	1,0
XIV	Cuenca Sal	-	-	-	1,4
XV	Others	80,0	45,0	53,3	51,6
	National	40,0	33,5	33,7	31,2



Sunflower Condition: as of October 2, 2019

	Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
- 1	NOA	70	70 -	70 -	70 -	70 -
II	NEA	_	17,0	47,0	36,0	_
III	Ctro N Cba	_	-	-	-	_
IV	S Cba	_	_	_	_	_
V	Ctro N SFe	_	8,0	38,0	54,0	-
VI	Núcleo Norte	_	-	-	-	-
VII	Núcleo Sur	_	-	-	<u>-</u>	-
VIII	Ctro E ER	_	_	-	-	-
IX	N LP-OBA	_	_	_	-	-
X	Ctro Bs As	_	_	_	-	-
ΧI	SO BA-S LP	_	_	_	-	_
XII	SE BA	_	_	-	-	_
XIII	San Luis	_	_	_	-	_
XIV	Cuenca Sal	_	_	_	-	_
XV	Others	-	-	-	-	-
	National	0,0	13,0	43,4	43,5	-
Nat.O	ctober 3, 2018	-	2,3	32,6	49,4	15,7

Sunflower Moisture Condition: as of October 2, 2019

	Regions	Dry	Poor	Favourable	Optimum	Wet
	rtogiono	%	%	%	%	%
I	NOA	-	-	-	-	-
II	NEA	8,0	16,0	54,0	22,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	4,0	16,0	43,0	37,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	<u>-</u>	_	-	-
	National	6,3	15,9	49,1	28,7	0,0
Nat.O	ctober 3, 2018	2,6	30,9	50,6	15,9	0,0



Sunflower Leaf Development: as of October 2, 2019

	Regions	October 3, 2018 %	September 25, 2019 %	October 2, 2019 %	2013/2018 Average %
- 1	NOA	-	-	-	-
II	NEA	100,0	83,0	94,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	75,0	59,0	78,0	81,2
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	34,9	23,6	28,6	27,3

Sunflower Flowerbud Stage: as of October 2, 2019

	Regions	October 3, 2018	September 25, 2019	October 2, 2019	2013/2018 Average
	NOA	%	%	%	%
	NEA	-	-	-	-
		25,0	1,0	14,0	25,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	0,8
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
ΧI	SO BA-S LP	-	-	-	-
XII	SEBA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	5,8	0,2	2,6	4,9



Wheat

Wheat Condition: as of October 2, 2019

	Regions	Very Poor	Poor	Fair	Good	Excellent
	regions	%	%	%	%	%
- 1	NOA	-	20,0	53,0	27,0	-
II	NEA	9,0	23,0	35,0	33,0	-
III	Ctro N Cba	6,0	21,0	36,0	37,0	-
IV	S Cba	8,0	31,0	45,0	16,0	-
V	Ctro N SFe	-	21,0	47,0	32,0	-
VI	Núcleo Norte	-	16,0	46,0	38,0	-
VII	Núcleo Sur	6,0	21,0	42,0	31,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	9,0	31,0	43,0	17,0	-
X	Ctro Bs As	-	22,0	46,0	32,0	-
ΧI	SO BA-S LP	8,0	33,0	41,0	18,0	-
XII	SE BA	-	23,0	43,0	34,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
	National	4,0	22,2	43,9	29,9	<u>-</u>
Nat.C	October 3, 2018	3,3	15,2	39,5	33,6	8,4

Wheat Moisture Condition: as of October 2, 2019

	Regions	Dry	Poor	Favourable	Optimum	Wet
	Regions	%	%	%	%	%
1	NOA	15,0	32,0	45,0	8,0	-
II	NEA	5,0	24,0	45,0	26,0	-
III	Ctro N Cba	8,0	24,0	43,0	25,0	-
IV	S Cba	13,0	26,0	39,0	22,0	-
V	Ctro N SFe	3,0	11,0	54,0	32,0	-
VI	Núcleo Norte	9,0	17,0	48,0	26,0	-
VII	Núcleo Sur	13,0	24,0	41,0	22,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	9,0	36,0	39,0	16,0	-
X	Ctro Bs As	12,0	29,0	44,0	15,0	-
XI	SO BA-S LP	23,0	33,0	38,0	6,0	-
XII	SE BA	1,0	23,0	49,0	27,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
	National	9,3	23,9	44,1	22,4	0,3
Nat.C	October 3, 2018	11,5	32,0	34,8	18,8	2,2



Wheat Tillering: as of October 2, 2019

	Regions	October 3, 2018 %	September 25, 2019 %	October 2, 2019 %	2014/2019 Average %
1	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	97,0	100,0	100,0
X	Ctro Bs As	100,0	90,0	100,0	100,0
XI	SO BA-S LP	100,0	93,0	100,0	95,4
XII	SE BA	100,0	89,0	100,0	94,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	100,0	97,5	100,0	99,0

Wheat Steam Extension: as of October 2, 2019

	Regions	October 3, 2018	September 25, 2019	October 2, 2019	2014/2019 Average
		%	%	%	%
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	89,0	100,0	100,0
III	Ctro N Cba	100,0	85,0	95,0	97,6
IV	S Cba	100,0	57,0	77,0	84,4
V	Ctro N SFe	99,0	74,0	89,0	96,4
VI	Núcleo Norte	100,0	60,0	78,0	93,0
VII	Núcleo Sur	85,0	43,0	61,0	79,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	57,0	30,0	42,0	69,4
X	Ctro Bs As	56,0	20,0	29,0	51,4
XI	SO BA-S LP	44,0	15,0	26,0	45,6
XII	SE BA	59,0	10,0	21,0	44,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
	National	83,1	52,5	65,4	78,3



Wheat Heading: as of October 2, 2019

Regions		October 3, 2018 %	September 25, 2019 %	October 2, 2019 %	2014/2019 Average %
- 1	NOA	100,0	85,0	97,0	93,4
II	NEA	93,0	48,0	66,0	78,4
III	Ctro N Cba	62,0	23,0	37,0	50,2
IV	S Cba	56,0	10,0	16,0	33,2
V	Ctro N SFe	53,0	29,0	48,0	60,4
VI	Núcleo Norte	71,0	8,0	23,0	49,6
VII	Núcleo Sur	46,0	7,0	21,0	29,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	19,0	-	3,0	19,2
X	Ctro Bs As	23,0	-	-	11,4
XI	SO BA-S LP	4,0	-	-	6,0
XII	SE BA	16,0	-	-	10,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		49,5	16,5	26,2	38,1

Wheat Ripening: as of October 2, 2019

Regions		October 3, 2018 %	September 25, 2019	October 2, 2019 %	2014/2019 Average %
1	NOA	44,0	20,0	41,0	39,0
II	NEA	26,0	6,0	26,0	21,0
III	Ctro N Cba	<u>-</u>	-	-	2,4
IV	S Cba	-	-	-	-
V	Ctro N SFe	2,0	-	5,0	8,4
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		4,9	1,7	4,8	4,8



Wheat Mature: as of October 2, 2019

	Regions	October 3, 2018 %	September 25, 2019 %	October 2, 2019 %	2014/2019 Average %
- 1	NOA	18,0	-	14,0	11,0
II	NEA	9,0	-	-	4,2
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
ΧI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	<u>-</u> .	-	-	-
XV	Others	<u>-</u>	-	-	-
National		1,8	-	0,9	0,9