

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 13
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December 12, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	4,0	5,0	26,0	8,5
II	NEA	8,0	1,0	17,0	6,9
III	Ctro N Cba	85,0	64,0	93,0	73,2
IV	S Cba	97,0	94,5	100,0	89,6
V	Ctro N SFe	84,0	47,5	90,0	71,6
VI	Núcleo Norte	99,5	88,3	98,0	98,0
VII	Núcleo Sur	97,0	94,0	99,0	97,1
VIII	Ctro E ER	98,0	77,0	94,0	91,4
IX	N LP-OBA	80,0	95,0	97,0	93,9
X	Ctro Bs As	86,8	85,0	98,0	91,6
XI	SO BA-S LP	70,0	92,5	93,0	83,4
XII	SE BA	95,0	75,0	91,0	85,3
XIII	San Luis	89,0	90,0	97,0	78,2
XIV	Cuenca Sal	85,0	55,0	87,0	88,1
XV	Others	87,0	85,0	90,0	68,1
National		81,5	73,2	87,4	78,9

First Soybean Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	79,0	21,0	-
II	NEA	-	-	50,0	50,0	-
III	Ctro N Cba	-	21,0	65,0	14,0	-
IV	S Cba	-	4,0	58,0	38,0	-
V	Ctro N SFe	3,0	16,0	63,0	18,0	-
VI	Núcleo Norte	-	14,0	86,0	-	-
VII	Núcleo Sur	4,0	21,0	59,0	16,0	-
VIII	Ctro E ER	1,0	19,0	60,0	20,0	-
IX	N LP-OBA	-	18,0	46,0	36,0	-
X	Ctro Bs As	10,0	20,0	63,0	7,0	-
XI	SO BA-S LP	-	5,0	52,0	43,0	-
XII	SE BA	-	-	63,0	37,0	-
XIII	San Luis	-	13,0	72,0	15,0	-
XIV	Cuenca Sal	-	20,0	60,0	20,0	-
XV	Others	-	-	100,0	-	-
National		1,3	15,1	63,3	20,3	-
Nat.Dec. 13, 2017		-	8,5	39,4	51,5	0,6

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 12, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	77,0	23,0	-
II	NEA	2,0	28,0	57,0	13,0	-
III	Ctro N Cba	8,0	53,0	39,0	-	-
IV	S Cba	-	25,0	70,0	5,0	-
V	Ctro N SFe	-	5,0	88,0	3,0	4,0
VI	Núcleo Norte	-	5,0	65,0	18,0	12,0
VII	Núcleo Sur	-	4,0	52,0	35,0	9,0
VIII	Ctro E ER	-	7,0	66,0	18,0	9,0
IX	N LP-OBA	-	12,0	73,0	15,0	-
X	Ctro Bs As	-	10,0	77,0	9,0	4,0
XI	SO BA-S LP	-	14,0	66,0	20,0	-
XII	SE BA	-	13,0	76,0	11,0	-
XIII	San Luis	-	25,0	75,0	-	-
XIV	Cuenca Sal	-	5,0	50,0	30,0	15,0
XV	Others	-	-	100,0	-	-
National		1,1	15,6	63,9	14,8	4,7
Nat.Dec. 13, 2017		-	50,1	42,8	7,1	-

First Soybean Leaf Development: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	5,0	-
II	NEA	-	-	3,0	-
III	Ctro N Cba	48,0	26,0	38,0	43,6
IV	S Cba	80,0	38,0	49,0	64,3
V	Ctro N SFe	54,0	29,0	39,0	43,6
VI	Núcleo Norte	84,0	52,0	62,0	62,8
VII	Núcleo Sur	80,0	55,0	65,0	70,0
VIII	Ctro E ER	52,0	23,0	35,0	41,8
IX	N LP-OBA	63,0	35,0	47,0	36,4
X	Ctro Bs As	42,0	44,0	54,0	53,2
XI	SO BA-S LP	40,0	20,0	30,0	34,0
XII	SE BA	-	-	-	-
XIII	San Luis	55,0	39,0	50,0	46,4
XIV	Cuenca Sal	52,0	27,0	48,0	49,6
XV	Others	63,0	35,0	47,0	36,4
National		58,7	36,3	46,2	49,9

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	7,1
IV	S Cba	-	2,0	10,0	2,9
V	Ctro N SFe	-	-	-	2,8
VI	Núcleo Norte	23,0	2,0	15,0	16,4
VII	Núcleo Sur	5,0	3,0	10,0	5,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		4,5	0,9	5,7	6,0

Second soybean

Second Soybean Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	0,2	0,2	0,5
II	NEA	-	-	-	4,0
III	Ctro N Cba	25,0	0,5	40,0	32,4
IV	S Cba	10,0	15,0	17,0	19,6
V	Ctro N SFe	32,0	20,0	43,0	42,6
VI	Núcleo Norte	60,0	34,4	70,0	70,4
VII	Núcleo Sur	28,0	20,0	46,0	36,8
VIII	Ctro E ER	40,0	21,5	46,0	43,8
IX	N LP-OBA	5,0	2,0	9,0	16,5
X	Ctro Bs As	8,0	-	10,0	17,8
XI	SO BA-S LP	-	-	-	4,1
XII	SE BA	-	-	-	3,3
XIII	San Luis	-	-	-	13,8
XIV	Cuenca Sal	-	-	-	5,0
XV	Others	-	-	-	25,0
National		19,3	11,2	27,5	23,0

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	79,0	21,0	-
II	NEA	-	-	50,0	50,0	-
III	Ctro N Cba	-	24,0	65,0	11,0	-
IV	S Cba	-	4,0	58,0	38,0	-
V	Ctro N SFe	-	-	82,0	18,0	-
VI	Núcleo Norte	-	-	100,0	-	-
VII	Núcleo Sur	-	21,0	63,0	16,0	-
VIII	Ctro E ER	-	27,0	50,0	23,0	-
IX	N LP-OBA	-	25,0	50,0	25,0	-
X	Ctro Bs As	-	-	100,0	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	10,3	78,6	11,1	-
Nat.Dec. 13, 2017		-	8,3	71,3	20,5	-

Second Soybean Moisture Condition: as of December 12, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	77,0	23,0	-
II	NEA	2,0	28,0	57,0	13,0	-
III	Ctro N Cba	8,0	53,0	39,0	-	-
IV	S Cba	-	25,0	70,0	5,0	-
V	Ctro N SFe	-	10,0	75,0	8,0	7,0
VI	Núcleo Norte	-	10,0	62,0	18,0	10,0
VII	Núcleo Sur	-	3,0	57,0	28,0	12,0
VIII	Ctro E ER	-	12,0	62,0	19,0	7,0
IX	N LP-OBA	13,0	25,0	50,0	12,0	-
X	Ctro Bs As	-	15,0	85,0	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,5	16,1	60,0	15,0	7,4
Nat.Dec. 13, 2017		-	43,0	52,9	4,1	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	2,6	3,4	17,3	7,0
II	NEA	5,4	0,7	11,7	6,0
III	Ctro N Cba	67,3	47,2	79,0	65,0
IV	S Cba	78,5	75,4	80,1	80,0
V	Ctro N SFe	68,2	37,9	73,5	64,6
VI	Núcleo Norte	88,8	71,4	89,2	93,1
VII	Núcleo Sur	83,5	75,9	86,0	88,9
VIII	Ctro E ER	87,9	65,3	83,9	85,1
IX	N LP-OBA	63,3	72,3	75,6	77,0
X	Ctro Bs As	40,6	44,5	56,0	65,8
XI	SO BA-S LP	18,1	28,7	28,8	32,6
XII	SE BA	49,9	33,6	40,8	48,8
XIII	San Luis	85,3	85,0	91,6	76,2
XIV	Cuenca Sal	14,1	19,3	30,5	56,0
XV	Others	54,4	43,1	45,6	55,7
National		63,5	54,0	68,8	66,9

Soybean Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	2,4	12,7	66,9	18,0	-
VI	Núcleo Norte	-	10,5	89,5	-	-
VII	Núcleo Sur	3,5	21,0	59,5	16,0	-
VIII	Ctro E ER	0,9	19,9	58,8	20,3	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	9,1	18,3	66,1	6,4	-
XI	SO BA-S LP	-	5,0	52,0	43,0	-
XII	SE BA	-	-	63,0	37,0	-
XIII	San Luis	-	13,0	72,0	15,0	-
XIV	Cuenca Sal	-	20,0	60,0	20,0	-
XV	Others	-	-	100,0	-	-
National		1,1	14,5	65,2	19,1	-
Nat. Dec. 13, 2017		-	8,5	42,2	48,8	0,5

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of December 12, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	6,0	85,3	4,0	4,6
VI Núcleo Norte	-	6,2	64,3	18,0	11,5
VII Núcleo Sur	-	3,9	52,7	34,1	9,4
VIII Ctro E ER	-	7,6	65,5	18,1	8,8
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	10,4	77,7	8,2	3,7
XI SO BA-S LP	-	14,0	66,0	20,0	-
XII SE BA	-	13,0	76,0	11,0	-
XIII San Luis	-	25,0	75,0	-	-
XIV Cuenca Sal	-	5,0	50,0	30,0	15,0
XV Others	-	-	100,0	-	-
National	1,1	15,6	63,4	14,8	5,0
Nat.Dec. 13, 2017	-	49,5	43,7	6,8	-

Early Corn

Early Corn Planted: as of December 12, 2018

Regions	December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I NOA	2,0	-	2,0	3,2
II NEA	3,0	-	2,0	8,6
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	99,0
XIII San Luis	100,0	100,0	100,0	99,0
XIV Cuenca Sal	100,0	100,0	100,0	99,6
XV Others	100,0	100,0	100,0	100,0
National	67,5	67,0	67,7	70,1

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	1,0	10,0	48,0	36,0	5,0
IV	S Cba	1,0	8,0	49,0	38,0	4,0
V	Ctro N SFe	-	2,0	32,0	56,0	10,0
VI	Núcleo Norte	-	4,0	36,0	49,0	11,0
VII	Núcleo Sur	-	3,0	29,5	57,5	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	1,0	6,0	43,0	44,0	6,0
X	Ctro Bs As	6,5	16,0	51,0	25,5	1,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	11,5	49,5	36,0	3,0
XIII	San Luis	2,0	29,0	45,0	23,0	1,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,9	7,7	40,6	43,6	7,2
Nat.Dec. 13, 2017		7,6	21,7	28,5	38,9	3,2

Early Corn Moisture Condition: as of December 12, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	9,0	44,0	47,0	-	-
IV	S Cba	3,0	39,0	53,0	5,0	-
V	Ctro N SFe	-	10,0	61,0	27,0	2,0
VI	Núcleo Norte	-	6,0	62,0	28,0	4,0
VII	Núcleo Sur	-	5,0	41,0	47,0	7,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	24,0	59,0	17,0	-
X	Ctro Bs As	-	10,0	65,0	21,0	4,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	27,0	62,0	11,0	-
XIII	San Luis	-	24,0	69,0	7,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,7	16,0	56,3	23,9	3,0
Nat.Dec. 13, 2017		3,6	57,9	31,8	6,6	-

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	96,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	99,0	77,0	95,0	90,4
XIII	San Luis	100,0	100,0	100,0	94,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,5	65,3	66,4	69,2

Early Corn Pollination: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	30,0	10,0	28,0	36,8
IV	S Cba	30,0	3,0	18,0	30,1
V	Ctro N SFe	100,0	90,0	97,0	98,0
VI	Núcleo Norte	40,0	55,0	66,0	59,5
VII	Núcleo Sur	34,0	10,0	44,0	40,7
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	8,3	1,0	6,0	25,3
X	Ctro Bs As	-	-	1,0	10,7
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	3,0	1,0	4,0	6,2
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,6	15,8	24,3	26,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	7,0	14,0	17,3
IV	S Cba	20,0	-	5,0	14,0
V	Ctro N SFe	64,0	78,0	92,0	83,0
VI	Núcleo Norte	25,0	22,0	51,0	39,5
VII	Núcleo Sur	-	5,0	14,0	11,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	2,0	6,9
X	Ctro Bs As	-	-	-	2,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	2,0	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		8,8	8,5	16,2	14,2

Early Corn Grain Growth: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	5,0	8,5
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		-	-	0,3	0,3

CROP CONDITION & DEVELOPMENT STAGES

Late corn

Late Corn Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	10,0	8,0	15,0	18,6
IV	S Cba	14,0	12,0	25,0	23,8
V	Ctro N SFe	9,0	-	-	6,8
VI	Núcleo Norte	8,0	3,0	16,0	27,6
VII	Núcleo Sur	30,0	7,0	24,0	35,0
VIII	Ctro E ER	13,0	2,0	3,0	17,6
IX	N LP-OBA	30,0	10,0	25,0	43,0
X	Ctro Bs As	41,0	20,0	40,0	51,8
XI	SO BA-S LP	45,0	20,0	35,0	50,0
XII	SE BA	50,0	20,0	36,0	42,0
XIII	San Luis	14,0	8,0	20,0	31,8
XIV	Cuenca Sal	31,0	10,0	25,0	43,2
XV	Others	25,0	-	-	18,0
National		19,2	10,0	21,2	27,3

Corn

Corn Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	2,0	-	2,0	3,2
II	NEA	3,0	-	2,0	8,6
III	Ctro N Cba	23,5	21,8	27,8	30,8
IV	S Cba	31,2	29,6	40,0	46,6
V	Ctro N SFe	40,9	35,0	35,0	43,6
VI	Núcleo Norte	86,2	87,4	89,1	86,3
VII	Núcleo Sur	86,0	86,1	88,6	86,4
VIII	Ctro E ER	65,2	60,8	61,2	69,6
IX	N LP-OBA	65,0	55,0	62,5	75,0
X	Ctro Bs As	64,6	56,0	67,0	81,1
XI	SO BA-S LP	78,0	60,0	67,5	85,7
XII	SE BA	80,0	60,0	68,0	88,8
XIII	San Luis	31,2	26,4	36,0	54,6
XIV	Cuenca Sal	58,6	50,5	58,8	82,4
XV	Others	55,0	100,0	100,0	51,6
National		45,3	41,3	46,7	53,8

CROP CONDITION & DEVELOPMENT STAGES

Sunflower

Sunflower Planted: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	94,0	100,0	100,0
XII	SE BA	100,0	98,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		100,0	98,4	100,0	100,0

Sunflower Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	10,0	42,0	41,0	7,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	7,0	15,0	29,0	45,0	4,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	3,0	22,0	33,0	39,0	3,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	4,0	22,0	51,0	20,0	3,0
XII	SE BA	-	6,0	46,0	43,0	5,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	10,0	40,0	33,0	17,0
XV	Others	-	-	-	-	-
National		2,4	13,7	41,7	36,8	5,3
Nat.Dec. 13, 2017		1,0	2,3	14,8	59,9	22,0

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of December 12, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	14,0	53,0	22,0	11,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	7,0	16,0	40,0	33,0	4,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	13,0	62,0	25,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	16,0	56,0	28,0	-
XII SE BA	-	17,0	69,0	14,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	8,0	54,0	33,0	5,0
XV Others	-	-	-	-	-
National	1,2	14,9	55,5	24,6	3,8
Nat.Dec. 13, 2017	2,7	39,3	51,7	6,1	0,1

Sunflower Leaf Development: as of December 12, 2018

Regions	December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	83,0	100,0	100,0	94,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	80,0	77,0	82,0	85,2
XII SE BA	93,0	90,0	95,0	90,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	100,0	100,0	100,0	96,8
XV Others	-	-	-	-
National	93,1	93,3	95,3	93,0

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowerbud Stage: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	36,0	28,0	35,0	39,6
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	3,0	-	-	6,6
XII	SE BA	12,0	-	-	7,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	19,0	15,0	23,0	33,2
XV	Others	-	-	-	-
National		45,5	43,6	45,1	41,3

Sunflower Flowering Stage: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	82,0	95,0	97,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	2,0	-	-	1,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		37,7	36,5	38,7	30,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Seed Development: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	89,0	75,0	91,0	92,6
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	55,0	48,0	55,0	54,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		27,6	24,6	29,3	23,4

Sunflower Mature: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	52,0	29,0	42,0	45,4
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	35,0	15,0	28,0	18,8
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		16,5	8,9	13,9	10,4

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of December 12, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	12,0	31,0	38,0	19,0	-
IV	S Cba	-	29,0	48,0	23,0	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	20,0	38,0	27,0	12,0	3,0
VII	Núcleo Sur	-	12,0	36,0	43,0	9,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	4,0	15,0	45,0	34,0	2,0
X	Ctro Bs As	5,0	20,0	43,0	30,0	2,0
XI	SO BA-S LP	-	17,0	35,0	40,0	8,0
XII	SE BA	4,0	17,0	43,0	30,0	6,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		4,3	20,0	39,8	31,1	4,7
Nat.Dec. 13, 2017		3,2	11,8	21,1	24,1	39,8

Wheat Moisture Condition: as of December 12, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	13,0	17,0	45,0	25,0	-
IV	S Cba	4,0	9,0	54,0	33,0	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	4,0	32,0	51,0	13,0
VII	Núcleo Sur	-	2,0	48,0	46,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	19,0	52,0	29,0	-
X	Ctro Bs As	-	13,0	49,0	35,0	3,0
XI	SO BA-S LP	-	14,0	61,0	25,0	-
XII	SE BA	3,0	18,0	61,0	18,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,4	13,1	53,6	29,9	2,0
Nat.Dec. 13, 2017		2,0	32,7	56,5	8,9	-

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	98,6
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	98,0	99,0	100,0	99,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	89,0	66,0	85,0	96,0
X	Ctro Bs As	83,0	57,0	75,0	87,4
XI	SO BA-S LP	69,0	50,0	67,0	87,6
XII	SE BA	58,0	53,0	71,0	81,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		90,1	85,6	91,6	95,0

Wheat Mature: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	93,0	100,0	99,4
IV	S Cba	66,0	70,0	96,0	86,6
V	Ctro N SFe	100,0	96,0	100,0	100,0
VI	Núcleo Norte	89,0	74,0	91,0	96,6
VII	Núcleo Sur	72,0	63,0	81,0	89,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	50,0	28,0	46,0	73,8
X	Ctro Bs As	19,0	20,0	37,0	56,4
XI	SO BA-S LP	5,0	16,0	31,0	51,8
XII	SE BA	10,0	15,0	29,0	47,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,1	62,3	75,2	80,3

CROP CONDITION & DEVELOPMENT STAGES

Wheat Harvested: as of December 12, 2018

Regions		December 13, 2017 %	December 5, 2018 %	December 12, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	94,0	63,0	85,0	96,8
IV	S Cba	60,0	38,0	56,0	67,4
V	Ctro N SFe	100,0	90,0	100,0	100,0
VI	Núcleo Norte	80,0	57,0	75,0	91,0
VII	Núcleo Sur	65,0	29,0	60,0	71,8
VIII	Ctro E ER	90,0	70,0	86,0	89,4
IX	N LP-OBA	20,0	8,0	28,0	27,0
X	Ctro Bs As	15,0	-	7,0	15,4
XI	SO BA-S LP	2,0	-	3,0	2,9
XII	SE BA	-	-	-	-
XIII	San Luis	70,0	30,0	65,0	64,4
XIV	Cuenca Sal	18,0	-	15,0	12,6
XV	Others	100,0	100,0	100,0	99,0
National		58,3	44,4	57,4	57,9