

CROP CONDITION & DEVELOPMENT STAGES


NOVEMBER, 29
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through November 28, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	0,5	0,8	1,0
II	NEA	-	0,2	0,5	2,6
III	Ctro N Cba	35,0	15,0	29,0	33,2
IV	S Cba	77,0	60,0	86,0	65,0
V	Ctro N SFe	50,0	18,0	27,0	39,9
VI	Núcleo Norte	95,0	65,0	75,0	89,8
VII	Núcleo Sur	88,0	70,0	90,0	81,5
VIII	Ctro E ER	70,0	33,0	61,0	72,0
IX	N LP-OBA	57,0	70,0	87,0	72,8
X	Ctro Bs As	42,0	36,0	54,0	72,2
XI	SO BA-S LP	36,0	17,0	40,0	42,8
XII	SE BA	55,0	18,0	40,0	63,2
XIII	San Luis	60,0	50,0	75,0	50,0
XIV	Cuenca Sal	50,0	26,0	28,0	61,0
XV	Others	65,0	50,0	70,0	48,0
National		59,7	42,8	58,6	59,4

First Soybean Condition: as of November 28, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	0,6	3,9	60,1	35,5	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	20,0	61,0	19,0	-
VII	Núcleo Sur	-	22,8	67,2	10,0	-
VIII	Ctro E ER	4,0	25,0	66,0	5,0	-
IX	N LP-OBA	-	2,3	40,6	54,1	3,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,5	14,5	60,8	23,6	0,6
Nat. Nov. 29, 2017		-	7,0	39,3	51,3	2,4

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of November 28, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	1,7	27,2	48,9	21,1	1,1
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	21,7	64,3	14,0
VII Núcleo Sur	-	-	56,7	36,3	7,0
VIII Ctro E ER	-	-	66,5	21,9	11,6
IX N LP-OBA	-	8,2	36,4	50,7	4,7
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,2	8,1	46,8	37,4	7,5
Nat.Nov. 29, 2017	-	45,0	52,0	3,0	0,0

Second Soybean

Second Soybean Planted: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	-	-	0,5	0,7
IV S Cba	-	-	-	0,7
V Ctro N SFe	-	-	0,5	4,3
VI Núcleo Norte	-	-	5,0	18,4
VII Núcleo Sur	2,0	-	-	1,0
VIII Ctro E ER	5,0	-	3,0	7,2
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	0,4	-	1,0	2,4

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	-	0,3	0,5	0,8
II NEA	-	0,1	0,3	2,1
III Ctro N Cba	24,7	11,0	21,5	26,9
IV S Cba	60,6	45,6	65,3	56,3
V Ctro N SFe	34,8	11,7	17,7	31,3
VI Núcleo Norte	69,3	44,6	53,0	78,4
VII Núcleo Sur	71,2	52,9	68,0	70,6
VIII Ctro E ER	58,7	26,1	48,8	63,8
IX N LP-OBA	44,3	53,0	65,8	57,0
X Ctro Bs As	17,4	18,8	28,3	50,2
XI SO BA-S LP	9,3	5,3	12,4	12,8
XII SE BA	28,9	8,1	17,9	35,3
XIII San Luis	57,5	47,2	70,8	48,5
XIV Cuenca Sal	8,3	9,1	9,8	39,1
XV Others	40,6	25,4	35,5	35,2
National	42,5	29,6	40,7	47,3

Early Corn

Early Corn Planted: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	99,6
XII SE BA	100,0	100,0	100,0	93,0
XIII San Luis	100,0	100,0	100,0	97,0
XIV Cuenca Sal	100,0	100,0	100,0	98,0
XV Others	100,0	100,0	100,0	100,0
National	66,6	67,0	67,0	68,9

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of November 28, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	1,0	6,0	50,0	37,0	6,0
IV	S Cba	1,0	8,0	49,0	35,0	7,0
V	Ctro N SFe	-	5,0	37,0	52,0	6,0
VI	Núcleo Norte	-	8,0	47,0	38,0	7,0
VII	Núcleo Sur	-	3,0	37,5	49,5	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	8,0	45,0	37,5	9,5
X	Ctro Bs As	6,0	14,0	44,0	28,0	8,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	10,0	48,0	36,5	5,5
XIII	San Luis	-	29,5	42,5	25,0	3,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,6	8,3	44,0	39,4	7,7
Nat.Nov. 29, 2017		-	18,5	28,2	44,1	9,2

Early Corn Moisture Condition: as of November 28, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	32,0	60,0	3,0	5,0
IV	S Cba	1,0	37,0	51,0	11,0	-
V	Ctro N SFe	-	5,0	42,0	43,0	10,0
VI	Núcleo Norte	-	-	39,0	47,0	14,0
VII	Núcleo Sur	-	6,0	48,0	41,0	5,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	15,0	51,0	32,0	2,0
X	Ctro Bs As	-	-	45,0	39,0	16,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	15,0	58,0	25,0	2,0
XIII	San Luis	-	12,0	66,0	22,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,1	10,0	49,5	33,0	7,4
Nat.Nov. 29, 2017		3,0	55,3	35,1	6,6	-

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of November 28, 2018

Regions		November 29, 2017	November 21, 2018	November 28, 2018	2013/2018 Average
		%	%	%	%
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	97,6
IV	S Cba	100,0	100,0	100,0	99,2
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	88,0	92,0	97,6
XI	SO BA-S LP	-	-	-	-
XII	SE BA	88,0	57,0	70,0	76,8
XIII	San Luis	100,0	100,0	100,0	91,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,0	63,6	64,6	67,8

Early Corn Pollination: as of November 28, 2018

Regions		November 29, 2017	November 21, 2018	November 28, 2018	2013/2018 Average
		%	%	%	%
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	6,0	8,2
IV	S Cba	14,0	-	-	9,2
V	Ctro N SFe	60,0	27,0	58,0	64,6
VI	Núcleo Norte	22,0	-	15,0	24,4
VII	Núcleo Sur	-	-	4,0	8,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		6,2	1,6	6,7	9,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	3,7
IV	S Cba	3,0	-	-	0,6
V	Ctro N SFe	50,0	11,0	35,0	49,0
VI	Núcleo Norte	5,0	-	3,0	8,0
VII	Núcleo Sur	-	-	-	1,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		3,2	0,8	2,6	4,0

Late corn

Late Corn Planted: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	2,0	-	3,0	2,4
IV	S Cba	2,0	-	4,0	4,0
V	Ctro N SFe	8,0	-	-	2,2
VI	Núcleo Norte	5,0	-	1,0	1,4
VII	Núcleo Sur	5,0	-	1,0	2,0
VIII	Ctro E ER	8,0	-	-	2,8
IX	N LP-OBA	8,0	-	4,0	4,4
X	Ctro Bs As	10,0	-	4,0	9,0
XI	SO BA-S LP	15,0	-	5,0	2,5
XII	SE BA	12,5	-	5,0	0,4
XIII	San Luis	2,0	-	4,0	3,6
XIV	Cuenca Sal	10,0	-	2,0	2,8
XV	Others	2,0	-	-	3,0
National		4,9	-	3,2	2,5

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	16,7	15,0	17,6	15,4
IV	S Cba	21,6	20,0	23,2	30,9
V	Ctro N SFe	40,2	35,0	35,0	38,9
VI	Núcleo Norte	85,8	87,0	87,1	79,4
VII	Núcleo Sur	81,0	85,0	85,2	77,5
VIII	Ctro E ER	63,2	60,0	60,0	63,1
IX	N LP-OBA	54,0	50,0	52,0	57,4
X	Ctro Bs As	46,0	45,0	47,2	60,7
XI	SO BA-S LP	66,0	50,0	52,5	72,9
XII	SE BA	65,0	50,0	52,5	78,7
XIII	San Luis	21,6	20,0	23,2	28,4
XIV	Cuenca Sal	46,0	45,0	46,1	67,5
XV	Others	41,2	100,0	100,0	39,4
National		38,2	36,8	38,2	42,0

Sunflower

Sunflower Planted: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	98,0	96,0	100,0	99,6
X	Ctro Bs As	95,0	90,0	100,0	99,0
XI	SO BA-S LP	86,0	78,0	88,0	91,4
XII	SE BA	92,0	86,0	92,0	96,0
XIII	San Luis	100,0	100,0	100,0	99,6
XIV	Cuenca Sal	100,0	92,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		95,0	91,6	95,9	96,9

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Condition: as of November 28, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	8,0	37,0	43,0	12,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	3,0	16,0	40,0	34,0	7,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	6,0	33,0	46,0	15,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	58,0	37,0	5,0
XII	SE BA	-	-	38,0	49,0	13,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	19,0	32,0	35,0	14,0
XV	Others	-	-	-	-	-
National		0,6	6,9	40,3	42,0	10,2
Nat.Nov. 29, 2017		0,0	6,9	23,0	59,5	10,6

Sunflower Moisture Condition: as of November 28, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	29,0	53,0	18,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	19,0	52,0	29,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	8,0	53,0	34,0	5,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	23,0	42,0	35,0	-
XII	SE BA	-	13,0	61,0	24,0	2,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	36,0	49,0	15,0
XV	Others	-	-	-	-	-
National		0,0	8,0	38,7	41,3	12,0
Nat.Nov. 29, 2017		2,5	49,6	32,7	15,1	-

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	66,7	70,0	89,0	85,9
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	45,0	50,0	65,0	60,6
XII	SE BA	70,0	60,0	78,0	69,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	82,0	73,0	87,0	86,8
XV	Others	-	-	-	-
National		77,7	76,6	86,4	80,2

Sunflower Flowerbud Stage: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	97,0	94,0	100,0	96,8
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	12,0	-	8,0	14,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	0,6
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	3,0	14,0
XV	Others	-	-	-	-
National		37,9	38,8	41,0	33,0

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	94,0	82,0	98,0	96,2
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	65,0	51,0	70,0	66,8
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	26,8	21,7	27,1	21,9

Sunflower Seed Development: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	52,0	49,0	64,0	64,8
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	20,0	18,0	36,0	22,6
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	14,3	14,0	20,2	14,4

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	12,0	11,0	17,0	11,4
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	3,0	-	3,0	2,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		3,1	2,5	4,4	2,3

Wheat

Wheat Condition: as of November 28, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	13,0	30,0	39,0	18,0
III	Ctro N Cba	9,0	25,0	37,0	29,0	-
IV	S Cba	5,0	29,0	47,0	16,0	3,0
V	Ctro N SFe	-	15,0	55,0	27,0	3,0
VI	Núcleo Norte	21,0	31,0	29,0	15,0	4,0
VII	Núcleo Sur	-	12,0	49,0	35,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	3,0	15,0	44,0	36,0	2,0
X	Ctro Bs As	4,0	18,0	45,0	27,0	6,0
XI	SO BA-S LP	-	8,0	33,0	45,0	14,0
XII	SE BA	1,0	11,0	36,0	37,0	15,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		5,1	17,6	39,7	30,8	6,8
Nat. Nov. 29, 2017		1,3	9,6	13,4	39,3	34,1

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of November 28, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	3,0	31,0	47,0	19,0
III Ctro N Cba	-	5,0	45,0	43,0	7,0
IV S Cba	3,0	13,0	41,0	39,0	4,0
V Ctro N SFe	-	-	31,0	51,0	18,0
VI Núcleo Norte	-	-	26,0	46,0	28,0
VII Núcleo Sur	-	9,0	41,0	47,0	3,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	12,0	37,0	46,0	5,0
X Ctro Bs As	-	-	29,0	49,0	22,0
XI SO BA-S LP	-	16,0	51,0	33,0	-
XII SE BA	-	15,0	49,0	34,0	2,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,3	8,3	39,6	41,8	10,0
Nat.Nov. 29, 2017	3,7	37,9	47,4	10,7	-

Wheat Heading: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	99,8
XI SO BA-S LP	100,0	89,0	100,0	97,2
XII SE BA	95,0	94,0	100,0	97,2
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	99,4	98,5	100,0	99,3

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	96,0	91,0	100,0	97,2
IV S Cba	70,0	73,0	88,0	87,2
V Ctro N SFe	100,0	94,0	100,0	100,0
VI Núcleo Norte	83,0	85,0	100,0	93,4
VII Núcleo Sur	62,0	70,0	84,0	85,2
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	40,0	37,0	52,0	73,4
X Ctro Bs As	37,0	28,0	42,0	63,2
XI SO BA-S LP	26,0	22,0	37,0	62,4
XII SE BA	21,0	25,0	39,0	54,8
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	67,6	67,4	78,7	81,9

Wheat Mature: as of November 28, 2018

Regions	November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	99,8
III Ctro N Cba	55,0	62,0	78,0	77,6
IV S Cba	42,0	42,0	57,0	61,8
V Ctro N SFe	83,0	66,0	83,0	91,8
VI Núcleo Norte	50,0	47,0	60,0	73,4
VII Núcleo Sur	34,0	34,0	48,0	53,8
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	15,0	3,0	15,0	44,8
X Ctro Bs As	-	-	8,0	28,2
XI SO BA-S LP	-	-	4,0	26,6
XII SE BA	-	-	5,0	25,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	41,7	40,7	49,6	58,5

CROP CONDITION & DEVELOPMENT STAGES

Wheat Harvested: as of November 28, 2018

Regions		November 29, 2017 %	November 21, 2018 %	November 28, 2018 %	2013/2018 Average %
I	NOA	100,0	98,0	100,0	99,6
II	NEA	97,0	93,0	98,0	98,2
III	Ctro N Cba	45,0	20,0	49,0	58,2
IV	S Cba	15,0	5,0	13,0	10,4
V	Ctro N SFe	75,0	50,0	70,0	81,0
VI	Núcleo Norte	32,0	8,0	30,0	47,8
VII	Núcleo Sur	20,0	3,0	12,0	16,4
VIII	Ctro E ER	34,0	17,0	36,0	45,0
IX	N LP-OBA	-	-	-	0,2
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	4,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	100,0	70,0	100,0	81,0
National		31,4	21,6	32,0	32,5