

# CROP CONDITION & DEVELOPMENT STAGES

---


NOVEMBER, 8  
2018



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## COORDINATOR

Gonzalo Hermida  
[ghermida@bc.org.ar](mailto:ghermida@bc.org.ar)

## SATELLITE IMAGE ANALYST

María Victoria Corte  
[mcorte@bc.org.ar](mailto:mcorte@bc.org.ar)

## CROP CONDITION ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Wheat & Sunflower

Santiago Burrone  
[sburrone@bc.org.ar](mailto:sburrone@bc.org.ar)  
Corn

Ayelén Gago  
[amgago@bc.org.ar](mailto:amgago@bc.org.ar)  
Soybean

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through November 7, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## First Soybean

### First Soybean Planted: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	1,2
III	Ctro N Cba	6,0	0,5	8,0	4,0
IV	S Cba	19,0	7,0	20,0	9,2
V	Ctro N SFe	10,0	4,0	5,0	5,6
VI	Núcleo Norte	47,0	4,5	23,0	14,4
VII	Núcleo Sur	24,5	11,0	25,0	15,4
VIII	Ctro E ER	15,0	5,5	9,0	10,4
IX	N LP-OBA	10,0	12,0	15,0	13,6
X	Ctro Bs As	10,0	6,0	20,0	9,5
XI	SO BA-S LP	0,5	0,5	1,0	4,1
XII	SE BA	2,5	-	3,0	1,9
XIII	San Luis	22,0	2,0	5,0	10,1
XIV	Cuenca Sal	4,0	5,0	7,0	11,4
XV	Others	30,0	-	3,0	12,6
<b>National</b>		<b>17,0</b>	<b>5,4</b>	<b>13,7</b>	<b>8,9</b>

## Soybean

### Soybean Planted: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	1,0
III	Ctro N Cba	4,2	0,4	5,9	3,3
IV	S Cba	15,0	5,3	15,2	7,9
V	Ctro N SFe	7,0	2,6	3,2	4,4
VI	Núcleo Norte	34,3	3,1	15,8	11,4
VII	Núcleo Sur	19,7	8,3	18,9	13,2
VIII	Ctro E ER	12,4	4,3	7,1	8,9
IX	N LP-OBA	7,8	9,1	11,3	10,6
X	Ctro Bs As	4,1	3,1	10,5	6,2
XI	SO BA-S LP	0,1	0,2	0,3	1,4
XII	SE BA	1,3	-	1,3	1,0
XIII	San Luis	21,1	1,9	4,7	9,8
XIV	Cuenca Sal	0,7	1,8	2,5	8,0
XV	Others	18,8	-	1,5	9,4
<b>National</b>		<b>12,0</b>	<b>3,8</b>	<b>9,4</b>	<b>6,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn

### Early Corn Planted: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	100,0	100,0	94,0
IV S Cba	100,0	100,0	100,0	96,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	99,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	99,0
X Ctro Bs As	95,0	88,0	92,0	95,8
XI SO BA-S LP	80,0	85,0	90,0	79,0
XII SE BA	75,0	60,0	70,0	65,6
XIII San Luis	100,0	100,0	100,0	84,0
XIV Cuenca Sal	100,0	95,0	97,0	91,4
XV Others	100,0	100,0	100,0	100,0
<b>National</b>	<b>64,7</b>	<b>64,7</b>	<b>65,4</b>	<b>65,4</b>

### Early Corn Condition: as of November 7, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	13,2	52,7	30,1	4,0
IV S Cba	-	10,3	55,8	28,4	5,5
V Ctro N SFe	-	6,1	35,7	53,8	4,4
VI Núcleo Norte	-	10,2	57,7	28,2	3,9
VII Núcleo Sur	-	9,8	41,6	43,2	5,4
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	17,0	48,4	27,2	7,4
X Ctro Bs As	18,2	23,5	37,1	16,9	4,3
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	17,9	48,7	32,1	1,3
XIII San Luis	1,0	38,8	42,7	17,5	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>1,3</b>	<b>13,7</b>	<b>48,4</b>	<b>31,9</b>	<b>4,8</b>
<b>Nat.Nov. 08, 2017</b>	<b>-</b>	<b>1,9</b>	<b>12,2</b>	<b>76,4</b>	<b>9,5</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Moisture Condition: as of November 7, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	41,5	53,2	5,3	-
IV	S Cba	-	27,4	60,1	12,5	-
V	Ctro N SFe	-	25,2	59,6	15,2	-
VI	Núcleo Norte	-	18,7	68,6	11,9	0,8
VII	Núcleo Sur	-	4,5	65,2	23,1	7,2
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	12,3	56,6	30,1	1,0
X	Ctro Bs As	-	11,6	57,3	22,3	8,8
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	18,9	61,9	19,2	-
XIII	San Luis	2,2	47,5	45,1	5,2	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,7</b>	<b>19,9</b>	<b>59,7</b>	<b>17,1</b>	<b>2,6</b>
<b>Nat.Nov. 08, 2017</b>		<b>-</b>	<b>6,5</b>	<b>38,1</b>	<b>28,0</b>	<b>27,3</b>

## Early Corn Leaf Development: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	97,0	84,4	92,1	79,2
IV	S Cba	98,0	88,2	94,3	84,4
V	Ctro N SFe	100,0	100,0	100,0	98,0
VI	Núcleo Norte	100,0	94,0	98,4	94,0
VII	Núcleo Sur	100,0	92,5	95,7	94,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	88,9	74,9	91,0	88,8
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	99,0	68,1	82,1	67,2
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>60,5</b>	<b>51,8</b>	<b>58,2</b>	<b>58,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Pollination: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	15,0	-	5,5	22,1
VI	Núcleo Norte	6,7	-	-	4,3
VII	Núcleo Sur	-	-	-	1,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>1,7</b>	<b>-</b>	<b>0,2</b>	<b>1,7</b>

## Corn

## Corn Planted: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	15,0	15,0	15,0	12,7
IV	S Cba	20,0	20,0	20,0	26,8
V	Ctro N SFe	35,0	35,0	35,0	37,0
VI	Núcleo Norte	85,0	87,0	87,0	77,3
VII	Núcleo Sur	80,0	85,0	85,0	76,0
VIII	Ctro E ER	60,0	60,0	60,0	62,0
IX	N LP-OBA	50,0	50,0	50,0	52,5
X	Ctro Bs As	38,0	39,6	41,4	51,4
XI	SO BA-S LP	48,0	42,5	45,0	55,3
XII	SE BA	45,0	30,0	35,0	51,2
XIII	San Luis	20,0	20,0	20,0	18,4
XIV	Cuenca Sal	40,0	42,8	43,7	56,7
XV	Others	40,0	100,0	100,0	38,0
<b>National</b>		<b>35,0</b>	<b>35,5</b>	<b>35,9</b>	<b>37,5</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower

### Sunflower Planted: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	89,0
IV	S Cba	95,0	90,0	100,0	71,6
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	93,0
VII	Núcleo Sur	92,0	75,0	95,0	80,4
VIII	Ctro E ER	100,0	100,0	100,0	92,0
IX	N LP-OBA	60,0	45,0	75,0	74,0
X	Ctro Bs As	58,0	42,0	68,0	73,6
XI	SO BA-S LP	32,0	30,0	50,0	45,4
XII	SE BA	55,0	40,0	60,0	52,0
XIII	San Luis	95,0	50,0	80,0	67,0
XIV	Cuenca Sal	70,0	60,0	75,0	73,0
XV	Others	100,0	100,0	100,0	85,0
<b>National</b>		<b>69,0</b>	<b>64,2</b>	<b>77,0</b>	<b>69,8</b>

### Sunflower Condition: as of November 7, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	21,0	63,0	16,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	4,0	41,0	43,0	12,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	44,0	47,0	9,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	61,0	35,0	4,0
XII	SE BA	-	2,0	71,0	23,0	4,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	3,0	34,0	51,0	12,0
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>2,1</b>	<b>42,6</b>	<b>45,3</b>	<b>10,0</b>
<b>Nat. Nov. 08, 2017</b>		<b>0,1</b>	<b>0,4</b>	<b>14,8</b>	<b>68,6</b>	<b>16,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Moisture Condition: as of November 7, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	6,0	55,0	39,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	24,0	51,0	25,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	17,0	54,0	29,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	18,0	45,0	37,0	-
XII SE BA	-	40,0	48,0	12,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	19,0	48,0	33,0	-
XV Others	-	-	-	-	-
<b>National</b>	<b>0,4</b>	<b>19,4</b>	<b>50,5</b>	<b>29,3</b>	<b>0,5</b>
<b>Nat.Nov. 08, 2017</b>	<b>9,2</b>	<b>12,2</b>	<b>34,2</b>	<b>27,2</b>	<b>17,2</b>

## Sunflower Leaf Development: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	27,0	22,0	38,0	38,8
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	24,0	12,0	25,0	20,4
XII SE BA	22,0	15,0	32,0	22,4
XIII San Luis	-	-	-	-
XIV Cuenca Sal	33,3	20,0	46,0	38,5
XV Others	-	-	-	-
<b>National</b>	<b>53,9</b>	<b>49,4</b>	<b>59,5</b>	<b>49,0</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowerbud Stage: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	80,0	75,0	88,0	82,2
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	62,0	41,0	58,0	61,4
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	2,4
XV Others	-	-	-	-
<b>National</b>	<b>26,9</b>	<b>24,1</b>	<b>30,0</b>	<b>22,6</b>

## Sunflower Flowering Stage: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	53,0	42,0	56,0	56,8
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	18,0	9,0	23,0	24,4
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>14,2</b>	<b>11,2</b>	<b>16,5</b>	<b>13,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Seed Development: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	17,0	23,0	30,0	22,4
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>3,7</b>	<b>5,3</b>	<b>6,9</b>	<b>4,0</b>

## Wheat

### Wheat Condition: as of November 7, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	28,0	30,0	37,0	5,0	-
II	NEA	-	3,0	33,0	50,0	14,0
III	Ctro N Cba	-	27,0	46,0	24,0	3,0
IV	S Cba	7,0	41,0	34,0	11,0	7,0
V	Ctro N SFe	2,0	14,0	44,0	32,0	8,0
VI	Núcleo Norte	10,0	24,0	39,0	21,0	6,0
VII	Núcleo Sur	-	5,0	41,0	44,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	17,0	40,0	42,0	1,0
X	Ctro Bs As	-	7,0	22,0	51,0	20,0
XI	SO BA-S LP	-	5,0	32,0	52,0	11,0
XII	SE BA	-	10,0	29,0	44,0	17,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>2,8</b>	<b>16,4</b>	<b>37,3</b>	<b>35,1</b>	<b>8,5</b>
<b>Nat. Nov. 08, 2017</b>		<b>3,4</b>	<b>13,5</b>	<b>25,2</b>	<b>31,8</b>	<b>26,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Mature: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	76,0	71,0	86,0	76,4
II NEA	55,0	57,0	75,0	73,8
III Ctro N Cba	17,0	8,0	25,0	32,4
IV S Cba	-	13,0	24,0	19,4
V Ctro N SFe	28,0	22,0	37,0	45,2
VI Núcleo Norte	12,0	-	9,0	26,0
VII Núcleo Sur	-	-	8,0	10,8
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	10,4
X Ctro Bs As	-	-	-	6,6
XI SO BA-S LP	-	-	-	6,0
XII SE BA	-	-	-	5,2
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>14,6</b>	<b>12,6</b>	<b>21,3</b>	<b>23,6</b>

## Wheat Steam Extension: as of November 7, 2018

Regions	November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	97,0	97,0	100,0	99,4
XI SO BA-S LP	79,0	95,0	100,0	92,2
XII SE BA	74,0	100,0	100,0	91,8
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>95,0</b>	<b>99,4</b>	<b>100,0</b>	<b>98,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Heading: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	75,0	98,0	100,0	88,8
V	Ctro N SFe	100,0	96,0	100,0	100,0
VI	Núcleo Norte	88,0	100,0	100,0	94,4
VII	Núcleo Sur	75,0	85,0	100,0	91,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	65,0	61,0	77,0	88,0
X	Ctro Bs As	57,0	65,0	78,0	77,2
XI	SO BA-S LP	51,0	54,0	69,0	75,8
XII	SE BA	45,0	57,0	71,0	70,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>78,2</b>	<b>84,2</b>	<b>91,1</b>	<b>88,8</b>

## Wheat Ripening: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	97,0	100,0	100,0	96,6
II	NEA	82,0	84,0	100,0	90,4
III	Ctro N Cba	61,0	46,0	61,0	69,2
IV	S Cba	25,0	35,0	49,0	46,2
V	Ctro N SFe	80,0	48,0	62,0	82,0
VI	Núcleo Norte	55,0	35,0	49,0	65,8
VII	Núcleo Sur	29,0	19,0	36,0	42,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	4,0	27,2
X	Ctro Bs As	-	-	6,0	19,4
XI	SO BA-S LP	7,0	-	2,0	25,0
XII	SE BA	-	-	4,0	20,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>39,9</b>	<b>32,3</b>	<b>42,5</b>	<b>50,1</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Mature: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	76,0	71,0	86,0	76,4
II	NEA	55,0	57,0	75,0	73,8
III	Ctro N Cba	17,0	8,0	25,0	32,4
IV	S Cba	-	13,0	24,0	19,4
V	Ctro N SFe	28,0	22,0	37,0	45,2
VI	Núcleo Norte	12,0	-	9,0	26,0
VII	Núcleo Sur	-	-	8,0	10,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	10,4
X	Ctro Bs As	-	-	-	6,6
XI	SO BA-S LP	-	-	-	6,0
XII	SE BA	-	-	-	5,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>14,6</b>	<b>12,6</b>	<b>21,3</b>	<b>23,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowering Stage: as of November 7, 2018

Regions		November 8, 2017 %	October 31, 2018 %	November 7, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	53,0	42,0	56,0	56,8
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	18,0	9,0	23,0	24,4
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>14,2</b>	<b>11,2</b>	<b>16,5</b>	<b>13,2</b>