



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

OCTOBER 20, 2022



DEPARTAMENT & REGIONS

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Joaquín Pellejero
jpellejero@bc.org.ar

Agustín Podestá
apodesta@bc.org.ar

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 3221 7230
 estimacionesagricolas@bc.org.ar
 Twitter: @BolsadeC_ETyM
 www.bolsadecereales.com

ISSN 2408-4344t




I - NWA (North-West Argentina)
 II - NEA (North-East Argentina)
 III - North-Central Córdoba
 IV - South Córdoba
 V - North-Central Santa Fe
 VI - North Belt
 VII - South Belt
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires
 X - Central Buenos Aires
 XI - South-West de Buenos Aires - South La Pampa
 XII - South-East Buenos Aires
 XIII - San Luis
 XIV - Cuenca del Salado
 XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY

Findings of the survey conducted through October 19, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

CORN 2022/23






EARLY CORN 2022/23

Regional participation in the total national area (%)															
Regions	II	I	VI	VII	IX	X	XII	VIII	V	XI	IV	III	XIV	XV	XIII
Nat. Part. 2022/23	26,5	15,4	13,0	11,6	8,7	4,8	3,9	3,7	2,8	2,3	1,9	1,8	1,7	1,3	0,6
Hist. Nat. Part.	20,2	11,5	16,5	12,9	9,5	4,4	3,6	4,8	2,6	2,6	3,7	3,6	1,7	0,9	1,6




Moisture condition, Crop condition & Development stages												Week 43			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NOA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		17/22 Average	-	-	-	-	-	-	-	-	-				
II - NEA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		17/22 Average	-	-	-	-	-	-	-	-	-				
V - NC S Fe		22/23	60,0	63,0	100,0	89,0	-	-	-	-	-				
		21/22	86,0	100,0	93,0	54,0	-	-	-	-	-				
		17/22 Average	-	-	89,8	57,9	-	-	-	-	-				
VI - Núcleo Norte		22/23	54,0	-	85,0	-	-	-	-	-	-				
		21/22	89,0	-	96,0	-	-	-	-	-	-				
		17/22 Average	-	-	97,4	-	-	-	-	-	-				
VII - Núcleo Sur	Drought	22/23	27,0	-	65,0	-	-	-	-	-	-				
		21/22	60,0	-	93,0	-	-	-	-	-	-				
		17/22 Average	-	-	95,6	-	-	-	-	-	-				
VIII - CE E. Ríos		22/23	55,0	53,0	100,0	87,0	-	-	-	-	-				
		21/22	75,0	100,0	100,0	91,0	-	-	-	-	-				
		17/22 Average	-	-	99,6	91,8	-	-	-	-	-				
IX - N LP - O BA		22/23	59,0	-	70,0	-	-	-	-	-	-				
		21/22	52,0	-	85,0	-	-	-	-	-	-				
		17/22 Average	-	-	85,2	-	-	-	-	-	-				
X - Ctro BA		22/23	53,0	-	60,0	-	-	-	-	-	-				
		21/22	95,0	-	88,0	-	-	-	-	-	-				
		17/22 Average	-	-	77,4	-	-	-	-	-	-				
XII - SE BA		22/23	47,0	-	35,0	-	-	-	-	-	-				
		21/22	100,0	-	25,0	-	-	-	-	-	-				
		17/22 Average	-	-	32,2	-	-	-	-	-	-				
National		22/23	49,8	63,7	40,2	23,0	-	-	-	-	-				
		21/22	71,6	99,3	55,2	38,2	-	-	-	-	-				
		17/22 Average	-	-	58,0	39,4	0,1	-	-	-	-				

SUNFLOWER 2022/23



Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	II	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2022/23	26,3	23,7	13,2	9,0	8,5	6,1	4,7	2,6	2,4	1,3	0,6	0,5	0,4	0,9	0,0
Hist. Nat. Part.	25,1	22,6	13,2	7,8	15,0	6,3	4,1	1,6	1,5	0,8	0,5	0,5	0,5	0,4	0,0
Moisture condition, Crop condition & Development stages														Week 43	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		22/23	60,0	65,0	100,0	100,0	48,0	10,0	-	-	-				
		21/22	30,0	100,0	100,0	100,0	55,0	15,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	52,0	15,0	2,5	-	-				
V - NC S Fe		22/23	59,0	81,0	100,0	78,0	22,0	-	-	-	-				
		21/22	30,0	97,0	100,0	100,0	27,0	-	-	-	-				
		17/22 Average	-	-	100,0	99,0	30,0	-	-	-	-				
IX - N LP - W BA		22/23	88,0	-	15,0	-	-	-	-	-	-				
		21/22	86,0	-	49,0	-	-	-	-	-	-				
		17/22 Average	-	-	22,5	-	-	-	-	-	-				
X - Central BA		22/23	85,0	-	14,0	-	-	-	-	-	-				
		21/22	100,0	-	55,0	-	-	-	-	-	-				
		17/22 Average	-	-	27,7	-	-	-	-	-	-				
XI - SW BA - S LP		22/23	80,0	-	16,0	-	-	-	-	-	-				
		21/22	95,0	-	15,0	-	-	-	-	-	-				
		17/22 Average	-	-	12,8	-	-	-	-	-	-				
XII - SE BA		22/23	89,0	-	16,5	-	-	-	-	-	-				
		21/22	100,0	-	20,0	-	-	-	-	-	-				
		17/22 Average	-	-	19,8	-	-	-	-	-	-				
XIV - Cuenca Sal.		22/23	72,0	-	19,0	-	-	-	-	-	-				
		21/22	90,0	-	40,0	-	-	-	-	-	-				
		17/22 Average	-	-	33,2	-	-	-	-	-	-				
National		22/23	64,5	83,2	39,0	21,0	7,0	0,9	-	-	-				
		21/22	59,4	97,9	48,5	29,0	10,0	1,6	-	-	-				
		17/22 Average	-	-	46,1	33,2	12,7	2,7	0,6	-	-				

WHEAT 2022/23



Regional participation in the total national area (%)															
Regions	XII	VI	VII	XI	IX	V	II	III	VIII	X	IV	I	XIV	XV	XIII
Nat. Part. 2022/23	13,5	12,6	12,1	11,0	9,6	7,2	6,9	5,4	6,8	6,4	4,4	3,0	0,8	0,4	0,2
Hist. Nat. Part.	10,4	13,3	10,0	9,2	8,3	7,6	6,9	9,3	5,1	5,5	6,2	6,2	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages														Week 43	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Stem Extension	Heading	Ripening	Mature	Harvested				
I - NWA	Drought	22/23	12,0	12,0	100,0	100,0	100,0	100,0	81,0	55,0	-				
		21/22	-	-	100,0	100,0	100,0	100,0	92,0	63,0	25,0				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	84,8	53,2	26,0				
II - NEA	Drought	22/23	25,0	16,0	100,0	100,0	100,0	100,0	55,0	33,0	-				
		21/22	30,0	9,0	100,0	100,0	100,0	100,0	79,0	52,0	20,0				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	66,6	35,8	16,5				
III - NC Cba	Drought	22/23	22,0	9,0	100,0	100,0	100,0	80,0	11,0	1,0	-				
		21/22	34,0	33,0	100,0	100,0	100,0	86,0	23,0	5,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	82,4	19,4	1,0	-				
IV - S Cba	Drought	22/23	33,0	22,0	100,0	100,0	100,0	90,0	2,0	-	-				
		21/22	50,0	54,0	100,0	100,0	100,0	65,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	100,0	62,6	5,8	1,0	0,2				
V - NC S Fe	Drought	22/23	37,0	32,0	100,0	100,0	100,0	83,0	25,0	3,0	-				
		21/22	41,0	50,0	100,0	100,0	100,0	87,0	37,0	12,0	2,5				
		17/22 Average	-	-	100,0	100,0	100,0	85,8	34,2	7,4	0,5				
VI - North Belt	Drought	22/23	23,0	14,0	100,0	100,0	100,0	67,0	4,0	-	-				
		21/22	83,0	100,0	100,0	100,0	100,0	78,0	18,0	2,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	77,6	13,0	1,0	-				
VII - South Belt	Drought	22/23	16,0	20,0	100,0	100,0	100,0	55,0	1,0	-	-				
		21/22	83,0	100,0	100,0	100,0	99,0	64,0	7,0	-	-				
		17/22 Average	-	-	100,0	100,0	98,4	58,4	3,4	-	-				
IX - N LP - W BA		22/23	57,0	66,0	100,0	100,0	77,0	35,0	-	-	-				
		21/22	76,0	97,0	100,0	100,0	91,0	48,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	88,4	40,0	-	-	-				
X - Central BA		22/23	53,0	83,0	100,0	100,0	70,0	24,0	-	-	-				
		21/22	90,0	100,0	100,0	100,0	87,0	24,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	80,6	30,0	-	-	-				
XI - SW BA - S LP		22/23	69,0	85,0	100,0	100,0	57,0	18,0	-	-	-				
		21/22	55,0	87,0	100,0	100,0	76,0	21,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	70,2	23,4	-	-	-				
XII - SE BA	Frost	22/23	77,0	84,0	100,0	100,0	58,0	16,0	-	-	-				
		21/22	88,0	100,0	100,0	100,0	78,0	27,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	72,0	25,6	-	-	-				
National		22/23	43,7	47,5	100,0	100,0	85,1	53,6	10,0	4,2	2,8				
		21/22	63,8	74,7	100,0	100,0	93,1	61,7	18,8	8,6	2,8				
		17/22 Average	-	-	100,0	100,0	91,8	60,9	17,1	6,5	2,8				