

CROP CONDITION & DEVELOPMENT STAGES


SEPTEMBER, 20
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGE ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through September 19, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Sunflower

Sunflower Planted: as of September 19, 2018

Regions		September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	97,4
III	Ctro N Cba	65,0	38,0	50,0	31,0
IV	S Cba	-	5,0	10,0	-
V	Ctro N SFe	100,0	90,0	100,0	88,6
VI	Núcleo Norte	47,0	40,0	50,0	26,4
VII	Núcleo Sur	-	-	2,0	-
VIII	Ctro E ER	32,0	22,0	36,0	20,0
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	48,0	35,0	52,0	19,6
National		36,4	37,1	38,9	28,8

Sunflower Condition: as of September 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	13,0	48,0	36,0	3,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	5,0	45,0	47,0	3,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,1	9,9	46,6	40,3	3,2
Nat.Sep. 20, 2017		-	0,2	25,9	73,7	0,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of September 19, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	6,0	38,0	47,0	9,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	4,0	24,0	56,0	16,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	5,2	32,6	50,2	11,9	-
Nat.Sep. 20, 2017	0,1	34,1	59,4	6,1	0,4

Sunflower Leaf Development: as of September 19, 2018

Regions	September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	84,0	68,0	79,0	73,8
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	70,0	32,0	50,0	45,2
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	29,0	20,5	26,9	18,9

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of September 19, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	15,0	48,0	29,0	8,0	-
II	NEA	4,0	25,0	37,0	34,0	-
III	Ctro N Cba	13,0	26,0	41,0	20,0	-
IV	S Cba	5,0	28,0	41,0	24,0	2,0
V	Ctro N SFe	-	11,0	49,0	36,0	4,0
VI	Núcleo Norte	-	4,0	63,0	33,0	-
VII	Núcleo Sur	3,0	17,0	27,0	45,0	8,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	4,0	15,0	39,0	29,0	13,0
X	Ctro Bs As	-	2,0	29,0	47,0	22,0
XI	SO BA-S LP	-	3,0	32,0	48,0	17,0
XII	SE BA	-	4,0	23,0	56,0	17,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		3,6	14,7	38,3	36,0	7,4
Nat.Sep. 20, 2017		2,3	7,9	18,6	60,7	10,6

Wheat Moisture Condition: as of September 19, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	52,0	44,0	4,0	-	-
II	NEA	28,0	38,0	30,0	4,0	-
III	Ctro N Cba	24,0	63,0	13,0	-	-
IV	S Cba	27,0	54,0	19,0	-	-
V	Ctro N SFe	12,0	31,0	44,0	13,0	-
VI	Núcleo Norte	4,0	47,0	44,0	5,0	-
VII	Núcleo Sur	12,0	36,0	29,0	23,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	5,0	39,0	54,0	2,0	-
X	Ctro Bs As	-	18,0	59,0	23,0	-
XI	SO BA-S LP	-	19,0	63,0	18,0	-
XII	SE BA	2,0	19,0	57,0	22,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		13,1	36,8	37,9	12,2	0,1
Nat.Sep. 20, 2017		8,5	13,5	16,2	28,8	33,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Tillering: as of September 19, 2018

Regions		September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,4
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	97,0	100,0	94,0
X	Ctro Bs As	95,0	94,0	100,0	97,0
XI	SO BA-S LP	68,0	88,0	100,0	89,6
XII	SE BA	70,0	93,0	100,0	83,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		93,5	97,8	100,0	96,0

Wheat Steam Extension: as of September 19, 2018

Regions		September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	91,0	100,0	97,0
III	Ctro N Cba	70,0	67,0	81,0	89,6
IV	S Cba	73,0	65,0	78,0	70,2
V	Ctro N SFe	100,0	60,0	73,0	87,4
VI	Núcleo Norte	95,0	61,0	75,0	77,2
VII	Núcleo Sur	80,0	44,0	59,0	63,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	66,0	20,0	33,0	54,6
X	Ctro Bs As	25,0	19,0	31,0	38,0
XI	SO BA-S LP	30,0	16,0	28,0	36,8
XII	SE BA	30,0	22,0	34,0	33,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		69,5	51,6	63,6	64,9

CROP CONDITION & DEVELOPMENT STAGES

Wheat Heading: as of September 19, 2018

Regions		September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I	NOA	100,0	67,0	81,0	75,8
II	NEA	85,0	43,0	55,0	67,4
III	Ctro N Cba	25,0	22,0	34,0	27,8
IV	S Cba	15,0	18,0	31,0	22,6
V	Ctro N SFe	65,0	14,0	25,0	45,2
VI	Núcleo Norte	23,0	35,0	44,0	28,4
VII	Núcleo Sur	4,0	4,0	17,0	12,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	8,0
X	Ctro Bs As	-	-	-	6,6
XI	SO BA-S LP	-	-	-	3,4
XII	SE BA	-	-	-	7,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		24,8	17,9	25,9	22,8

Wheat Ripening: as of September 19, 2018

Regions		September 20, 2017 %	September 12, 2018 %	September 19, 2018 %	2013/2018 Average %
I	NOA	22,0	3,0	10,0	11,8
II	NEA	4,0	-	-	7,4
III	Ctro N Cba	-	-	-	1,0
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	0,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,7	0,2	0,6	1,1