

# CROP CONDITION & DEVELOPMENT STAGES

---


JUNE, 27  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)

## CROP CONDITION ANALYST

Sofía Console Insúa  
[sconsoleinsua@bc.org.ar](mailto:sconsoleinsua@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 26, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## Wheat

Season 2019/2020

### Wheat Planted: as of June 26, 2019

Regions	June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2014/2019 Average %
I NOA	100,0	97,5	99,0	96,8
II NEA	92,0	53,0	78,0	82,0
III Ctro N Cba	97,0	83,1	89,0	89,0
IV S Cba	81,0	55,0	79,4	67,6
V Ctro N SFe	75,0	45,0	65,0	73,0
VI Núcleo Norte	72,0	62,2	70,6	55,0
VII Núcleo Sur	67,0	39,4	50,0	44,8
VIII Ctro E ER	58,0	43,0	45,2	42,2
IX N LP-OBA	43,0	33,3	49,0	51,6
X Ctro Bs As	47,0	25,6	39,3	33,0
XI SO BA-S LP	40,0	27,6	33,5	37,4
XII SE BA	31,0	23,0	30,6	22,8
XIII San Luis	75,0	65,0	83,0	75,0
XIV Cuenca Sal	50,0	30,0	38,0	41,2
XV Others	95,0	68,0	80,0	84,0
<b>National</b>	<b>67,0</b>	<b>49,7</b>	<b>60,9</b>	<b>59,2</b>

### Wheat Condition: as of June 26, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	31,0	58,0	11,0
II NEA	-	-	48,0	50,0	2,0
III Ctro N Cba	-	-	29,0	63,0	8,0
IV S Cba	-	-	23,0	67,0	10,0
V Ctro N SFe	-	-	37,0	55,0	8,0
VI Núcleo Norte	-	-	33,0	46,0	21,0
VII Núcleo Sur	-	-	44,0	40,0	16,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	19,0	72,0	9,0
X Ctro Bs As	-	1,0	28,0	71,0	-
XI SO BA-S LP	-	-	28,0	61,0	11,0
XII SE BA	-	-	36,0	64,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>0,0</b>	<b>32,6</b>	<b>57,5</b>	<b>9,9</b>
<b>Nat. June 27, 2018</b>	<b>-</b>	<b>10,1</b>	<b>48,4</b>	<b>39,3</b>	<b>2,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Moisture Condition: as of June 26, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	26,0	72,0	2,0
II	NEA	-	-	33,0	32,0	35,0
III	Ctro N Cba	-	-	24,0	76,0	-
IV	S Cba	-	-	25,0	75,0	-
V	Ctro N SFe	-	-	49,0	38,0	13,0
VI	Núcleo Norte	-	-	27,0	65,0	8,0
VII	Núcleo Sur	-	-	28,0	61,0	11,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	25,0	69,0	6,0
X	Ctro Bs As	-	-	38,0	46,0	16,0
XI	SO BA-S LP	-	-	31,0	67,0	2,0
XII	SE BA	-	-	47,0	48,0	5,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		-	-	<b>30,8</b>	<b>60,8</b>	<b>8,4</b>
<b>Nat.June 27, 2018</b>		<b>6,1</b>	<b>21,4</b>	<b>49,0</b>	<b>22,3</b>	<b>1,2</b>

## First Soybean

## Season 2018/2019

## First Soybean Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	45,0	40,0	15,0	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>45,0</b>	<b>40,0</b>	<b>15,0</b>	<b>-</b>	<b>-</b>
<b>Nat.June 27, 2018</b>		<b>43,3</b>	<b>28,9</b>	<b>20,8</b>	<b>7,0</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Moisture Condition: as of June 26, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	10,0	35,0	55,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>-</b>	<b>10,0</b>	<b>35,0</b>	<b>55,0</b>
<b>Nat.June 27, 2018</b>	<b>-</b>	<b>5,4</b>	<b>66,5</b>	<b>17,1</b>	<b>11,0</b>

## First Soybean Harvested: as of June 26, 2019

Regions	June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	96,9
II NEA	100,0	85,0	91,0	99,2
III Ctro N Cba	100,0	100,0	100,0	99,8
IV S Cba	100,0	100,0	100,0	99,1
V Ctro N SFe	100,0	100,0	100,0	99,8
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	99,8
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	98,4
X Ctro Bs As	97,5	100,0	100,0	94,8
XI SO BA-S LP	100,0	100,0	100,0	96,0
XII SE BA	93,6	100,0	100,0	90,3
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	98,4
XV Others	100,0	100,0	100,0	100,0
<b>National</b>	<b>99,7</b>	<b>99,3</b>	<b>99,6</b>	<b>98,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean

### Second Soybean Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	50,0	30,0	20,0	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	35,0	30,0	25,0	10,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	45,0	45,0	10,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>46,2</b>	<b>30,0</b>	<b>21,3</b>	<b>2,5</b>	<b>-</b>
<b>Nat.June 27, 2018</b>		<b>54,6</b>	<b>27,7</b>	<b>13,4</b>	<b>4,3</b>	<b>-</b>

### Second Soybean Moisture Condition: as of June 26, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	10,0	30,0	60,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	40,0	40,0	20,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	45,0	35,0	20,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>-</b>	<b>17,5</b>	<b>32,5</b>	<b>50,0</b>
<b>Nat.June 27, 2018</b>		<b>-</b>	<b>5,5</b>	<b>66,3</b>	<b>17,4</b>	<b>10,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Harvested: as of June 26, 2019

Regions		June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	92,0
II	NEA	100,0	84,0	89,0	96,0
III	Ctro N Cba	100,0	100,0	100,0	99,8
IV	S Cba	100,0	100,0	100,0	98,8
V	Ctro N SFe	100,0	96,0	98,0	99,8
VI	Núcleo Norte	100,0	100,0	100,0	99,9
VII	Núcleo Sur	100,0	100,0	100,0	99,0
VIII	Ctro E ER	100,0	100,0	100,0	99,3
IX	N LP-OBA	100,0	100,0	100,0	96,1
X	Ctro Bs As	92,0	98,0	100,0	89,5
XI	SO BA-S LP	99,5	100,0	100,0	92,3
XII	SE BA	76,0	98,0	100,0	74,4
XIII	San Luis	100,0	100,0	100,0	98,4
XIV	Cuenca Sal	93,0	100,0	100,0	86,7
XV	Others	100,0	100,0	100,0	99,0
<b>National</b>		<b>96,9</b>	<b>98,7</b>	<b>99,4</b>	<b>93,6</b>

## Soybean

## Soybean Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	46,5	37,0	16,5	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	35,0	30,0	25,0	10,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>45,5</b>	<b>36,3</b>	<b>17,3</b>	<b>0,9</b>	<b>-</b>
<b>Nat. June 27, 2018</b>		<b>52,1</b>	<b>27,9</b>	<b>15,0</b>	<b>4,9</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Moisture Condition: as of June 26, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	10,0	33,5	56,5
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	40,0	40,0	20,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	-	-	<b>12,8</b>	<b>34,1</b>	<b>53,2</b>
<b>Nat.June 27, 2018</b>	-	<b>5,4</b>	<b>66,4</b>	<b>17,3</b>	<b>10,9</b>

## Soybean Harvested: as of June 26, 2019

Regions	June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I NOA	100,0	100,0	100,0	96,6
II NEA	100,0	84,7	90,5	98,7
III Ctro N Cba	100,0	100,0	100,0	99,8
IV S Cba	100,0	100,0	100,0	99,1
V Ctro N SFe	100,0	98,7	99,3	99,8
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	99,7
VIII Ctro E ER	100,0	100,0	100,0	99,9
IX N LP-OBA	100,0	100,0	100,0	97,9
X Ctro Bs As	95,4	99,1	100,0	93,3
XI SO BA-S LP	99,7	100,0	100,0	94,2
XII SE BA	85,6	98,9	100,0	84,1
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	94,3	100,0	100,0	94,7
XV Others	100,0	100,0	100,0	99,9
<b>National</b>	<b>99,0</b>	<b>99,1</b>	<b>99,5</b>	<b>97,8</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn

### Early Corn Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	33,0	56,0	11,0
II	NEA	1,0	17,0	45,0	35,0	2,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	41,0	49,0	10,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,6</b>	<b>10,3</b>	<b>40,5</b>	<b>43,1</b>	<b>5,5</b>
<b>Nat.June 27, 2018</b>		<b>20,4</b>	<b>23,2</b>	<b>39,5</b>	<b>15,3</b>	<b>1,5</b>

### Early Corn Moisture Condition: as of June 26, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	35,0	64,0	1,0
II	NEA	-	-	34,0	48,0	18,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	4,0	45,0	50,0	1,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,2</b>	<b>34,7</b>	<b>53,9</b>	<b>11,2</b>
<b>Nat.June 27, 2018</b>		<b>12,9</b>	<b>37,3</b>	<b>44,9</b>	<b>4,7</b>	<b>0,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Harvested: as of June 26, 2019

Regions		June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I	NOA	17,0	11,0	14,0	17,2
II	NEA	29,0	6,0	8,0	27,2
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	99,8
VIII	Ctro E ER	100,0	100,0	100,0	99,9
IX	N LP-OBA	99,0	100,0	100,0	96,2
X	Ctro Bs As	85,0	100,0	100,0	89,8
XI	SO BA-S LP	65,0	89,0	92,0	77,4
XII	SE BA	61,0	80,0	83,0	63,2
XIII	San Luis	100,0	100,0	100,0	98,0
XIV	Cuenca Sal	98,0	92,0	96,0	96,8
XV	Others	100,0	71,0	75,0	100,0
<b>National</b>		<b>70,8</b>	<b>68,3</b>	<b>69,4</b>	<b>82,6</b>

## Late Corn

### Late Corn Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	37,0	49,0	14,0
IV	S Cba	-	1,0	44,0	46,0	9,0
V	Ctro N SFe	-	-	45,0	44,0	11,0
VI	Núcleo Norte	-	-	41,0	47,0	12,0
VII	Núcleo Sur	-	-	42,0	46,0	12,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	34,0	52,0	14,0
X	Ctro Bs As	-	-	43,0	52,0	5,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	2,0	47,0	46,0	5,0
XIII	San Luis	-	-	40,0	52,0	8,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,4</b>	<b>41,0</b>	<b>48,2</b>	<b>10,4</b>
<b>Nat. June 27, 2018</b>		<b>45,5</b>	<b>35,5</b>	<b>16,6</b>	<b>2,3</b>	<b>0,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Moisture Condition: as of June 26, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	52,0	45,0	3,0
IV S Cba	-	-	41,0	57,0	2,0
V Ctro N SFe	-	-	36,0	63,0	1,0
VI Núcleo Norte	-	-	37,0	59,0	4,0
VII Núcleo Sur	-	-	48,0	48,0	4,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	42,0	57,0	1,0
X Ctro Bs As	-	-	37,0	60,0	3,0
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	4,0	52,0	38,0	6,0
XIII San Luis	-	-	32,0	68,0	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>0,2</b>	<b>42,9</b>	<b>54,5</b>	<b>2,3</b>
<b>Nat.June 27, 2018</b>	<b>2,9</b>	<b>40,4</b>	<b>51,0</b>	<b>5,4</b>	<b>0,4</b>

## Late Corn Harvested: as of June 26, 2019

Regions	June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	35,0	15,0	17,0	27,6
IV S Cba	38,0	16,0	17,5	31,2
V Ctro N SFe	48,0	7,0	10,0	31,0
VI Núcleo Norte	62,0	45,0	48,0	47,8
VII Núcleo Sur	64,0	28,0	30,0	47,6
VIII Ctro E ER	80,0	-	3,0	52,6
IX N LP-OBA	40,0	33,0	36,0	33,8
X Ctro Bs As	35,0	8,0	10,0	30,8
XI SO BA-S LP	-	3,0	15,0	23,8
XII SE BA	-	1,0	5,0	15,4
XIII San Luis	38,0	8,0	10,0	37,0
XIV Cuenca Sal	25,0	2,0	7,0	44,4
XV Others	-	-	-	-
<b>National</b>	<b>37,9</b>	<b>15,4</b>	<b>18,0</b>	<b>33,1</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Corn Condition: as of June 26, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	33,0	56,0	11,0
II	NEA	1,0	17,0	45,0	35,0	2,0
III	Ctro N Cba	-	-	37,0	49,0	14,0
IV	S Cba	-	1,0	44,0	46,0	9,0
V	Ctro N SFe	-	-	45,0	44,0	11,0
VI	Núcleo Norte	-	-	41,0	47,0	12,0
VII	Núcleo Sur	-	-	42,0	46,0	12,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	34,0	52,0	14,0
X	Ctro Bs As	-	-	43,0	52,0	5,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	1,7	46,1	46,4	5,7
XIII	San Luis	-	-	40,0	52,0	8,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,2</b>	<b>3,4</b>	<b>40,9</b>	<b>46,6</b>	<b>8,9</b>
<b>Nat.June 27, 2018</b>		<b>36,6</b>	<b>31,2</b>	<b>24,8</b>	<b>6,9</b>	<b>0,6</b>

### Corn Moisture Condition: as of June 26, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	35,0	64,0	1,0
II	NEA	-	-	34,0	48,0	18,0
III	Ctro N Cba	-	-	52,0	45,0	3,0
IV	S Cba	-	-	41,0	57,0	2,0
V	Ctro N SFe	-	-	36,0	63,0	1,0
VI	Núcleo Norte	-	-	37,0	59,0	4,0
VII	Núcleo Sur	-	-	48,0	48,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,0	57,0	1,0
X	Ctro Bs As	-	-	37,0	60,0	3,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	4,0	51,0	39,8	5,3
XIII	San Luis	-	-	32,0	68,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,2</b>	<b>40,4</b>	<b>54,3</b>	<b>5,1</b>
<b>Nat.June 27, 2018</b>		<b>6,4</b>	<b>39,3</b>	<b>48,8</b>	<b>5,1</b>	<b>0,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Harvested: as of June 26, 2019

Regions		June 27, 2018 %	June 19, 2019 %	June 26, 2019 %	2013/2018 Average %
I	NOA	17,0	11,0	14,0	17,2
II	NEA	29,0	6,0	8,0	27,2
III	Ctro N Cba	44,4	27,5	29,2	38,6
IV	S Cba	50,2	32,4	33,7	49,5
V	Ctro N SFe	65,9	38,4	40,5	55,9
VI	Núcleo Norte	94,7	92,8	93,2	88,3
VII	Núcleo Sur	92,9	89,1	89,4	86,6
VIII	Ctro E ER	92,2	58,6	59,9	83,0
IX	N LP-OBA	69,0	66,1	67,7	63,8
X	Ctro Bs As	54,6	48,6	49,8	65,8
XI	SO BA-S LP	38,3	45,3	53,0	62,0
XII	SE BA	36,0	39,9	43,5	55,2
XIII	San Luis	49,7	26,1	27,7	52,3
XIV	Cuenca Sal	53,7	41,8	46,4	79,3
XV	Others	68,2	71,0	75,0	75,6
<b>National</b>		<b>55,6</b>	<b>44,2</b>	<b>46,0</b>	<b>55,7</b>