

# CROP CONDITION & DEVELOPMENT STAGES

---


MAY, 30  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP CONDITION ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through May 29, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## Wheat

Season 2019/2020

### Wheat Planted: as of May 29, 2019

| Regions         | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2014/2019 Average<br>% |
|-----------------|-------------------|-------------------|-------------------|------------------------|
| I NOA           | 40,0              | 34,6              | 53,0              | 28,2                   |
| II NEA          | 12,0              | 3,8               | 4,2               | 10,0                   |
| III Ctro N Cba  | 10,0              | 4,0               | 11,0              | 15,0                   |
| IV S Cba        | 8,0               | -                 | 3,0               | 7,2                    |
| V Ctro N SFe    | 13,0              | -                 | 7,9               | 8,6                    |
| VI Núcleo Norte | 7,0               | 1,0               | 8,3               | 3,0                    |
| VII Núcleo Sur  | 4,0               | 0,7               | 3,3               | 4,2                    |
| VIII Ctro E ER  | 8,0               | -                 | 3,0               | 3,2                    |
| IX N LP-OBA     | 2,0               | -                 | 3,1               | 5,6                    |
| X Ctro Bs As    | 1,0               | -                 | 0,8               | 0,6                    |
| XI SO BA-S LP   | -                 | -                 | 0,4               | 1,4                    |
| XII SE BA       | 1,0               | -                 | 1,7               | 0,4                    |
| XIII San Luis   | -                 | -                 | -                 | 2,0                    |
| XIV Cuenca Sal  | -                 | -                 | -                 | 1,2                    |
| XV Others       | 5,0               | 0,3               | 2,3               | 10,0                   |
| <b>National</b> | <b>8,0</b>        | <b>3,1</b>        | <b>7,7</b>        | <b>7,4</b>             |

### Wheat Condition: as of May 29, 2019

| Regions                  | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|--------------------------|----------------|-------------|-------------|-------------|----------------|
| I NOA                    | -              | -           | 29,0        | 65,0        | 6,0            |
| II NEA                   | -              | -           | 41,0        | 59,0        | -              |
| III Ctro N Cba           | -              | -           | 31,0        | 67,0        | 2,0            |
| IV S Cba                 | -              | -           | 38,0        | 61,0        | 1,0            |
| V Ctro N SFe             | -              | -           | 35,0        | 65,0        | -              |
| VI Núcleo Norte          | -              | -           | 29,0        | 45,0        | 26,0           |
| VII Núcleo Sur           | -              | -           | 32,0        | 39,0        | 29,0           |
| VIII Ctro E ER           | -              | -           | -           | -           | -              |
| IX N LP-OBA              | -              | -           | 29,0        | 71,0        | -              |
| X Ctro Bs As             | -              | -           | 33,0        | 67,0        | -              |
| XI SO BA-S LP            | -              | -           | 36,0        | 64,0        | -              |
| XII SE BA                | -              | -           | 42,0        | 58,0        | -              |
| XIII San Luis            | -              | -           | -           | -           | -              |
| XIV Cuenca Sal           | -              | -           | -           | -           | -              |
| XV Others                | -              | -           | -           | -           | -              |
| <b>National</b>          | <b>-</b>       | <b>-</b>    | <b>31,1</b> | <b>61,0</b> | <b>7,9</b>     |
| <b>Nat. May 30, 2018</b> | <b>-</b>       | <b>11,9</b> | <b>47,4</b> | <b>40,7</b> | <b>-</b>       |

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Moisture Condition: as of May 29, 2019

| Regions                 | Dry % | Poor %      | Favourable % | Optimum %   | Wet %      |
|-------------------------|-------|-------------|--------------|-------------|------------|
| I NOA                   | -     | -           | 26,0         | 74,0        | -          |
| II NEA                  | -     | -           | 28,0         | 13,0        | 59,0       |
| III Ctro N Cba          | -     | -           | 21,0         | 79,0        | -          |
| IV S Cba                | -     | -           | 23,0         | 77,0        | -          |
| V Ctro N SFe            | -     | -           | 49,0         | 24,0        | 27,0       |
| VI Núcleo Norte         | -     | -           | 28,0         | 72,0        | -          |
| VII Núcleo Sur          | -     | -           | 32,0         | 64,0        | 4,0        |
| VIII Ctro E ER          | -     | -           | -            | -           | -          |
| IX N LP-OBA             | -     | -           | 14,0         | 86,0        | -          |
| X Ctro Bs As            | -     | -           | 49,0         | 51,0        | -          |
| XI SO BA-S LP           | -     | -           | 33,0         | 67,0        | -          |
| XII SE BA               | -     | -           | 81,0         | 19,0        | -          |
| XIII San Luis           | -     | -           | -            | -           | -          |
| XIV Cuenca Sal          | -     | -           | -            | -           | -          |
| XV Others               | -     | -           | -            | -           | -          |
| <b>National</b>         | -     | -           | <b>28,8</b>  | <b>66,2</b> | <b>5,0</b> |
| <b>Nat.May 30, 2018</b> | -     | <b>19,9</b> | <b>59,9</b>  | <b>19,5</b> | <b>0,8</b> |

## First Soybean

## Season 2018/2019

## First Soybean Condition: as of May 29, 2019

| Regions                 | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|-------------------------|-------------|-------------|-------------|-------------|-------------|
| I NOA                   | -           | -           | 50,0        | 41,0        | 9,0         |
| II NEA                  | 25,0        | 37,0        | 22,0        | 16,0        | -           |
| III Ctro N Cba          | -           | 33,0        | 27,0        | 24,0        | 16,0        |
| IV S Cba                | -           | 26,0        | 38,0        | 25,0        | 11,0        |
| V Ctro N SFe            | 15,0        | 18,0        | 44,0        | 23,0        | -           |
| VI Núcleo Norte         | -           | -           | -           | -           | -           |
| VII Núcleo Sur          | -           | -           | -           | -           | -           |
| VIII Ctro E ER          | -           | -           | -           | -           | -           |
| IX N LP-OBA             | -           | -           | -           | -           | -           |
| X Ctro Bs As            | -           | -           | -           | -           | -           |
| XI SO BA-S LP           | -           | -           | -           | -           | -           |
| XII SE BA               | 9,0         | 17,0        | 43,0        | 31,0        | -           |
| XIII San Luis           | -           | -           | -           | -           | -           |
| XIV Cuenca Sal          | -           | -           | -           | -           | -           |
| XV Others               | -           | -           | -           | -           | -           |
| <b>National</b>         | <b>18,2</b> | <b>27,3</b> | <b>30,8</b> | <b>22,0</b> | <b>1,8</b>  |
| <b>Nat.May 30, 2018</b> | <b>43,2</b> | <b>27,7</b> | <b>22,6</b> | <b>6,4</b>  | <b>-</b>    |

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Moisture Condition: as of May 29, 2019

| Regions                 | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %       |
|-------------------------|------------|-------------|--------------|-------------|-------------|
| I NOA                   | -          | -           | 57,0         | 41,0        | 2,0         |
| II NEA                  | -          | -           | 16,0         | 29,0        | 55,0        |
| III Ctro N Cba          | 10,0       | 15,0        | 44,0         | 31,0        | -           |
| IV S Cba                | 26,0       | 19,0        | 33,0         | 22,0        | -           |
| V Ctro N SFe            | -          | 18,0        | 14,0         | 38,0        | 30,0        |
| VI Núcleo Norte         | -          | -           | -            | -           | -           |
| VII Núcleo Sur          | -          | -           | -            | -           | -           |
| VIII Ctro E ER          | -          | -           | -            | -           | -           |
| IX N LP-OBA             | -          | -           | -            | -           | -           |
| X Ctro Bs As            | -          | -           | -            | -           | -           |
| XI SO BA-S LP           | -          | -           | -            | -           | -           |
| XII SE BA               | 2,0        | 32,0        | 48,0         | 18,0        | -           |
| XIII San Luis           | -          | -           | -            | -           | -           |
| XIV Cuenca Sal          | -          | -           | -            | -           | -           |
| XV Others               | -          | -           | -            | -           | -           |
| <b>National</b>         | <b>0,5</b> | <b>4,3</b>  | <b>25,2</b>  | <b>31,4</b> | <b>38,6</b> |
| <b>Nat.May 30, 2018</b> | <b>0,4</b> | <b>13,1</b> | <b>59,2</b>  | <b>19,5</b> | <b>7,8</b>  |

## First Soybean Harvested: as of May 29, 2019

| Regions         | May 30, 2018 % | May 22, 2019 % | May 29, 2019 % | 2013/2018 Average % |
|-----------------|----------------|----------------|----------------|---------------------|
| I NOA           | 91,0           | 60,0           | 77,0           | 61,3                |
| II NEA          | 85,0           | 17,5           | 22,0           | 65,2                |
| III Ctro N Cba  | 100,0          | 95,0           | 99,5           | 95,6                |
| IV S Cba        | 97,9           | 98,0           | 99,5           | 90,1                |
| V Ctro N SFe    | 95,5           | 87,1           | 88,0           | 88,1                |
| VI Núcleo Norte | 100,0          | 99,5           | 100,0          | 97,7                |
| VII Núcleo Sur  | 97,0           | 99,5           | 100,0          | 95,7                |
| VIII Ctro E ER  | 99,4           | 94,2           | 100,0          | 96,5                |
| IX N LP-OBA     | 95,0           | 98,0           | 100,0          | 85,6                |
| X Ctro Bs As    | 69,5           | 97,0           | 98,0           | 78,9                |
| XI SO BA-S LP   | 77,0           | 86,4           | 97,8           | 68,6                |
| XII SE BA       | 55,2           | 92,8           | 93,0           | 61,4                |
| XIII San Luis   | 95,8           | 90,0           | 95,0           | 94,0                |
| XIV Cuenca Sal  | 80,0           | 100,0          | 100,0          | 82,6                |
| XV Others       | 95,0           | 95,0           | 100,0          | 93,6                |
| <b>National</b> | <b>94,0</b>    | <b>90,1</b>    | <b>93,3</b>    | <b>87,3</b>         |

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean

### Second Soybean Condition: as of May 29, 2019

| Regions                 | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|-------------------------|-------------|-------------|-------------|-------------|-------------|
| I NOA                   | -           | 29,0        | 38,0        | 31,0        | 2,0         |
| II NEA                  | 29,0        | 24,0        | 31,0        | 16,0        | -           |
| III Ctro N Cba          | 3,0         | 34,0        | 16,0        | 38,0        | 9,0         |
| IV S Cba                | -           | 27,0        | 38,0        | 33,0        | 2,0         |
| V Ctro N SFe            | -           | 29,0        | 39,0        | 32,0        | -           |
| VI Núcleo Norte         | -           | 32,0        | 38,0        | 28,0        | 2,0         |
| VII Núcleo Sur          | 6,0         | 15,0        | 42,0        | 36,0        | 1,0         |
| VIII Ctro E ER          | -           | 21,0        | 45,0        | 34,0        | -           |
| IX N LP-OBA             | -           | 19,0        | 46,0        | 27,0        | 8,0         |
| X Ctro Bs As            | -           | -           | -           | -           | -           |
| XI SO BA-S LP           | -           | -           | -           | -           | -           |
| XII SE BA               | -           | 27,0        | 38,0        | 32,0        | 3,0         |
| XIII San Luis           | -           | -           | -           | -           | -           |
| XIV Cuenca Sal          | -           | -           | -           | -           | -           |
| XV Others               | -           | -           | -           | -           | -           |
| <b>National</b>         | <b>7,5</b>  | <b>24,5</b> | <b>37,2</b> | <b>28,7</b> | <b>2,0</b>  |
| <b>Nat.May 30, 2018</b> | <b>65,9</b> | <b>20,6</b> | <b>10,3</b> | <b>3,1</b>  | <b>-</b>    |

### Second Soybean Moisture Condition: as of May 29, 2019

| Regions                 | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %       |
|-------------------------|------------|-------------|--------------|-------------|-------------|
| I NOA                   | -          | -           | 33,0         | 53,0        | 14,0        |
| II NEA                  | -          | -           | 6,0          | 41,0        | 53,0        |
| III Ctro N Cba          | -          | 16,0        | 38,0         | 41,0        | 5,0         |
| IV S Cba                | -          | 21,0        | 51,0         | 28,0        | -           |
| V Ctro N SFe            | -          | -           | 32,0         | 46,0        | 22,0        |
| VI Núcleo Norte         | -          | 18,0        | 38,0         | 36,0        | 8,0         |
| VII Núcleo Sur          | -          | 34,0        | 35,0         | 31,0        | -           |
| VIII Ctro E ER          | -          | 21,0        | 32,0         | 30,0        | 17,0        |
| IX N LP-OBA             | -          | 19,0        | 40,0         | 41,0        | -           |
| X Ctro Bs As            | -          | -           | -            | -           | -           |
| XI SO BA-S LP           | -          | -           | -            | -           | -           |
| XII SE BA               | -          | 30,0        | 38,0         | 32,0        | -           |
| XIII San Luis           | -          | -           | -            | -           | -           |
| XIV Cuenca Sal          | -          | -           | -            | -           | -           |
| XV Others               | -          | -           | -            | -           | -           |
| <b>National</b>         | <b>-</b>   | <b>15,6</b> | <b>29,7</b>  | <b>37,9</b> | <b>16,9</b> |
| <b>Nat.May 30, 2018</b> | <b>0,0</b> | <b>11,1</b> | <b>58,6</b>  | <b>22,2</b> | <b>8,1</b>  |

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Mature: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 95,0              | 100,0             | 100,0             | 100,0                  |
| II              | NEA          | 95,0              | 100,0             | 100,0             | 100,0                  |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 100,0                  |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VIII            | Ctro E ER    | 100,0             | 100,0             | 100,0             | 100,0                  |
| IX              | N LP-OBA     | 100,0             | 100,0             | 100,0             | 100,0                  |
| X               | Ctro Bs As   | -                 | -                 | -                 | -                      |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 93,0              | 93,0              | 100,0             | 97,0                   |
| XIII            | San Luis     | -                 | -                 | -                 | -                      |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>98,3</b>       | <b>98,8</b>       | <b>100,0</b>      | <b>99,2</b>            |

## Second Soybean Harvested: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 97,5              | 80,0              | 81,0              | 48,7                   |
| II              | NEA          | 89,0              | 17,0              | 22,0              | 57,0                   |
| III             | Ctro N Cba   | 96,0              | 89,4              | 95,0              | 94,8                   |
| IV              | S Cba        | 95,0              | 87,5              | 99,6              | 83,9                   |
| V               | Ctro N SFe   | 90,0              | 75,0              | 77,0              | 85,9                   |
| VI              | Núcleo Norte | 94,0              | 98,0              | 99,0              | 95,3                   |
| VII             | Núcleo Sur   | 80,2              | 87,0              | 94,8              | 85,2                   |
| VIII            | Ctro E ER    | 90,0              | 68,0              | 86,7              | 90,7                   |
| IX              | N LP-OBA     | 81,0              | 68,5              | 87,8              | 72,2                   |
| X               | Ctro Bs As   | 40,0              | 58,0              | 66,0              | 57,6                   |
| XI              | SO BA-S LP   | 5,0               | 60,0              | 91,6              | 44,4                   |
| XII             | SE BA        | 6,0               | 40,0              | 67,5              | 24,6                   |
| XIII            | San Luis     | 26,0              | 80,0              | 95,0              | 58,2                   |
| XIV             | Cuenca Sal   | 32,0              | 85,0              | 95,0              | 48,4                   |
| XV              | Others       | 35,0              | 85,0              | 98,0              | 57,0                   |
| <b>National</b> |              | <b>75,5</b>       | <b>73,3</b>       | <b>84,6</b>       | <b>68,5</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean

### Soybean Condition: as of May 29, 2019

| Regions                 |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|-------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                       | NOA          | -              | 8,6         | 46,4        | 38,0        | 6,9            |
| II                      | NEA          | 26,1           | 33,5        | 24,4        | 16,0        | -              |
| III                     | Ctro N Cba   | 2,3            | 33,8        | 18,4        | 34,9        | 10,5           |
| IV                      | S Cba        | -              | 26,2        | 38,0        | 26,6        | 9,2            |
| V                       | Ctro N SFe   | 7,7            | 23,3        | 41,6        | 27,4        | -              |
| VI                      | Núcleo Norte | -              | 32,0        | 38,0        | 28,0        | 2,0            |
| VII                     | Núcleo Sur   | 6,0            | 15,0        | 42,0        | 36,0        | 1,0            |
| VIII                    | Ctro E ER    | -              | 21,0        | 45,0        | 34,0        | -              |
| IX                      | N LP-OBA     | -              | 19,0        | 46,0        | 27,0        | 8,0            |
| X                       | Ctro Bs As   | -              | -           | -           | -           | -              |
| XI                      | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                     | SE BA        | 9,0            | 17,0        | 43,0        | 31,0        | -              |
| XIII                    | San Luis     | -              | -           | -           | -           | -              |
| XIV                     | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                      | Others       | -              | -           | -           | -           | -              |
| <b>National</b>         |              | <b>14,1</b>    | <b>24,4</b> | <b>34,6</b> | <b>25,1</b> | <b>1,5</b>     |
| <b>Nat.May 30, 2018</b> |              | <b>57,5</b>    | <b>23,3</b> | <b>14,9</b> | <b>4,4</b>  | <b>-</b>       |

### Soybean Moisture Condition: as of May 29, 2019

| Regions                 |              | Dry<br>%   | Poor<br>%   | Favourable<br>% | Optimum<br>% | Wet<br>%    |
|-------------------------|--------------|------------|-------------|-----------------|--------------|-------------|
| I                       | NOA          | -          | -           | 49,8            | 44,6         | 5,6         |
| II                      | NEA          | -          | -           | 13,3            | 32,2         | 54,5        |
| III                     | Ctro N Cba   | 2,2        | 15,8        | 39,3            | 38,8         | 3,9         |
| IV                      | S Cba        | 20,8       | 19,4        | 36,6            | 23,2         | -           |
| V                       | Ctro N SFe   | -          | 9,3         | 22,7            | 41,9         | 26,1        |
| VI                      | Núcleo Norte | -          | 18,0        | 38,0            | 36,0         | 8,0         |
| VII                     | Núcleo Sur   | -          | 34,0        | 35,0            | 31,0         | -           |
| VIII                    | Ctro E ER    | -          | 21,0        | 32,0            | 30,0         | 17,0        |
| IX                      | N LP-OBA     | -          | 19,0        | 40,0            | 41,0         | -           |
| X                       | Ctro Bs As   | -          | -           | -               | -            | -           |
| XI                      | SO BA-S LP   | -          | -           | -               | -            | -           |
| XII                     | SE BA        | 2,0        | 32,0        | 48,0            | 18,0         | -           |
| XIII                    | San Luis     | -          | -           | -               | -            | -           |
| XIV                     | Cuenca Sal   | -          | -           | -               | -            | -           |
| XV                      | Others       | -          | -           | -               | -            | -           |
| <b>National</b>         |              | <b>0,5</b> | <b>9,9</b>  | <b>28,5</b>     | <b>32,9</b>  | <b>27,8</b> |
| <b>Nat.May 30, 2018</b> |              | <b>0,2</b> | <b>11,8</b> | <b>58,8</b>     | <b>21,2</b>  | <b>8,0</b>  |



# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Mature: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 98,2              | 100,0             | 100,0             | 99,1                   |
| II              | NEA          | 91,6              | 100,0             | 100,0             | 89,8                   |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 99,9                   |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 100,0                  |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VIII            | Ctro E ER    | 100,0             | 100,0             | 100,0             | 100,0                  |
| IX              | N LP-OBA     | 100,0             | 100,0             | 100,0             | 100,0                  |
| X               | Ctro Bs As   | -                 | -                 | -                 | -                      |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 96,7              | 96,1              | 100,0             | 97,8                   |
| XIII            | San Luis     | -                 | -                 | -                 | -                      |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>99,0</b>       | <b>99,6</b>       | <b>100,0</b>      | <b>98,9</b>            |

## Soybean Harvested: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 93,3              | 66,8              | 78,4              | 60,0                   |
| II              | NEA          | 86,3              | 17,4              | 22,0              | 63,5                   |
| III             | Ctro N Cba   | 98,9              | 93,5              | 98,3              | 95,4                   |
| IV              | S Cba        | 97,4              | 95,5              | 99,5              | 89,1                   |
| V               | Ctro N SFe   | 94,0              | 83,1              | 84,4              | 87,5                   |
| VI              | Núcleo Norte | 98,6              | 99,0              | 99,7              | 97,3                   |
| VII             | Núcleo Sur   | 94,1              | 96,5              | 98,8              | 94,3                   |
| VIII            | Ctro E ER    | 98,2              | 88,8              | 97,2              | 95,7                   |
| IX              | N LP-OBA     | 92,5              | 90,8              | 97,1              | 82,7                   |
| X               | Ctro Bs As   | 58,2              | 78,6              | 83,0              | 72,1                   |
| XI              | SO BA-S LP   | 34,2              | 68,2              | 93,6              | 54,7                   |
| XII             | SE BA        | 32,9              | 63,8              | 79,1              | 45,4                   |
| XIII            | San Luis     | 92,9              | 89,5              | 95,0              | 92,9                   |
| XIV             | Cuenca Sal   | 40,7              | 90,3              | 96,8              | 67,7                   |
| XV              | Others       | 72,5              | 90,0              | 99,0              | 85,0                   |
| <b>National</b> |              | <b>89,3</b>       | <b>85,0</b>       | <b>90,7</b>       | <b>83,4</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn

### Early Corn Condition: as of May 29, 2019

| Regions                  |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|--------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                        | NOA          | -              | 2,0         | 44,0        | 44,0        | 10,0           |
| II                       | NEA          | 6,0            | 25,0        | 36,0        | 30,0        | 3,0            |
| III                      | Ctro N Cba   | -              | -           | -           | -           | -              |
| IV                       | S Cba        | -              | -           | -           | -           | -              |
| V                        | Ctro N SFe   | -              | -           | -           | -           | -              |
| VI                       | Núcleo Norte | -              | -           | -           | -           | -              |
| VII                      | Núcleo Sur   | -              | -           | -           | -           | -              |
| VIII                     | Ctro E ER    | -              | -           | -           | -           | -              |
| IX                       | N LP-OBA     | -              | -           | 35,0        | 44,0        | 21,0           |
| X                        | Ctro Bs As   | -              | -           | 43,0        | 45,0        | 12,0           |
| XI                       | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                      | SE BA        | -              | 2,0         | 41,0        | 48,0        | 9,0            |
| XIII                     | San Luis     | -              | -           | -           | -           | -              |
| XIV                      | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                       | Others       | -              | -           | -           | -           | -              |
| <b>National</b>          |              | <b>3,2</b>     | <b>14,2</b> | <b>39,4</b> | <b>36,6</b> | <b>6,6</b>     |
| <b>Nat. May 30, 2018</b> |              | <b>20,6</b>    | <b>27,3</b> | <b>33,2</b> | <b>16,5</b> | <b>2,5</b>     |

### Early Corn Moisture Condition: as of May 29, 2019

| Regions                  |              | Dry<br>%   | Poor<br>%   | Favourable<br>% | Optimum<br>% | Wet<br>%    |
|--------------------------|--------------|------------|-------------|-----------------|--------------|-------------|
| I                        | NOA          | -          | -           | 45,0            | 53,0         | 2,0         |
| II                       | NEA          | -          | -           | 19,0            | 36,0         | 45,0        |
| III                      | Ctro N Cba   | -          | -           | -               | -            | -           |
| IV                       | S Cba        | -          | -           | -               | -            | -           |
| V                        | Ctro N SFe   | -          | -           | -               | -            | -           |
| VI                       | Núcleo Norte | -          | -           | -               | -            | -           |
| VII                      | Núcleo Sur   | -          | -           | -               | -            | -           |
| VIII                     | Ctro E ER    | -          | -           | -               | -            | -           |
| IX                       | N LP-OBA     | -          | 1,0         | 24,0            | 75,0         | -           |
| X                        | Ctro Bs As   | -          | 1,0         | 32,0            | 66,0         | 1,0         |
| XI                       | SO BA-S LP   | -          | -           | -               | -            | -           |
| XII                      | SE BA        | -          | 10,0        | 42,0            | 48,0         | -           |
| XIII                     | San Luis     | -          | -           | -               | -            | -           |
| XIV                      | Cuenca Sal   | -          | -           | -               | -            | -           |
| XV                       | Others       | -          | -           | -               | -            | -           |
| <b>National</b>          |              | <b>-</b>   | <b>0,8</b>  | <b>30,4</b>     | <b>44,4</b>  | <b>24,5</b> |
| <b>Nat. May 30, 2018</b> |              | <b>5,0</b> | <b>29,0</b> | <b>47,1</b>     | <b>10,9</b>  | <b>8,0</b>  |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Grain Growth: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 100,0             | 100,0             | 100,0             | 100,0                  |
| II              | NEA          | 100,0             | 98,0              | 100,0             | 100,0                  |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 100,0                  |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VIII            | Ctro E ER    | -                 | -                 | -                 | -                      |
| IX              | N LP-OBA     | 100,0             | 100,0             | 100,0             | 100,0                  |
| X               | Ctro Bs As   | 100,0             | 100,0             | 100,0             | 100,0                  |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIII            | San Luis     | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>100,0</b>      | <b>99,6</b>       | <b>100,0</b>      | <b>100,0</b>           |

## Early Corn Mature: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 98,2              | 85,0              | 95,0              | 95,1                   |
| II              | NEA          | 97,1              | 80,0              | 94,0              | 96,8                   |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 100,0                  |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VIII            | Ctro E ER    | -                 | -                 | -                 | -                      |
| IX              | N LP-OBA     | 100,0             | 100,0             | 100,0             | 100,0                  |
| X               | Ctro Bs As   | 100,0             | 100,0             | 100,0             | 100,0                  |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIII            | San Luis     | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>99,2</b>       | <b>94,0</b>       | <b>98,1</b>       | <b>99,4</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Harvested: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | -                 | -                 | -                 | 6,4                    |
| II              | NEA          | 3,0               | -                 | -                 | 9,1                    |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 99,8                   |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 98,9                   |
| VIII            | Ctro E ER    | 100,0             | 100,0             | 100,0             | 99,9                   |
| IX              | N LP-OBA     | 90,0              | 87,0              | 91,0              | 85,9                   |
| X               | Ctro Bs As   | 67,0              | 88,0              | 92,0              | 74,0                   |
| XI              | SO BA-S LP   | 50,0              | 77,0              | 80,0              | 60,4                   |
| XII             | SE BA        | 48,0              | 56,0              | 62,0              | 41,0                   |
| XIII            | San Luis     | 100,0             | 100,0             | 100,0             | 83,4                   |
| XIV             | Cuenca Sal   | 88,0              | 70,0              | 75,0              | 80,8                   |
| XV              | Others       | 100,0             | 65,0              | 67,0              | 100,0                  |
| <b>National</b> |              | <b>60,1</b>       | <b>62,2</b>       | <b>63,1</b>       | <b>77,4</b>            |

## Late Corn

### Late Corn Condition: as of May 29, 2019

| Regions                  |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|--------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                        | NOA          | -              | -           | -           | -           | -              |
| II                       | NEA          | -              | -           | -           | -           | -              |
| III                      | Ctro N Cba   | -              | -           | 36,0        | 46,0        | 18,0           |
| IV                       | S Cba        | -              | -           | 42,0        | 45,0        | 13,0           |
| V                        | Ctro N SFe   | -              | 2,0         | 48,0        | 42,0        | 8,0            |
| VI                       | Núcleo Norte | -              | 1,0         | 40,0        | 45,0        | 14,0           |
| VII                      | Núcleo Sur   | -              | -           | 43,0        | 45,0        | 12,0           |
| VIII                     | Ctro E ER    | -              | -           | -           | -           | -              |
| IX                       | N LP-OBA     | -              | -           | 44,0        | 43,0        | 13,0           |
| X                        | Ctro Bs As   | -              | -           | 48,0        | 43,0        | 9,0            |
| XI                       | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                      | SE BA        | -              | 5,0         | 44,0        | 46,0        | 5,0            |
| XIII                     | San Luis     | -              | 2,0         | 68,0        | 24,0        | 6,0            |
| XIV                      | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                       | Others       | -              | -           | -           | -           | -              |
| <b>National</b>          |              | <b>-</b>       | <b>0,8</b>  | <b>44,2</b> | <b>42,9</b> | <b>12,2</b>    |
| <b>Nat. May 30, 2018</b> |              | <b>40,6</b>    | <b>30,9</b> | <b>22,5</b> | <b>5,7</b>  | <b>0,3</b>     |

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Moisture Condition: as of May 29, 2019

| Regions                 |              | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|-------------------------|--------------|------------|-------------|--------------|-------------|------------|
| I                       | NOA          | -          | -           | -            | -           | -          |
| II                      | NEA          | -          | -           | -            | -           | -          |
| III                     | Ctro N Cba   | -          | -           | 50,0         | 49,0        | 1,0        |
| IV                      | S Cba        | -          | 1,0         | 33,0         | 66,0        | -          |
| V                       | Ctro N SFe   | -          | -           | 20,0         | 76,0        | 4,0        |
| VI                      | Núcleo Norte | -          | -           | 35,0         | 62,0        | 3,0        |
| VII                     | Núcleo Sur   | -          | 2,0         | 41,0         | 55,0        | 2,0        |
| VIII                    | Ctro E ER    | -          | -           | -            | -           | -          |
| IX                      | N LP-OBA     | -          | 3,0         | 35,0         | 62,0        | -          |
| X                       | Ctro Bs As   | -          | 1,0         | 30,0         | 69,0        | -          |
| XI                      | SO BA-S LP   | -          | -           | -            | -           | -          |
| XII                     | SE BA        | -          | 8,0         | 40,0         | 52,0        | -          |
| XIII                    | San Luis     | -          | 38,0        | 43,0         | 19,0        | -          |
| XIV                     | Cuenca Sal   | -          | -           | -            | -           | -          |
| XV                      | Others       | -          | -           | -            | -           | -          |
| <b>National</b>         |              | <b>-</b>   | <b>4,1</b>  | <b>39,3</b>  | <b>55,7</b> | <b>0,9</b> |
| <b>Nat.May 30, 2018</b> |              | <b>0,5</b> | <b>35,9</b> | <b>50,8</b>  | <b>9,4</b>  | <b>3,4</b> |

## Late Corn Mature: as of May 29, 2019

| Regions         |              | May 30, 2018 % | May 22, 2019 % | May 29, 2019 % | 2013/2018 Average % |
|-----------------|--------------|----------------|----------------|----------------|---------------------|
| I               | NOA          | -              | -              | -              | -                   |
| II              | NEA          | -              | -              | -              | -                   |
| III             | Ctro N Cba   | 100,0          | 95,0           | 98,0           | 100,0               |
| IV              | S Cba        | 100,0          | 98,0           | 100,0          | 100,0               |
| V               | Ctro N SFe   | 96,5           | 78,0           | 85,0           | 85,0                |
| VI              | Núcleo Norte | 100,0          | 85,0           | 88,0           | 85,0                |
| VII             | Núcleo Sur   | 100,0          | 92,0           | 95,0           | 95,0                |
| VIII            | Ctro E ER    | -              | -              | -              | -                   |
| IX              | N LP-OBA     | 100,0          | 95,0           | 97,0           | 98,0                |
| X               | Ctro Bs As   | 100,0          | 94,0           | 96,0           | 98,0                |
| XI              | SO BA-S LP   | -              | -              | -              | -                   |
| XII             | SE BA        | 95,1           | 75,0           | 82,0           | 80,0                |
| XIII            | San Luis     | 98,5           | 80,0           | 84,0           | 85,0                |
| XIV             | Cuenca Sal   | -              | -              | -              | -                   |
| XV              | Others       | -              | -              | -              | -                   |
| <b>National</b> |              | <b>99,5</b>    | <b>92,3</b>    | <b>95,3</b>    | <b>96,4</b>         |

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Corn Condition: as of May 29, 2019

| Regions                  |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|--------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                        | NOA          | -              | 2,0         | 44,0        | 44,0        | 10,0           |
| II                       | NEA          | 6,0            | 25,0        | 36,0        | 30,0        | 3,0            |
| III                      | Ctro N Cba   | -              | -           | 36,0        | 46,0        | 18,0           |
| IV                       | S Cba        | -              | -           | 42,0        | 45,0        | 13,0           |
| V                        | Ctro N SFe   | -              | 2,0         | 48,0        | 42,0        | 8,0            |
| VI                       | Núcleo Norte | -              | 1,0         | 40,0        | 45,0        | 14,0           |
| VII                      | Núcleo Sur   | -              | -           | 43,0        | 45,0        | 12,0           |
| VIII                     | Ctro E ER    | -              | -           | -           | -           | -              |
| IX                       | N LP-OBA     | -              | -           | 42,9        | 43,1        | 14,0           |
| X                        | Ctro Bs As   | -              | -           | 47,6        | 43,2        | 9,3            |
| XI                       | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                      | SE BA        | -              | 4,1         | 43,1        | 46,6        | 6,2            |
| XIII                     | San Luis     | -              | 2,0         | 68,0        | 24,0        | 6,0            |
| XIV                      | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                       | Others       | -              | -           | -           | -           | -              |
| <b>National</b>          |              | <b>1,0</b>     | <b>5,1</b>  | <b>42,6</b> | <b>40,8</b> | <b>10,4</b>    |
| <b>Nat. May 30, 2018</b> |              | <b>33,8</b>    | <b>29,7</b> | <b>26,1</b> | <b>9,4</b>  | <b>1,0</b>     |

### Corn Moisture Condition: as of May 29, 2019

| Regions                  |              | Dry<br>%   | Poor<br>%   | Favourable<br>% | Optimum<br>% | Wet<br>%   |
|--------------------------|--------------|------------|-------------|-----------------|--------------|------------|
| I                        | NOA          | -          | -           | 45,0            | 53,0         | 2,0        |
| II                       | NEA          | -          | -           | 19,0            | 36,0         | 45,0       |
| III                      | Ctro N Cba   | -          | -           | 50,0            | 49,0         | 1,0        |
| IV                       | S Cba        | -          | 1,0         | 33,0            | 66,0         | -          |
| V                        | Ctro N SFe   | -          | -           | 20,0            | 76,0         | 4,0        |
| VI                       | Núcleo Norte | -          | -           | 35,0            | 62,0         | 3,0        |
| VII                      | Núcleo Sur   | -          | 2,0         | 41,0            | 55,0         | 2,0        |
| VIII                     | Ctro E ER    | -          | -           | -               | -            | -          |
| IX                       | N LP-OBA     | -          | 2,8         | 33,6            | 63,6         | -          |
| X                        | Ctro Bs As   | -          | 1,0         | 30,2            | 68,7         | 0,1        |
| XI                       | SO BA-S LP   | -          | -           | -               | -            | -          |
| XII                      | SE BA        | -          | 8,6         | 40,6            | 50,8         | -          |
| XIII                     | San Luis     | -          | 38,0        | 43,0            | 19,0         | -          |
| XIV                      | Cuenca Sal   | -          | -           | -               | -            | -          |
| XV                       | Others       | -          | -           | -               | -            | -          |
| <b>National</b>          |              | <b>-</b>   | <b>3,0</b>  | <b>36,4</b>     | <b>52,0</b>  | <b>8,5</b> |
| <b>Nat. May 30, 2018</b> |              | <b>2,0</b> | <b>33,6</b> | <b>49,5</b>     | <b>9,9</b>   | <b>5,0</b> |

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Grain Growth: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 100,0             | 100,0             | 100,0             | 100,0                  |
| II              | NEA          | 98,9              | 98,0              | 100,0             | 100,0                  |
| III             | Ctro N Cba   | 100,0             | 100,0             | 100,0             | 100,0                  |
| IV              | S Cba        | 100,0             | 100,0             | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VI              | Núcleo Norte | 100,0             | 100,0             | 100,0             | 100,0                  |
| VII             | Núcleo Sur   | 100,0             | 100,0             | 100,0             | 100,0                  |
| VIII            | Ctro E ER    | -                 | -                 | -                 | -                      |
| IX              | N LP-OBA     | 100,0             | 100,0             | 100,0             | 100,0                  |
| X               | Ctro Bs As   | 100,0             | 100,0             | 100,0             | 100,0                  |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIII            | San Luis     | 100,0             | 100,0             | 100,0             | 100,0                  |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>99,9</b>       | <b>99,8</b>       | <b>100,0</b>      | <b>100,0</b>           |

## Corn Mature: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | 71,2              | 85,0              | 95,0              | 95,1                   |
| II              | NEA          | 62,7              | 80,0              | 94,0              | 96,8                   |
| III             | Ctro N Cba   | 96,7              | 95,8              | 98,3              | 100,0                  |
| IV              | S Cba        | 98,7              | 98,4              | 100,0             | 100,0                  |
| V               | Ctro N SFe   | 78,9              | 85,7              | 90,3              | 90,9                   |
| VI              | Núcleo Norte | 97,6              | 98,1              | 98,4              | 96,9                   |
| VII             | Núcleo Sur   | 98,4              | 98,8              | 99,3              | 98,9                   |
| VIII            | Ctro E ER    | -                 | -                 | -                 | -                      |
| IX              | N LP-OBA     | 96,4              | 97,5              | 98,5              | 99,0                   |
| X               | Ctro Bs As   | 95,0              | 96,7              | 97,8              | 99,2                   |
| XI              | SO BA-S LP   | -                 | -                 | -                 | -                      |
| XII             | SE BA        | 89,2              | 87,5              | 91,0              | 96,7                   |
| XIII            | San Luis     | 91,0              | 84,0              | 87,2              | 89,2                   |
| XIV             | Cuenca Sal   | -                 | -                 | -                 | -                      |
| XV              | Others       | -                 | -                 | -                 | -                      |
| <b>National</b> |              | <b>90,3</b>       | <b>93,3</b>       | <b>96,9</b>       | <b>97,9</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Harvested: as of May 29, 2019

| Regions         |              | May 30, 2018<br>% | May 22, 2019<br>% | May 29, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-------------------|-------------------|-------------------|------------------------|
| I               | NOA          | -                 | -                 | -                 | 6,4                    |
| II              | NEA          | 3,0               | -                 | -                 | 9,1                    |
| III             | Ctro N Cba   | 22,9              | 20,2              | 21,5              | 20,4                   |
| IV              | S Cba        | 29,8              | 23,9              | 26,3              | 32,2                   |
| V               | Ctro N SFe   | 47,1              | 33,7              | 33,7              | 44,1                   |
| VI              | Núcleo Norte | 87,9              | 88,8              | 89,7              | 80,9                   |
| VII             | Núcleo Sur   | 84,1              | 86,8              | 87,6              | 76,8                   |
| VIII            | Ctro E ER    | 67,2              | 58,6              | 58,6              | 71,8                   |
| IX              | N LP-OBA     | 46,6              | 48,0              | 51,5              | 45,4                   |
| X               | Ctro Bs As   | 29,2              | 38,9              | 40,6              | 45,7                   |
| XI              | SO BA-S LP   | 29,5              | 37,9              | 39,3              | 44,2                   |
| XII             | SE BA        | 28,4              | 27,6              | 30,5              | 34,0                   |
| XIII            | San Luis     | 22,9              | 19,6              | 19,6              | 25,7                   |
| XIV             | Cuenca Sal   | 37,4              | 30,9              | 33,1              | 59,3                   |
| XV              | Others       | 48,7              | 65,0              | 67,0              | 38,3                   |
| <b>National</b> |              | <b>36,9</b>       | <b>36,1</b>       | <b>37,4</b>       | <b>39,7</b>            |