

# CROP CONDITION & DEVELOPMENT STAGES

---


JUNE, 19  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP CONDITION ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 19, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## Wheat

Season 2019/2020

### Wheat Planted: as of June 19, 2019

Regions	June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2014/2019 Average %
I NOA	92,0	81,3	97,5	86,4
II NEA	68,0	26,4	53,0	65,4
III Ctro N Cba	75,0	68,0	83,1	72,8
IV S Cba	60,0	39,1	55,0	51,2
V Ctro N SFe	62,0	27,5	45,0	51,6
VI Núcleo Norte	55,0	49,5	62,2	38,2
VII Núcleo Sur	31,0	23,3	39,4	23,2
VIII Ctro E ER	42,0	39,1	43,0	24,2
IX N LP-OBA	30,0	21,8	33,3	35,6
X Ctro Bs As	27,0	22,0	25,6	17,6
XI SO BA-S LP	23,0	14,4	27,6	22,0
XII SE BA	21,0	17,9	23,0	14,2
XIII San Luis	50,0	27,0	65,0	44,2
XIV Cuenca Sal	32,0	25,0	30,0	23,0
XV Others	80,0	24,0	68,0	57,4
<b>National</b>	<b>49,0</b>	<b>36,1</b>	<b>49,7</b>	<b>43,4</b>

### Wheat Condition: as of June 19, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	24,0	63,0	13,0
II NEA	-	3,0	50,0	47,0	-
III Ctro N Cba	-	-	35,0	63,0	2,0
IV S Cba	-	-	25,0	63,0	12,0
V Ctro N SFe	-	-	45,0	53,0	2,0
VI Núcleo Norte	-	-	39,0	43,0	18,0
VII Núcleo Sur	-	6,0	40,0	39,0	15,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	16,0	74,0	10,0
X Ctro Bs As	-	-	23,0	73,0	4,0
XI SO BA-S LP	-	-	27,0	59,0	14,0
XII SE BA	-	-	28,0	68,0	4,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>0,7</b>	<b>34,0</b>	<b>56,5</b>	<b>8,8</b>
<b>Nat. June 19, 2018</b>	<b>-</b>	<b>6,4</b>	<b>48,5</b>	<b>41,9</b>	<b>3,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	29,0	71,0	-
II	NEA	-	-	21,0	25,0	54,0
III	Ctro N Cba	-	-	22,0	78,0	-
IV	S Cba	-	-	21,0	79,0	-
V	Ctro N SFe	-	-	42,0	36,0	22,0
VI	Núcleo Norte	-	-	24,0	59,0	17,0
VII	Núcleo Sur	-	-	25,0	54,0	21,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	13,0	83,0	4,0
X	Ctro Bs As	-	-	33,0	39,0	28,0
XI	SO BA-S LP	-	-	34,0	66,0	-
XII	SE BA	-	-	66,0	31,0	3,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,0</b>	<b>27,6</b>	<b>59,4</b>	<b>12,9</b>
<b>Nat.June 19, 2018</b>		<b>3,9</b>	<b>17,4</b>	<b>49,0</b>	<b>26,8</b>	<b>2,9</b>

## First Soybean

Season 2018/2019

## First Soybean Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	38,0	35,0	21,0	6,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	26,0	22,0	37,0	15,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>36,8</b>	<b>33,7</b>	<b>22,7</b>	<b>6,9</b>	<b>-</b>
<b>Nat.June 19, 2018</b>		<b>41,8</b>	<b>28,9</b>	<b>22,1</b>	<b>7,2</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Moisture Condition: as of June 19, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	15,0	43,0	42,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	11,0	37,0	28,0	24,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>1,1</b>	<b>17,3</b>	<b>41,4</b>	<b>40,1</b>
<b>Nat. June 19, 2018</b>	<b>0,4</b>	<b>3,0</b>	<b>56,6</b>	<b>21,6</b>	<b>18,4</b>

## First Soybean Harvested: as of June 19, 2019

Regions	June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I NOA	99,0	92,0	100,0	84,4
II NEA	96,6	56,0	77,0	89,7
III Ctro N Cba	100,0	100,0	100,0	98,2
IV S Cba	100,0	100,0	100,0	97,0
V Ctro N SFe	100,0	96,0	98,0	97,0
VI Núcleo Norte	100,0	100,0	100,0	99,8
VII Núcleo Sur	99,9	100,0	100,0	99,3
VIII Ctro E ER	100,0	100,0	100,0	99,3
IX N LP-OBA	99,2	100,0	100,0	94,5
X Ctro Bs As	90,0	99,0	100,0	89,6
XI SO BA-S LP	97,8	100,0	100,0	83,8
XII SE BA	70,0	99,3	100,0	80,2
XIII San Luis	100,0	100,0	100,0	98,6
XIV Cuenca Sal	90,0	100,0	100,0	89,4
XV Others	100,0	100,0	100,0	100,0
<b>National</b>	<b>98,0</b>	<b>97,1</b>	<b>98,8</b>	<b>95,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean

### Second Soybean Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	39,0	31,0	21,0	9,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	43,0	34,0	23,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	25,0	43,0	32,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	40,0	37,0	23,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>19,9</b>	<b>34,1</b>	<b>29,0</b>	<b>17,0</b>	<b>-</b>
<b>Nat.June 19, 2018</b>		<b>57,5</b>	<b>25,1</b>	<b>13,7</b>	<b>3,7</b>	<b>-</b>

### Second Soybean Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	14,0	33,0	53,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	40,0	38,0	22,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	36,0	38,0	26,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	50,0	28,0	22,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>11,4</b>	<b>24,9</b>	<b>31,7</b>	<b>32,0</b>
<b>Nat.June 19, 2018</b>		<b>-</b>	<b>2,0</b>	<b>56,7</b>	<b>22,5</b>	<b>18,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Harvested: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	100,0	92,0	100,0	81,5
II	NEA	94,0	54,0	75,0	83,8
III	Ctro N Cba	100,0	98,5	100,0	96,9
IV	S Cba	99,5	100,0	100,0	95,3
V	Ctro N SFe	93,0	84,4	94,0	96,2
VI	Núcleo Norte	100,0	100,0	100,0	99,0
VII	Núcleo Sur	100,0	99,0	100,0	95,4
VIII	Ctro E ER	97,0	94,2	100,0	96,7
IX	N LP-OBA	95,0	98,0	100,0	88,1
X	Ctro Bs As	78,0	88,0	95,0	76,1
XI	SO BA-S LP	89,0	97,5	100,0	73,7
XII	SE BA	29,0	91,0	97,7	54,8
XIII	San Luis	100,0	100,0	100,0	92,0
XIV	Cuenca Sal	60,0	100,0	100,0	72,4
XV	Others	100,0	100,0	100,0	92,0
<b>National</b>		<b>88,5</b>	<b>93,9</b>	<b>98,0</b>	<b>84,9</b>

## Soybean

### Soybean Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	38,3	33,9	21,0	6,8	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	10,5	34,5	35,2	19,8	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	25,0	43,0	32,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	40,0	37,0	23,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>29,9</b>	<b>33,8</b>	<b>25,2</b>	<b>11,0</b>	<b>-</b>
<b>Nat. June 19, 2018</b>		<b>52,7</b>	<b>26,3</b>	<b>16,3</b>	<b>4,8</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	14,7	40,2	45,1
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	4,4	38,8	34,0	22,8
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	36,0	38,0	26,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>2,6</b>	<b>18,9</b>	<b>36,3</b>	<b>36,8</b>
<b>Nat. June 19, 2018</b>		<b>0,1</b>	<b>2,3</b>	<b>56,6</b>	<b>22,2</b>	<b>18,7</b>

## Soybean Harvested: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	99,4	92,0	100,0	83,8
II	NEA	95,8	55,5	76,5	88,6
III	Ctro N Cba	100,0	99,6	100,0	98,0
IV	S Cba	99,9	100,0	100,0	96,8
V	Ctro N SFe	98,1	92,2	96,7	96,8
VI	Núcleo Norte	100,0	100,0	100,0	99,7
VII	Núcleo Sur	99,9	99,8	100,0	98,8
VIII	Ctro E ER	99,6	98,8	100,0	98,9
IX	N LP-OBA	98,4	99,5	100,0	93,3
X	Ctro Bs As	85,4	93,8	97,7	85,5
XI	SO BA-S LP	92,6	98,3	100,0	78,7
XII	SE BA	51,4	94,8	98,7	69,7
XIII	San Luis	100,0	100,0	100,0	98,4
XIV	Cuenca Sal	65,5	100,0	100,0	81,9
XV	Others	100,0	100,0	100,0	98,7
<b>National</b>		<b>95,6</b>	<b>96,1</b>	<b>98,5</b>	<b>93,3</b>



## Early Corn

### Early Corn Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	39,0	51,0	10,0
II	NEA	1,0	16,0	46,0	35,0	2,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	40,0	51,0	9,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,6</b>	<b>9,6</b>	<b>43,2</b>	<b>41,4</b>	<b>5,2</b>
<b>Nat. June 19, 2018</b>		<b>20,3</b>	<b>25,9</b>	<b>36,8</b>	<b>15,4</b>	<b>1,5</b>

### Early Corn Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	36,0	62,0	2,0
II	NEA	-	-	31,0	50,0	19,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	46,0	48,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,3</b>	<b>33,4</b>	<b>54,3</b>	<b>12,0</b>
<b>Nat. June 19, 2018</b>		<b>10,2</b>	<b>26,2</b>	<b>54,8</b>	<b>6,3</b>	<b>2,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Mature: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>100,0</b>	<b>100,0</b>	<b>100,0</b>

## Early Corn Harvested: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	14,0	9,5	11,0	10,0
II	NEA	18,0	4,0	6,0	21,1
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,9
VII	Núcleo Sur	100,0	100,0	100,0	99,8
VIII	Ctro E ER	100,0	100,0	100,0	99,9
IX	N LP-OBA	98,0	98,0	100,0	94,0
X	Ctro Bs As	80,0	98,0	100,0	84,7
XI	SO BA-S LP	63,0	85,0	89,0	74,2
XII	SE BA	59,0	75,0	80,0	58,4
XIII	San Luis	100,0	100,0	100,0	97,0
XIV	Cuenca Sal	95,0	84,0	92,0	95,0
XV	Others	100,0	71,0	71,0	100,0
<b>National</b>		<b>67,5</b>	<b>66,9</b>	<b>68,3</b>	<b>82,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn

### Late Corn Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	35,0	50,0	15,0
IV	S Cba	-	0,5	43,0	47,5	9,0
V	Ctro N SFe	-	-	46,0	44,0	10,0
VI	Núcleo Norte	-	-	42,0	48,0	10,0
VII	Núcleo Sur	-	-	43,0	47,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	34,0	52,0	14,0
X	Ctro Bs As	-	-	43,0	50,0	7,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,0	47,0	45,0	5,0
XIII	San Luis	-	-	40,0	53,0	7,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,3</b>	<b>40,4</b>	<b>48,8</b>	<b>10,6</b>
<b>Nat. June 19, 2018</b>		<b>42,9</b>	<b>32,3</b>	<b>21,2</b>	<b>3,5</b>	<b>0,1</b>

### Late Corn Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	52,0	46,0	2,0
IV	S Cba	-	-	39,0	59,0	1,0
V	Ctro N SFe	-	-	33,0	66,0	1,0
VI	Núcleo Norte	-	-	35,0	61,0	4,0
VII	Núcleo Sur	-	-	50,0	46,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,0	58,0	-
X	Ctro Bs As	-	-	37,0	62,0	1,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	52,0	40,0	2,0
XIII	San Luis	-	-	30,0	70,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,3</b>	<b>42,0</b>	<b>56,1</b>	<b>1,3</b>
<b>Nat. June 19, 2018</b>		<b>0,4</b>	<b>31,9</b>	<b>55,0</b>	<b>10,0</b>	<b>2,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Mature: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	98,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>99,9</b>	<b>100,0</b>	<b>100,0</b>

## Late Corn Harvested: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	32,0	14,0	15,0	20,6
IV	S Cba	36,0	15,0	16,0	23,8
V	Ctro N SFe	30,0	5,0	7,0	21,2
VI	Núcleo Norte	60,0	40,0	45,0	31,0
VII	Núcleo Sur	62,0	25,0	28,0	33,0
VIII	Ctro E ER	65,0	-	-	42,6
IX	N LP-OBA	30,0	30,0	33,0	26,8
X	Ctro Bs As	25,0	-	8,0	25,2
XI	SO BA-S LP	-	-	3,0	15,0
XII	SE BA	-	-	1,0	1,2
XIII	San Luis	31,0	-	8,0	28,8
XIV	Cuenca Sal	20,0	-	2,0	37,0
XV	Others	-	-	-	-
<b>National</b>		<b>32,5</b>	<b>12,8</b>	<b>15,4</b>	<b>24,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Corn Condition: as of June 19, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	39,0	51,0	10,0
II	NEA	1,0	16,0	46,0	35,0	2,0
III	Ctro N Cba	-	-	35,0	50,0	15,0
IV	S Cba	-	0,5	43,0	47,5	9,0
V	Ctro N SFe	-	-	46,0	44,0	10,0
VI	Núcleo Norte	-	-	42,0	48,0	10,0
VII	Núcleo Sur	-	-	43,0	47,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	34,0	52,0	14,0
X	Ctro Bs As	-	-	43,0	50,0	7,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	2,5	45,9	46,0	5,7
XIII	San Luis	-	-	40,0	53,0	7,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,2</b>	<b>3,2</b>	<b>41,3</b>	<b>46,5</b>	<b>8,9</b>
<b>Nat.June 19, 2018</b>		<b>34,8</b>	<b>30,0</b>	<b>26,8</b>	<b>7,8</b>	<b>0,6</b>

### Corn Moisture Condition: as of June 19, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	36,0	62,0	2,0
II	NEA	-	-	31,0	50,0	19,0
III	Ctro N Cba	-	-	52,0	46,0	2,0
IV	S Cba	-	-	39,0	59,0	1,0
V	Ctro N SFe	-	-	33,0	66,0	1,0
VI	Núcleo Norte	-	-	35,0	61,0	4,0
VII	Núcleo Sur	-	-	50,0	46,0	4,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,0	58,0	-
X	Ctro Bs As	-	-	37,0	62,0	1,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	51,0	41,3	1,7
XIII	San Luis	-	-	30,0	70,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,3</b>	<b>39,3</b>	<b>55,6</b>	<b>4,6</b>
<b>Nat.June 19, 2018</b>		<b>3,9</b>	<b>29,9</b>	<b>54,9</b>	<b>8,6</b>	<b>2,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Mature: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	99,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>100,0</b>	<b>100,0</b>	<b>100,0</b>

## Corn Harvested: as of June 19, 2019

Regions		June 19, 2018 %	June 12, 2019 %	June 19, 2019 %	2013/2018 Average %
I	NOA	15,0	9,5	11,0	10,0
II	NEA	10,4	4,0	6,0	21,1
III	Ctro N Cba	28,6	26,6	27,5	31,1
IV	S Cba	47,5	31,6	32,4	44,3
V	Ctro N SFe	42,6	37,1	38,4	50,5
VI	Núcleo Norte	88,5	92,1	92,8	84,3
VII	Núcleo Sur	88,0	88,6	89,1	83,1
VIII	Ctro E ER	76,2	58,6	58,6	79,7
IX	N LP-OBA	53,6	63,6	66,1	58,9
X	Ctro Bs As	59,5	43,3	48,6	60,3
XI	SO BA-S LP	59,2	41,8	45,3	57,4
XII	SE BA	73,0	36,9	39,9	49,0
XIII	San Luis	36,0	19,6	26,1	46,3
XIV	Cuenca Sal	74,0	37,1	41,8	76,8
XV	Others	79,0	71,0	71,0	70,2
<b>National</b>		<b>48,6</b>	<b>42,3</b>	<b>44,2</b>	<b>50,3</b>