

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 12
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino
dventurino@bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa
sconsoleinsua@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December, 11 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

Season 2019/2020

First Soybean Planted: as of December 11, 2019

Regions	December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I NWA	26,0	1,0	7,0	12,8
II NEA	17,0	1,5	10,0	9,6
III NCnt Cba	93,0	54,3	73,7	79,2
IV S Cba	100,0	80,0	90,0	91,2
V NCnt SFe	90,0	70,0	95,7	78,6
VI North Belt	98,0	100,0	100,0	98,4
VII South Belt	99,0	97,6	100,0	97,8
VIII ECnt ER	94,0	82,3	96,6	95,2
IX N LP-W BA	97,0	90,0	96,7	94,4
X Cnt BA	98,0	80,0	90,0	92,2
XI SW BA-S LP	93,0	68,0	81,9	83,6
XII SE BA	91,0	72,0	89,9	87,4
XIII SL	97,0	60,0	78,0	85,2
XIV Cuenca Sal	87,0	58,0	78,3	87,6
XV Others	90,0	20,0	68,0	74,4
National	87,0	70,1	80,0	81,8

First Soybean Condition: as of December 11, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NWA	-	-	2,0	56,0	42,0
II NEA	-	-	11,0	55,0	34,0
III NCnt Cba	-	-	51,0	49,0	-
IV S Cba	-	-	47,0	53,0	-
V NCnt SFe	-	-	26,0	59,0	15,0
VI North Belt	-	-	18,0	74,0	8,0
VII South Belt	-	-	19,0	81,0	-
VIII ECnt ER	-	-	8,0	82,0	10,0
IX N LP-W BA	-	-	82,0	18,0	-
X Cnt BA	-	-	86,0	14,0	-
XI SW BA-S LP	-	-	91,0	9,0	-
XII SE BA	-	-	11,0	76,0	13,0
XIII SL	-	-	83,0	17,0	-
XIV Cuenca Sal	-	-	78,0	22,0	-
XV Others	-	-	5,0	81,0	14,0
National	-	-	37,9	57,5	4,5
Nat.Dec 12, 2018	1,3	15,1	63,3	20,3	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 11, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	12,0	88,0	-
II NEA	-	-	16,0	84,0	-
III NCnt Cba	-	18,0	67,0	15,0	-
IV S Cba	-	23,0	64,0	13,0	-
V NCnt SFe	-	8,0	43,0	49,0	-
VI North Belt	-	12,0	58,0	30,0	-
VII South Belt	-	15,0	64,0	21,0	-
VIII ECnt ER	-	1,0	38,0	61,0	-
IX N LP-W BA	-	17,0	69,0	14,0	-
X Cnt BA	-	16,0	53,0	31,0	-
XI SW BA-S LP	-	29,0	54,0	17,0	-
XII SE BA	-	27,0	34,0	16,0	-
XIII SL	-	26,0	74,0	-	-
XIV Cuenca Sal	-	23,0	62,0	15,0	-
XV Others	-	-	37,0	63,0	-
National	-	14,8	57,7	26,6	-
Nat.Dec 12, 2018	1,1	15,6	63,9	14,8	4,7

First Soybean Leaf Development: as of December 11, 2019

Regions	December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	-	-	-	-
III NCnt Cba	-	-	-	-
IV S Cba	-	-	-	-
V NCnt SFe	-	-	-	-
VI North Belt	62,0	78,0	89,0	61,0
VII South Belt	65,0	67,0	88,0	72,2
VIII ECnt ER	-	-	-	-
IX N LP-W BA	-	-	-	-
X Cnt BA	-	-	-	-
XI SW BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	44,6	43,2	55,5	50,2

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	-	-	-	-
VI	North Belt	15,0	3,0	13,0	15,8
VII	South Belt	10,0	-	9,0	12,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		5,3	0,6	4,2	7,4

Second Soybean

Second Soybean Planted: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	0,4
II	NEA	-	-	-	4,0
III	NCnt Cba	40,0	2,0	8,1	38,4
IV	S Cba	17,0	5,0	16,0	19,0
V	NCnt SFe	43,0	10,0	35,7	40,8
VI	North Belt	70,0	30,0	68,9	68,4
VII	South Belt	46,0	7,0	34,7	38,0
VIII	ECnt ER	46,0	12,0	48,3	41,0
IX	N LP-W BA	9,0	2,0	14,3	17,8
X	Cnt BA	10,0	-	20,5	12,6
XI	SW BA-S LP	-	0,3	6,0	5,4
XII	SE BA	-	-	-	2,6
XIII	SL	-	-	-	20,0
XIV	Cuenca Sal	-	-	-	6,4
XV	Others	-	-	-	16,0
National		28,0	4,8	12,7	23,8

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	17,0	0,7	4,6	11,0
II	NEA	12,0	1,1	7,4	7,2
III	NCnt Cba	79,0	38,3	53,7	69,4
IV	S Cba	80,0	60,4	70,6	78,6
V	NCnt SFe	74,0	47,6	73,3	69,2
VI	North Belt	89,0	75,6	89,1	92,0
VII	South Belt	86,0	73,6	82,7	88,8
VIII	ECnt ER	84,0	64,7	84,5	87,4
IX	N LP-W BA	76,0	65,7	73,9	76,6
X	Cnt BA	56,0	36,9	52,6	63,0
XI	SW BA-S LP	29,0	19,3	27,3	27,0
XII	SE BA	41,0	29,8	37,2	47,2
XIII	SL	92,0	57,0	74,1	79,2
XIV	Cuenca Sal	31,0	30,1	40,7	49,0
XV	Others	46,0	14,3	48,5	50,8
National		69,0	49,3	61,3	67,4

Early Corn

Early Corn Planted: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	3,0
II	NEA	-	-	-	6,8
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	100,0
XI	SW BA-S LP	100,0	90,0	100,0	100,0
XII	SE BA	100,0	95,0	100,0	98,0
XIII	SL	100,0	100,0	100,0	98,0
XIV	Cuenca Sal	100,0	100,0	100,0	99,0
XV	Others	100,0	21,0	21,0	100,0
National		67,0	73,9	74,3	80,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 11, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	8,0	45,0	44,0	3,0
IV	S Cba	-	9,0	42,0	49,0	-
V	NCnt SFe	-	15,0	44,0	41,0	-
VI	North Belt	-	6,0	47,0	43,0	4,0
VII	South Belt	-	5,0	46,0	48,0	1,0
VIII	ECnt ER	-	22,0	56,0	22,0	-
IX	N LP-W BA	-	8,0	55,0	37,0	-
X	Cnt BA	-	2,0	47,0	51,0	-
XI	SW BA-S LP	-	15,0	53,0	32,0	-
XII	SE BA	-	5,0	51,0	44,0	-
XIII	SL	-	15,0	48,0	37,0	-
XIV	Cuenca Sal	-	8,0	54,0	38,0	-
XV	Others	-	5,0	44,0	46,0	5,0
National		-	8,2	48,7	41,8	1,3
Nat.Dec 12, 2018		0,9	7,7	40,6	43,6	7,2

Early Corn Moisture Condition: as of December 11, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	1,0	29,0	58,0	12,0	-
IV	S Cba	-	30,0	59,0	11,0	-
V	NCnt SFe	-	23,0	55,0	22,0	-
VI	North Belt	-	31,0	53,0	16,0	-
VII	South Belt	-	32,0	54,0	14,0	-
VIII	ECnt ER	-	43,0	49,0	8,0	-
IX	N LP-W BA	-	42,0	48,0	10,0	-
X	Cnt BA	-	29,0	57,0	14,0	-
XI	SW BA-S LP	5,0	45,0	42,0	8,0	-
XII	SE BA	2,0	47,0	41,0	10,0	-
XIII	SL	-	32,0	52,0	16,0	-
XIV	Cuenca Sal	-	41,0	50,0	9,0	-
XV	Others	-	15,0	45,0	40,0	-
National		0,4	34,6	52,2	12,9	-
Nat.Dec 12, 2018		0,7	16,0	56,3	23,9	3,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	100,0	100,0	100,0	84,2
IV	S Cba	100,0	100,0	100,0	87,8
V	NCnt SFe	100,0	100,0	100,0	91,4
VI	North Belt	100,0	100,0	100,0	96,0
VII	South Belt	100,0	100,0	100,0	96,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	100,0	100,0	92,0
X	Cnt BA	100,0	100,0	100,0	96,4
XI	SW BA-S LP	-	-	-	-
XII	SE BA	95,0	92,0	96,0	83,0
XIII	SL	100,0	95,0	99,0	82,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		71,3	73,6	74,1	65,2

Early Corn Pollination: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	28,0	18,0	28,0	30,0
IV	S Cba	18,0	9,0	27,0	35,0
V	NCnt SFe	97,0	75,0	92,0	88,8
VI	North Belt	66,0	35,0	63,0	63,8
VII	South Belt	44,0	15,0	32,0	46,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	6,0	1,0	10,0	18,6
X	Cnt BA	1,0	2,0	9,0	8,8
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	4,0	4,0	8,0	7,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		28,4	14,8	26,3	27,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	14,0	5,0	10,0	13,8
IV	S Cba	5,0	-	7,0	15,6
V	NCnt SFe	92,0	51,0	78,0	77,6
VI	North Belt	51,0	15,0	39,0	45,6
VII	South Belt	14,0	2,0	12,0	17,8
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	2,0	-	1,0	4,8
X	Cnt BA	-	-	-	1,2
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	2,0	-	-	0,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,2	6,5	14,1	15,6

Late Corn

Late Corn Planted: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	15,0	3,0	12,0	17,4
IV	S Cba	25,0	9,0	30,0	23,8
V	NCnt SFe	-	-	3,0	4,8
VI	North Belt	16,0	5,0	30,0	23,8
VII	South Belt	24,0	4,0	18,0	33,8
VIII	ECnt ER	3,0	-	2,0	15,2
IX	N LP-W BA	25,0	9,0	30,0	37,0
X	Cnt BA	40,0	8,0	29,0	49,8
XI	SW BA-S LP	35,0	8,0	32,0	48,0
XII	SE BA	36,0	7,0	38,0	46,2
XIII	SL	20,0	8,0	30,0	29,8
XIV	Cuenca Sal	25,0	7,0	29,0	36,2
XV	Others	-	-	-	-
National		21,0	5,9	22,1	22,2

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of December 11, 2019

Regions	December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I NWA	2,0	-	-	2,8
II NEA	2,0	-	-	7,4
III NCnt Cba	28,0	26,3	33,1	29,4
IV S Cba	40,0	32,7	48,2	43,4
V NCnt SFe	35,0	45,0	46,7	38,8
VI North Belt	89,0	94,3	95,8	86,6
VII South Belt	89,0	93,3	94,3	86,4
VIII ECnt ER	61,0	65,0	65,7	69,4
IX N LP-W BA	62,0	68,2	75,5	69,8
X Cnt BA	67,0	66,9	74,4	73,0
XI SW BA-S LP	68,0	66,0	74,8	81,2
XII SE BA	68,0	67,5	78,3	84,6
XIII SL	36,0	31,9	48,2	44,6
XIV Cuenca Sal	59,0	67,5	75,2	71,4
XV Others	100,0	21,0	21,0	58,4
National	47,0	48,7	54,7	50,2

Sunflower

Sunflower Planted: as of December 11, 2019

Regions	December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	100,0	100,0	100,0	100,0
VII South Belt	100,0	100,0	100,0	100,0
VIII ECnt ER	100,0	100,0	100,0	100,0
IX N LP-W BA	100,0	95,0	100,0	100,0
X Cnt BA	100,0	100,0	100,0	100,0
XI SW BA-S LP	100,0	96,0	100,0	99,0
XII SE BA	100,0	100,0	100,0	99,6
XIII SL	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	100,0	100,0	100,0
XV Others	100,0	100,0	100,0	100,0
National	100,0	98,8	100,0	99,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Condition: as of December 11, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	31,0	57,0	12,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	31,0	55,0	14,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	8,0	53,0	39,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	15,0	57,0	28,0	-
XII	SE BA	-	-	44,0	54,0	2,0
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	6,0	46,0	48,0	-
XV	Others	-	-	-	-	-
National		-	4,6	43,4	47,0	5,0
Nat.Dec 12, 2018		2,4	13,7	41,7	36,8	5,3

Sunflower Moisture Condition: as of December 11, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	3,0	48,0	47,0	2,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	42,0	56,0	2,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	8,0	50,0	42,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	13,0	72,0	15,0	-
XII	SE BA	-	2,0	55,0	43,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	6,0	53,0	41,0	-
XV	Others	-	-	-	-	-
National		-	5,1	54,6	39,6	0,7
Nat.Dec 12, 2018		1,2	14,9	55,5	24,6	3,8

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	90,0	93,0	96,6
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	82,0	69,0	90,0	84,8
XII	SE BA	95,0	88,0	96,0	91,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	100,0	97,0	100,0	96,8
XV	Others	-	-	-	-
National		95,3	89,5	96,4	91,7

Sunflower Flowerbud Stage: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	35,0	23,0	39,0	40,4
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	1,6
XII	SE BA	-	-	-	7,4
XIII	SL	-	-	-	-
XIV	Cuenca Sal	23,0	19,0	34,0	29,6
XV	Others	-	-	-	-
National		45,1	38,8	42,2	42,3

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	95,0	84,0	95,0	98,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	1,0
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		38,7	32,1	34,2	33,1

Sunflower Seed Development: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	91,0	65,0	79,0	93,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	55,0	44,0	56,0	56,6
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		29,3	18,8	23,2	25,2

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of December 11, 2019

Regions		December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	42,0	28,0	39,0	46,4
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	28,0	14,0	23,0	22,8
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		13,9	7,4	10,7	12,2

Wheat

Wheat Condition: as of December 11, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	15,0	44,0	41,0	-	-
IV	S Cba	32,0	54,0	14,0	-	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	8,0	39,0	53,0	-	-
VII	South Belt	16,0	40,0	44,0	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	25,0	53,0	22,0	-	-
X	Cnt BA	24,0	55,0	21,0	-	-
XI	SW BA-S LP	49,0	51,0	-	-	-
XII	SE BA	12,0	40,0	47,0	1,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		23,2	46,0	29,8	0,9	-
Nat.Dec 12, 2018		4,3	20,0	39,8	31,1	4,7

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of December 11, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	-	-	-
II NEA	-	-	-	-	-
III NCnt Cba	10,0	37,0	51,0	2,0	-
IV S Cba	15,0	37,0	46,0	2,0	-
V NCnt SFe	-	-	-	-	-
VI North Belt	4,0	23,0	52,0	21,0	-
VII South Belt	5,0	22,0	40,0	33,0	-
VIII ECnt ER	-	-	-	-	-
IX N LP-W BA	14,0	43,0	43,0	-	-
X Cnt BA	13,0	29,0	55,0	3,0	-
XI SW BA-S LP	38,0	49,0	13,0	-	-
XII SE BA	10,0	30,0	52,0	8,0	-
XIII SL	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	14,8	34,0	42,3	8,9	-
Nat.Dec 12, 2018	1,4	13,1	53,6	29,9	2,0

Wheat Ripening: as of December 11, 2019

Regions	December 12, 2018 %	December 4, 2019 %	December 11, 2019 %	2014/2019 Average %
I NWA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	95,0
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	100,0	100,0	100,0	99,0
VII South Belt	100,0	100,0	100,0	97,4
VIII ECnt ER	-	-	-	-
IX N LP-W BA	85,0	73,0	88,0	89,2
X Cnt BA	75,0	59,0	73,0	78,0
XI SW BA-S LP	67,0	62,0	77,0	78,8
XII SE BA	71,0	56,0	71,0	71,8
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	91,6	87,6	92,5	92,2

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of December 11, 2019

Regions		December 12, 2018	December 4, 2019	December 11, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	86,0	100,0	98,4
IV	S Cba	96,0	67,0	84,0	85,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	91,0	76,0	91,0	92,8
VII	South Belt	81,0	59,0	78,0	82,8
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	46,0	27,0	45,0	60,2
X	Cnt BA	37,0	21,0	40,0	43,0
XI	SW BA-S LP	31,0	17,0	34,0	38,8
XII	SE BA	29,0	19,0	31,0	33,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		75,2	61,9	74,4	75,6

Wheat Harvested: as of December 11, 2019

Regions		December 12, 2018	December 4, 2019	December 11, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	85,0	60,9	92,7	91,0
IV	S Cba	56,0	34,4	59,3	60,2
V	NCnt SFe	100,0	93,9	100,0	99,0
VI	North Belt	75,0	75,6	89,0	84,6
VII	South Belt	60,0	25,7	51,3	66,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	28,0	5,7	29,2	27,6
X	Cnt BA	7,0	1,3	23,2	10,0
XI	SW BA-S LP	3,0	2,8	20,3	2,2
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		57,4	46,0	61,3	50,1