

CROP CONDITION & DEVELOPMENT STAGES


JANUARY, 4
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through January 3, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Wheat

Wheat Condition: as of January 3, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	20,0	70,0	10,0	-
X Ctro Bs As	-	23,0	62,0	15,0	-
XI SO BA-S LP	-	30,0	55,0	15,0	-
XII SE BA	-	8,0	25,0	67,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	15,2	36,5	48,3	0,0

Wheat Moisture Condition: as of January 3, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	15,0	50,0	35,0	-
X Ctro Bs As	-	20,0	75,0	5,0	-
XI SO BA-S LP	-	55,0	40,0	5,0	-
XII SE BA	-	30,0	60,0	10,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	36,1	54,8	9,1	-

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	96,0	90,0	100,0	95,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	95,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		99,6	98,7	100,0	98,8

Wheat Mature: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	95,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	97,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	68,0	100,0	100,0
X	Ctro Bs As	99,0	54,0	100,0	90,0
XI	SO BA-S LP	93,0	24,0	95,0	85,0
XII	SE BA	86,0	25,0	90,0	80,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		97,6	79,0	98,4	89,8

CROP CONDITION & DEVELOPMENT STAGES

Wheat Harvested: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	97,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	80,0	97,0	97,2
X Ctro Bs As	95,0	70,0	92,0	86,4
XI SO BA-S LP	90,0	42,0	72,0	80,0
XII SE BA	65,0	15,0	56,0	54,6
XIII San Luis	100,0	100,0	100,0	99,6
XIV Cuenca Sal	100,0	75,0	95,0	86,8
XV Others	100,0	100,0	100,0	96,8
National	94,9	81,3	91,6	88,2

Sunflower

Sunflower Condition: as of January 3, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	12,0	8,0	30,0	35,0	15,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	30,0	15,0	45,0	10,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	50,0	50,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	33,3	50,0	16,7	-
XII SE BA	-	-	7,0	61,0	32,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	100,0	-	-
XV Others	-	-	-	-	-
National	1,6	14,0	33,7	37,2	13,5

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of January 3, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	10,0	60,0	30,0	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	80,0	20,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	16,7	83,3	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	66,7	33,3	-	-
XII SE BA	-	28,6	71,4	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	15,0	80,0	5,0	-
XV Others	-	-	-	-	-
National	1,4	36,5	58,2	3,9	-

Sunflower Flowerbud Stage: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	73,0	49,0	78,0	75,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	61,0	12,0	53,0	57,3
XII SE BA	58,0	25,0	56,0	60,6
XIII San Luis	-	-	-	-
XIV Cuenca Sal	82,0	41,0	74,0	88,0
XV Others	-	-	-	-
National	76,1	53,6	75,1	72,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	35,0	16,0	40,0	36,6
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	16,0	-	15,0	15,5
XII SE BA	33,0	-	29,0	35,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	28,0	-	22,0	25,0
XV Others	-	-	-	-
National	56,1	39,0	53,4	45,4

Sunflower Seed Development: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	100,0	93,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	75,0	61,0	80,0	73,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	8,0	-	12,0	10,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	3,0	-	-	5,0
XV Others	-	-	-	-
National	31,8	29,5	35,1	23,2

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	84,0	69,0	87,0	85,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	58,0	42,0	60,0	56,3
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	24,0	21,2	27,9	17,7

Sunflower Harvested: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	42,0	15,0	45,0	42,4
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	5,0	2,0	12,0	12,4
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	8,5	3,5	11,4	7,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Planted: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	60,0	3,0	12,0	30,0
II	NEA	61,0	4,0	7,0	33,6
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	90,0
National		93,0	67,8	69,6	85,9

Early Corn Condition: as of January 3, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	100,0	-	-	-
II	NEA	-	-	100,0	-	-
III	Ctro N Cba	33,3	50,0	16,7	-	-
IV	S Cba	-	42,9	14,3	42,8	-
V	Ctro N SFe	30,0	25,0	15,0	5,0	25,0
VI	Núcleo Norte	33,3	-	50,0	16,7	-
VII	Núcleo Sur	-	14,1	42,9	43,0	-
VIII	Ctro E ER	-	33,3	33,3	33,4	-
IX	N LP-OBA	-	16,7	33,3	33,3	16,7
X	Ctro Bs As	-	50,0	33,3	16,7	-
XI	SO BA-S LP	-	40,0	40,0	20,0	-
XII	SE BA	-	-	-	100,0	-
XIII	San Luis	-	-	-	100,0	-
XIV	Cuenca Sal	-	30,0	20,0	50,0	-
XV	Others	-	-	100,0	-	-
National		11,3	21,4	34,0	30,1	3,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of January 3, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	100,0	-	-	-
II	NEA	-	-	100,0	-	-
III	Ctro N Cba	-	57,1	28,6	14,3	-
IV	S Cba	-	57,1	42,9	-	-
V	Ctro N SFe	-	66,7	33,3	-	-
VI	Núcleo Norte	-	-	71,4	28,6	-
VII	Núcleo Sur	-	42,9	57,1	-	-
VIII	Ctro E ER	-	50,0	50,0	-	-
IX	N LP-OBA	-	50,0	50,0	-	-
X	Ctro Bs As	-	42,9	57,1	-	-
XI	SO BA-S LP	-	80,0	20,0	-	-
XII	SE BA	-	-	100,0	-	-
XIII	San Luis	-	-	100,0	-	-
XIV	Cuenca Sal	-	50,0	50,0	-	-
XV	Others	-	-	100,0	-	-
National		-	36,1	56,7	7,2	-

Early Corn Leaf Development: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		85,2	66,6	68,1	89,8

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	75,0	55,0	85,0	96,7
IV	S Cba	81,0	60,0	95,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	80,0	100,0	100,0
VII	Núcleo Sur	94,0	72,0	92,0	96,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	80,0	48,0	78,0	86,3
X	Ctro Bs As	76,0	22,2	69,0	75,8
XI	SO BA-S LP	-	-	-	-
XII	SE BA	28,0	-	22,0	33,3
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,2	38,6	55,2	76,0

Early Corn Silking: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	55,0	15,0	60,0	70,0
IV	S Cba	68,0	29,0	68,0	77,1
V	Ctro N SFe	100,0	90,0	100,0	100,0
VI	Núcleo Norte	82,0	42,0	81,0	83,3
VII	Núcleo Sur	80,0	33,0	78,0	81,7
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	68,0	15,0	61,0	73,0
X	Ctro Bs As	45,0	5,0	32,0	50,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	3,0	-	1,0	5,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		52,4	19,8	42,2	61,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Grain Growth: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	30,0	7,0	30,0	33,3
VI	Núcleo Norte	5,0	-	4,0	10,7
VII	Núcleo Sur	2,0	-	2,0	4,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	1,0	1,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		3,0	0,3	2,7	5,9

Late Corn

Late Corn Planted: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	40,0	-	-	11,2
II	NEA	32,0	-	-	14,8
III	Ctro N Cba	75,0	38,0	91,0	78,6
IV	S Cba	80,0	60,0	94,0	88,0
V	Ctro N SFe	60,0	11,0	23,0	39,6
VI	Núcleo Norte	80,0	56,0	95,0	87,0
VII	Núcleo Sur	90,0	53,0	83,0	89,4
VIII	Ctro E ER	85,0	15,0	85,0	74,2
IX	N LP-OBA	90,0	75,0	92,0	91,0
X	Ctro Bs As	95,0	81,0	93,0	96,6
XI	SO BA-S LP	90,0	85,0	92,0	92,0
XII	SE BA	91,0	65,0	93,0	92,6
XIII	San Luis	90,0	60,0	94,0	89,0
XIV	Cuenca Sal	89,0	66,0	93,0	95,4
XV	Others	85,0	27,0	32,0	60,0
National		72,9	53,5	87,6	73,5

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	50,0	3,0	12,0	22,7
II NEA	46,5	4,0	7,0	28,5
III Ctro N Cba	78,8	47,3	92,4	84,1
IV S Cba	86,0	68,0	95,2	92,7
V Ctro N SFe	72,0	42,2	50,0	69,6
VI Núcleo Norte	97,0	93,4	99,3	97,7
VII Núcleo Sur	98,5	90,6	96,6	97,6
VIII Ctro E ER	94,8	66,0	94,0	92,7
IX N LP-OBA	96,0	87,5	96,0	96,1
X Ctro Bs As	97,5	88,6	95,8	99,0
XI SO BA-S LP	96,5	94,0	96,8	97,8
XII SE BA	98,2	86,0	97,2	98,8
XIII San Luis	92,0	68,0	95,2	93,3
XIV Cuenca Sal	95,6	79,6	95,8	98,8
XV Others	91,0	56,2	59,2	72,6
National	82,9	61,2	77,9	81,2

First Soybean

First Soybean Planted: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	75,0	4,0	25,0	55,8
II NEA	65,0	9,5	30,0	53,8
III Ctro N Cba	100,0	86,0	100,0	99,8
IV S Cba	100,0	97,0	100,0	100,0
V Ctro N SFe	99,0	90,0	99,0	94,2
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	97,5	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	96,0	100,0	98,4
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	93,0	100,0	100,0	98,6
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	95,7	84,9	91,3	93,2

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Condition: as of January 3, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	30,0	45,0	25,0	-
IV S Cba	-	10,0	60,0	30,0	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	10,0	90,0	-
VII Núcleo Sur	-	-	42,0	58,0	-
VIII Ctro E ER	-	-	33,3	66,7	-
IX N LP-OBA	-	15,0	20,0	65,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	30,0	70,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,1	9,0	38,4	52,6	-

First Soybean Moisture Condition: as of January 3, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	50,0	33,0	17,0	-
IV S Cba	-	20,0	80,0	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	45,0	55,0	-
VII Núcleo Sur	-	40,0	60,0	-	-
VIII Ctro E ER	-	25,0	75,0	-	-
IX N LP-OBA	-	15,0	85,0	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	5,0	90,0	5,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,1	26,8	61,5	11,6	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Leaf Development: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	92,0	81,0	91,0	90,0
IV	S Cba	78,0	86,0	86,0	71,0
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	100,0	91,0	100,0	100,0
VII	Núcleo Sur	100,0	88,0	100,0	100,0
VIII	Ctro E ER	97,0	90,0	98,0	100,0
IX	N LP-OBA	95,0	66,0	90,0	95,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	88,0	77,0	92,0	90,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		84,9	78,5	83,5	83,4

First Soybean Beginning Bloom: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	58,0	50,0	57,0	55,0
IV	S Cba	30,0	10,0	44,0	26,0
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	61,0	33,3	65,0	58,2
VII	Núcleo Sur	63,0	12,0	55,0	70,0
VIII	Ctro E ER	53,0	13,0	50,0	46,0
IX	N LP-OBA	48,0	8,0	35,0	49,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	2,9
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		42,9	17,5	41,3	43,1

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Pod: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	15,0	-	12,0	16,0
IV S Cba	-	-	-	-
V Ctro N SFe	-	-	-	-
VI Núcleo Norte	8,0	-	8,0	4,0
VII Núcleo Sur	-	-	-	1,2
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	5,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	3,6	-	2,6	5,8

Second Soybean

Second Soybean Planted: as of January 3, 2018

Regions	January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I NOA	58,0	-	30,0	48,8
II NEA	60,0	1,0	20,0	58,8
III Ctro N Cba	78,0	45,0	98,0	93,4
IV S Cba	85,0	70,0	93,0	93,4
V Ctro N SFe	80,5	45,0	85,0	81,6
VI Núcleo Norte	90,0	70,0	99,0	96,4
VII Núcleo Sur	82,0	45,0	90,0	94,6
VIII Ctro E ER	93,0	70,0	98,0	94,4
IX N LP-OBA	85,0	30,0	94,0	82,2
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	48,0	6,0	75,0	57,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	76,9	36,6	78,5	76,2

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of January 3, 2018

Regions		January 4, 2017 %	December 20, 2017 %	January 3, 2018 %	2012/2017 Average %
I	NOA	72,1	2,6	26,8	53,8
II	NEA	63,9	5,4	26,8	53,3
III	Ctro N Cba	95,5	67,3	99,4	98,7
IV	S Cba	98,0	78,5	98,5	99,2
V	Ctro N SFe	94,0	68,2	94,7	91,8
VI	Núcleo Norte	98,3	88,8	99,7	99,5
VII	Núcleo Sur	97,6	83,5	98,0	99,3
VIII	Ctro E ER	99,1	87,9	99,7	99,3
IX	N LP-OBA	96,2	63,3	98,7	94,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	93,2	49,9	88,1	83,9
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		92,9	63,5	87,5	90,3