

# CROP CONDITION & DEVELOPMENT STAGES

---


NOVEMBER, 7  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)

## CROP CONDITION ANALYST

Sofía Console Insúa  
[sconsoleinsua@bc.org.ar](mailto:sconsoleinsua@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through November, 6 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## First Soybean

Season 2019/2020

### First Soybean Planted: as of November 6, 2019

Regions	November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I NWA	-	-	-	-
II NEA	-	-	-	-
III NCnt Cba	8,0	0,9	1,7	6,2
IV S Cba	20,0	0,8	10,8	15,2
V NCnt SFe	5,0	1,5	5,6	7,6
VI North Belt	23,0	9,0	41,0	33,8
VII South Belt	25,0	10,0	23,2	24,2
VIII ECnt ER	9,0	0,7	10,0	16,8
IX N LP-W BA	15,0	5,0	11,4	18,4
X Cnt BA	20,0	3,0	13,0	15,2
XI SW BA-S LP	1,0	0,5	1,5	3,8
XII SE BA	3,0	-	1,5	5,4
XIII SL	5,0	-	-	12,4
XIV Cuenca Sal	7,0	-	8,0	12,6
XV Others	3,0	-	-	14,0
<b>National</b>	<b>14,0</b>	<b>3,6</b>	<b>13,1</b>	<b>16,0</b>

## Early Corn

### Early Corn Planted: as of November 6, 2019

Regions	November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I NWA	-	-	-	-
II NEA	-	-	-	-
III NCnt Cba	100,0	93,0	100,0	100,0
IV S Cba	100,0	95,0	100,0	100,0
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	100,0	98,0	100,0	100,0
VII South Belt	100,0	98,0	100,0	100,0
VIII ECnt ER	100,0	100,0	100,0	100,0
IX N LP-W BA	100,0	90,0	97,0	100,0
X Cnt BA	92,0	80,0	85,0	95,8
XI SW BA-S LP	90,0	25,0	50,0	83,0
XII SE BA	70,0	35,0	45,0	69,6
XIII SL	100,0	90,0	100,0	91,0
XIV Cuenca Sal	97,0	75,0	100,0	94,4
XV Others	100,0	15,0	15,0	100,0
<b>National</b>	<b>65,0</b>	<b>65,6</b>	<b>69,6</b>	<b>76,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Condition: as of November 6, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	1,0	40,0	47,0	12,0
IV	S Cba	-	5,0	60,0	35,0	-
V	NCnt SFe	-	-	33,0	53,0	14,0
VI	North Belt	-	3,0	47,0	41,0	9,0
VII	South Belt	-	2,0	42,0	47,0	9,0
VIII	ECnt ER	-	-	35,0	49,0	16,0
IX	N LP-W BA	-	11,0	61,0	28,0	-
X	Cnt BA	-	3,0	59,0	38,0	-
XI	SW BA-S LP	-	15,0	59,0	26,0	-
XII	SE BA	-	9,0	62,0	28,0	1,0
XIII	SL	-	21,0	56,0	23,0	-
XIV	Cuenca Sal	-	11,0	63,0	26,0	-
XV	Others	-	-	43,0	50,0	7,0
<b>National</b>		<b>-</b>	<b>4,8</b>	<b>49,3</b>	<b>39,5</b>	<b>6,5</b>
<b>Nat. Nov 7, 2018</b>		<b>1,3</b>	<b>13,7</b>	<b>48,4</b>	<b>31,9</b>	<b>4,8</b>

## Early Corn Moisture Condition: as of November 6, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	25,0	54,0	21,0	-
IV	S Cba	2,0	41,0	49,0	8,0	-
V	NCnt SFe	-	1,0	38,0	53,0	8,0
VI	North Belt	-	3,0	63,0	34,0	-
VII	South Belt	-	14,0	51,0	32,0	3,0
VIII	ECnt ER	-	-	38,0	54,0	8,0
IX	N LP-W BA	-	-	-	-	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	-	-	-	-
XII	SE BA	-	35,0	49,0	16,0	-
XIII	SL	9,0	40,0	44,0	7,0	-
XIV	Cuenca Sal	-	33,0	46,0	21,0	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>1,3</b>	<b>19,7</b>	<b>49,8</b>	<b>27,7</b>	<b>1,5</b>
<b>Nat. Nov 7, 2018</b>		<b>0,7</b>	<b>19,9</b>	<b>59,7</b>	<b>17,1</b>	<b>2,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Leaf Development: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	92,0	69,0	81,0	79,8
IV	S Cba	94,0	72,0	83,0	83,2
V	NCnt SFe	100,0	92,0	100,0	91,4
VI	North Belt	98,0	86,0	95,0	93,6
VII	South Belt	96,0	78,0	89,0	94,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	82,0	47,0	59,0	61,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>63,6</b>	<b>50,5</b>	<b>58,3</b>	<b>56,8</b>

## Early Corn Pollination: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	6,0	-	6,0	21,2
VI	North Belt	-	-	-	4,0
VII	South Belt	-	-	-	1,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>0,2</b>	<b>-</b>	<b>0,2</b>	<b>1,6</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower

### Sunflower Planted: as of November 6, 2019

Regions	November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I NWA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	100,0	100,0	100,0	97,0
IV S Cba	100,0	34,0	81,0	79,0
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	100,0	100,0	100,0	98,0
VII South Belt	95,0	79,0	89,0	82,4
VIII ECnt ER	100,0	100,0	100,0	100,0
IX N LP-W BA	75,0	29,5	47,5	62,6
X Cnt BA	68,0	18,3	62,0	66,2
XI SW BA-S LP	50,0	9,3	31,4	38,0
XII SE BA	60,0	35,5	57,5	48,2
XIII SL	80,0	22,0	43,6	70,0
XIV Cuenca Sal	75,0	37,0	64,3	67,0
XV Others	100,0	100,0	100,0	95,0
<b>National</b>	<b>77,0</b>	<b>50,9</b>	<b>66,5</b>	<b>65,1</b>

### Sunflower Condition: as of November 6, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NWA	-	-	-	-	-
II NEA	-	1,0	45,0	48,0	6,0
III NCnt Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V NCnt SFe	-	1,0	43,0	49,0	7,0
VI North Belt	-	-	-	-	-
VII South Belt	-	-	-	-	-
VIII ECnt ER	-	-	-	-	-
IX N LP-W BA	-	3,0	50,0	47,0	-
X Cnt BA	-	-	-	-	-
XI SW BA-S LP	-	10,0	52,0	38,0	-
XII SE BA	-	-	40,0	54,0	6,0
XIII SL	-	-	-	-	-
XIV Cuenca Sal	-	-	44,0	52,0	4,0
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>1,9</b>	<b>44,3</b>	<b>48,7</b>	<b>5,1</b>
<b>Nat. Nov 7, 2018</b>	<b>-</b>	<b>2,1</b>	<b>42,6</b>	<b>45,3</b>	<b>10,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Moisture Condition: as of November 6, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	44,0	52,0	4,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	38,0	53,0	9,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	2,0	52,0	46,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	2,0	21,0	60,0	17,0	-
XII	SE BA	-	5,0	47,0	48,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	43,0	52,0	5,0
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,2</b>	<b>3,8</b>	<b>45,7</b>	<b>46,7</b>	<b>3,6</b>
<b>Nat. Nov 7, 2018</b>		<b>0,4</b>	<b>19,4</b>	<b>50,5</b>	<b>29,3</b>	<b>0,5</b>

## Sunflower Leaf Development: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	38,0	7,0	25,0	32,2
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	25,0	1,0	13,0	18,2
XII	SE BA	32,0	2,0	20,0	22,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	46,0	5,0	20,0	37,5
XV	Others	-	-	-	-
<b>National</b>		<b>59,5</b>	<b>36,2</b>	<b>46,5</b>	<b>49,5</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowerbud Stage: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	88,0	54,0	69,0	85,4
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	58,0	38,0	51,0	63,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	2,4
XV	Others	-	-	-	-
<b>National</b>		<b>30,0</b>	<b>15,5</b>	<b>20,4</b>	<b>25,1</b>

## Sunflower Flowering Stage: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2013/2018 Average %
I	NWA	-	-	-	-
II	NEA	56,0	23,0	36,0	58,2
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	23,0	7,0	21,0	25,2
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>16,5</b>	<b>5,2</b>	<b>9,7</b>	<b>14,3</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Wheat

### Wheat Condition: as of November 6, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	6,0	19,0	51,0	24,0	-
II	NEA	-	6,0	44,0	49,0	1,0
III	NCnt Cba	16,0	31,0	40,0	13,0	-
IV	S Cba	26,0	45,0	29,0	-	-
V	NCnt SFe	-	7,0	42,0	47,0	4,0
VI	North Belt	8,0	26,0	48,0	18,0	-
VII	South Belt	11,0	27,0	47,0	15,0	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	24,0	41,0	30,0	5,0	-
X	Cnt BA	16,0	39,0	43,0	2,0	-
XI	SW BA-S LP	45,0	54,0	1,0	-	-
XII	SE BA	10,0	41,0	42,0	7,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>14,6</b>	<b>31,1</b>	<b>38,4</b>	<b>15,5</b>	<b>0,3</b>
<b>Nat.Nov 7, 2018</b>		<b>2,8</b>	<b>16,4</b>	<b>37,3</b>	<b>35,1</b>	<b>8,5</b>

### Wheat Moisture Condition: as of November 6, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	9,0	32,0	50,0	9,0	-
II	NEA	-	5,0	49,0	46,0	-
III	NCnt Cba	8,0	23,0	51,0	18,0	-
IV	S Cba	14,0	33,0	37,0	16,0	-
V	NCnt SFe	-	-	44,0	47,0	9,0
VI	North Belt	-	7,0	55,0	38,0	-
VII	South Belt	-	-	44,0	48,0	8,0
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	8,0	33,0	45,0	14,0	-
X	Cnt BA	-	22,0	49,0	29,0	-
XI	SW BA-S LP	33,0	45,0	22,0	-	-
XII	SE BA	5,0	28,0	47,0	20,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>6,4</b>	<b>18,7</b>	<b>43,8</b>	<b>28,4</b>	<b>2,7</b>
<b>Nat.Nov 7, 2018</b>		<b>2,4</b>	<b>26,6</b>	<b>45,9</b>	<b>23,9</b>	<b>1,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Steam Extension: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2014/2019 Average %
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	97,0
XI	SW BA-S LP	100,0	92,0	100,0	90,4
XII	SE BA	100,0	97,0	100,0	90,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>100,0</b>	<b>99,0</b>	<b>100,0</b>	<b>97,9</b>

## Wheat Heading: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2014/2019 Average %
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	97,8
IV	S Cba	100,0	77,0	93,0	83,6
V	NCnt SFe	100,0	95,0	100,0	100,0
VI	North Belt	100,0	87,0	100,0	94,4
VII	South Belt	100,0	78,0	99,0	88,8
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	77,0	49,0	68,0	76,8
X	Cnt BA	78,0	46,0	64,0	66,8
XI	SW BA-S LP	69,0	40,0	61,0	65,4
XII	SE BA	71,0	45,0	63,0	61,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>91,1</b>	<b>75,5</b>	<b>87,4</b>	<b>85,1</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Ripening: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2014/2019 Average %
I	NWA	100,0	92,0	100,0	93,4
II	NEA	100,0	78,0	87,0	85,8
III	NCnt Cba	61,0	41,0	58,0	62,0
IV	S Cba	49,0	19,0	36,0	37,2
V	NCnt SFe	62,0	52,0	70,0	72,4
VI	North Belt	49,0	29,0	47,0	56,4
VII	South Belt	36,0	19,0	34,0	32,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	4,0	-	11,0	14,8
X	Cnt BA	6,0	-	8,0	7,4
XI	SW BA-S LP	2,0	-	2,0	12,6
XII	SE BA	4,0	-	1,0	8,2
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>42,5</b>	<b>28,8</b>	<b>40,4</b>	<b>44,3</b>

## Wheat Mature: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2014/2019 Average %
I	NWA	86,0	72,0	84,0	74,6
II	NEA	75,0	52,0	66,0	67,6
III	NCnt Cba	25,0	8,0	25,0	25,4
IV	S Cba	24,0	-	8,0	14,8
V	NCnt SFe	37,0	24,0	36,0	39,6
VI	North Belt	9,0	1,0	11,0	16,0
VII	South Belt	8,0	-	5,0	5,6
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	4,0
X	Cnt BA	-	-	-	0,4
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>21,3</b>	<b>11,3</b>	<b>18,7</b>	<b>19,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Harvested: as of November 6, 2019

Regions		November 7, 2018 %	October 30, 2019 %	November 6, 2019 %	2014/2019 Average %
I	NWA	72,0	31,9	67,9	62,0
II	NEA	68,0	21,3	33,3	56,8
III	NCnt Cba	5,0	-	-	5,3
IV	S Cba	-	-	-	-
V	NCnt SFe	15,0	-	5,4	15,6
VI	North Belt	1,0	-	-	0,4
VII	South Belt	-	-	-	-
VIII	ECnt ER	1,0	-	-	0,2
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	13,0
<b>National</b>		<b>11,3</b>	<b>3,5</b>	<b>7,1</b>	<b>7,5</b>