



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati ecopati@bc.org.ar

CROP ANALYST

Ing. Martin López martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Sofía Console Insúa sconsoleinsua@bc.org.ar Soybean

Matías Mihura mmihura@bc.org.ar Corn


María Victoria De Carli mdecarli@bc.org.ar Wheat & Sunflower

CONTACT

Av. Corrientes 123 C1043AAB - CABA

Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2408-4344t



I - NWA (North-West Argentina)

II - NEA (North-East Argentina)

III - North-Central Córdoba

IV - South Córdoba

V - North-Central Santa Fe

VI - North Belt

VII - South Belt

VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos

X - Central Buenos Aires

XI - South-West de Buenos Aires - South La Pampa

XII - South-East Buenos Aires

XIII - San Luis


XIV - Cuenca del Salado

XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.



RECENT ADVERSE EVENTS





METHODOLOGY


Findings of the survey conducted through September 23, 2020. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to



CORN 2020/21









Regional participation in the total national area (%)																	
Regions	III	IV	Ш	IX	VI	VII	1	X	VIII	XIII	XII	V	XI	XIV	XV		
Nat. Part. 2019/20	14,3	12,3	11,3	11,0	9,5	7,3	6,4	5,3	5,3	4,7	3,8	3,8	2,7	1,9	0,5		
Hist. Nat. Part.	14,5	12,4	11,3	10,6	10,1	7,9	6,6	5,1	4,3	4,7	3,5	3,8	2,7	1,9	0,5		
Moisture co	ondition	, Crop c	onditio	n & Dev	elopme	nt stage	.s							Week	39		
										i.			ے				
Regions	ons Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaf Development	Pollination	Silking	Grain Growth	Mature	Harvested		
			20,	/21		-		-	-	-	-	-	-	-	-		
I - NOA						19/20 15/20 Average		-		-		-	-	-	-	-	-
				/21	-		-		-	-	-	-	-	-	-		
II - NEA			19/20		-			-		-	-	-	-	-	-		
			15/20 Average				-		-	-	-	-	-	-	-		
III - CN Cba			20,	/21	40,0			-	0,8	-	-	-	-	-	-		
				/20		90,0		-		-	-	-	-	-	-		
			15/20 Average			-	-		4,6	-	-	-	-	-	-		
IV - S Cba				/21	50,0		-		1,1	-	-	-	-	-	-		
				/20	66,0		-		2,0	-	-	-	-	-	-		
			15/20 Average 20/21		- 00.0			-	5,0						-		
VI - Núcleo					80,0			-	56,1	-	-	-	-	-	-		
Norte			19/20 15/20 Average		71,0			-	65,0	-	-	-	-	-	-		
				/21	85,0			-	48,2 38,7	-	-	-	-	-	-		
VII -						85,0		-	50,0	-	-	-	-	-	-		
Núcleo Sur				19/20 15/20 Average				-		_	_	-	_	_	-		
				/21	100,0			-	40,4 23,6	-	-	-	-	-	_		
VIII - CE E.				/20	80,0			_	44,0	_	_	_	_	_	_		
Rios			15/20 Average		-			_	52,8	_	_	_	_	_	_		
				/21		85,0		-	2,4	-	-	-	-	-	-		
IX - N LP - S				/20		39,0		-	5,0	-	-	-	-	-	-		
BA				Average			-		9,0	-	-	-	-	-	-		
				/21		90,0		-	1,6	-	-	-	-	-	-		
X - Ctro BA			19,	/20		51,0		-	3,0	-	-	-	-	-	-		
			15/20/	Average		-	-		5,4	-	-	-	-	-	-		
				/21		-		-	-	-	-	-	-	-	-		
XII - SE BA				/20		-		-	-	-	-	-	-	-	-		
				Average		-		-	-	-	-	-			-		
XIII - San				/21		100,0		-	1,1	-	-	-	-	-	-		
Luis				/20		61,0		-	1,0	-	-	-	-	-	-		
				Average		- 02.2		05.6	3,4	_	-	_			-		
Nasta I				/21		82,3		95,6	11,0	1.0	-	-	-	-	-		
National				/20		76,0		92,8	16,0	1,0	-	-	-	-	-		
			15/20/	Average		-		-	14,2	3,2	-	-	-	-	-		





EARLY CORN 2020/21


Regional p	1		e total		_	_									
Regions	Ш	VI		VII	IX	Х	VIII	XII	Ш	IV	V	XI	XIV	XIII	XV
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9
	loisture condition, Crop condition & Development stages													Week	39
		•								14			ر		
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaf Development	Pollination	Silking	Grain Growth	Mature	Harvested
			20/21		-		-		-	-	-	-	-	-	-
I - NOA				/20	-		-		-	-	-	-	-	-	-
			15/20 Average		-		-		-	-	-	-	-	-	-
			20/21 19/20 15/20 Average		-			-		-	-	-	-	-	-
II - NEA								-	-	-	-	-			_
					40,0			-	8,0	-	-	-	-	-	
III - CN Cba				/21 /20		90,0		-	11,0	-	-	-	-	-	_
				Average	-			_	28,8	_	_				_
IV - S Cba				/21	50,0			-	9,0	-	-	-	-	-	-
			19/20			66,0		-	6,0	-	-	-	-	-	-
			ı	Average				-	19,4	-	-	_	_	-	-
VI - Núcleo			20/21 19/20		80,0 71,0			-	66,0	-	-	-	-	-	-
								-	71,0	-	-	-	-	-	-
Norte				Average				-	56,8	-	-	-	-	-	-
VII -				/21	85,0		-		45,0	-	-	-	-	-	-
Núcleo Sur			19/20 15/20 Average 20/21		80,0			-	54,0	-	-	-	-	-	-
								-	48,4	-	-	-	-	-	-
VIII - CE E.						100,0		-	62,0 67,0	-	-	-	-	-	-
Rios				19/20		80,0		-		-	-	-	-	-	-
			15/20 Average 20/21		85,0		-		80,6 6,0		-	-	-	-	
IX - N LP - S						39,0		_	8,0	_	_	_	_	_	_
BA			19/20 15/20 Average		39,0		_		15,8	_	_	_	_	_	_
				/21		90,0		-	4,0	-	-	-	-	-	-
X - Ctro BA				/20		51,0		-	4,0	-	-	-	-	-	-
			ı	Average		-	_		11,0	-	-	_	_	_	-
				/21		-		-	-	-	-	-	-	-	-
XII - SE BA			19,	/20		-		-	-	-	-	-	-	-	-
				Average		_		_	-	-	-	-	-	-	-
				/21		82,3		95,6	22,0	-	-	-	-	-	-
National			ı	/20		76,0		92,8	26,0	2,0	-	-	-	-	-
			15/20	Average	1	-		-	27,8	5,0	-	_	-	-	-



SUNFLOWER 2020/21












Regional participation in the total national area (%)																			
Regions	XII	XI	V	IX	XIV	X	III	IV	XIII	VI	VII	VIII	XV	III	1				
Nat. Part. 2019/20	28,2	26,8	12,5	10,0	7,1	5,0	4,6	1,5	1,4	0,8	0,6	0,5	0,6	0,4	0,0				
Hist. Nat. Part.	22,0	21,8	14,2	7,6	5,6	3,6	20,4	1,3	1,4	0,6	0,5	0,4	0,4	0,3	0,0				
Moisture condition, Crop condition & Development stages									Week 39										
Regions	Adverse event						Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaf Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested
II - NEA	Dro	ught	20/21 it 19/20 15/20 Aver		- 89,0		54,0 96,0		100,0 100,0 100,0	75,0 83,0 92,2	9,0 1,0 8,4	-	-	-	-				
V - CN S Fe			20/21 19/20 15/20 Average		20,0 94,0 -		94,0 100,0 -		94,3 100,0 99,0	49,0 59,0 70,0	-	-	-	-	-				
IX - N LP - S BA			20/21 19/20 15/20 Average		-		-		1,0	-	-	-	-	-	-				
IX - N LP - S BA		20/2 19/2		/21	-		-		1,0	-	-	-	- - -	-	-				
XI - SO BA - S LP			20/21 - 19/20 - 15/20 Average -			-	-	- - -	- - -	- - -	- - -	- - -	-						
XII - SE BA				/21 /20	-				- - 0,4	-	-	-	-	-	- - -				
XIV - Cuenca Sal.				/21 /20	-		-		-	- - -	- - -	- - -	- - -	- - -	-				
National	ional			/21 /20 Average	15,9 91,2		83,0 97,7		17,2 35,0 33.0	9,6 24,0 26.4	0,4 - 1.8	-	-	-	-				



WHEAT 2020/21









Regional r	Regional participation in the total national area (%)														
Regions	VI	Ш	XII	VII	ΧI	IX	V	IV	Ш	1	Х	VIII	XIV	XV	XIII
Nat. Part.	VI		AII	VII	ΛI	IA	·	IV	-	•	^	VIII	AIV	AV	AIII
2019/20	13,1	7,9	11,0	10,0	9,8	9,2	7,7	5,7	5,6	6,2	6,1	5,1	2,0	0,4	0,2
Hist. Nat. Part.	13,3	11,6	9,7	9,5	9,3	8,3	6,9	6,6	6,8	6,1	5,3	4,6	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages Week														39	
Regions		lverse Season event		son	Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
			20,			-	-		100,0	100,0	100,0	91,0	31,0	11,0	-
I - NOA	Dro	ught		/20		66,0		72,0	100,0	100,0	100,0	85,0	31,0 11,0 - 20,0 26,2 3,0 - 16,0 13,2 1,0 1,4 1,4 1,4 1,4 1,4		
				0 Average		-		-	100,0	100,0	100,0	91,8	•	3,0	-
			20,			-		-	100,0	100,0	95,0	56,0	6,0 - 13,2 - 1,0 -		-
II - NEA	Dro	ught	19/20		78,0		82,0		100,0	100,0	89,0	48,0			-
			15/20 Average				-		100,0	100,0	96,2	67,4	13,2	-	-
III - CN Cba			20,			-		-	100,0	100,0	77,0	30,0	-	-	-
	Dro	ught	19/20		82,0			88,0	100,0	100,0	85,0	23,0		-	-
			15/20 /			-		-	100,0	100,0	89,0	36,4	1,0	-	-
			20,			-	20,0		100,0	100,0	66,0	15,0	-	-	-
IV - S Cba	Dro	ught	19,	/20		73,0		79,0	100,0	100,0	57,0	10,0	-	-	-
			15/20		-			-	100,0	100,0	68,2	18,4	-	-	-
			20,			20,0		62,0	100,0	100,0	83,0	33,0	-	-	-
V - CN S Fe				/20		92,0		82,0	100,0	100,0	74,0	29,0	-	-	-
				Average	-		- 10.5		100,0	100,0	84,8	44,4	1,4	-	-
VI - Núcleo			20,		10,0			40,0	100,0	100,0	66,0	10,0	-	-	-
Norte				/20		90,0		88,0	100,0	100,0	60,0	8,0	-	-	-
			15/20		-			-	100,0	100,0	78,8	32,6	-	-	-
VII - Núcleo			20,			63,0		47,0	100,0	100,0	59,0	8,0	-	-	-
Sur	Dise	ases		/20		79,0		87,0	100,0	100,0	43,0	7,0	-	-	-
			15/20 /				-		100,0	100,0	63,4	16,6	-	-	-
IX - N LP - S			20,			30,0		85,0	100,0	98,0	35,0	-	-	-	-
BA				19/20		65,0		73,0	100,0	97,0	30,0	-	-	-	-
				verage		-	-		100,0	97,6	52,4	5,8	-	-	-
				/21		79,0		93,0	100,0	100,0	42,0	-	-	-	-
X - Ctro BA				/20		70,0		89,0	100,0	90,0	20,0	-	-	-	-
				Average				-	100,0	97,0	34,6	2,8			-
XI - SO BA -				/21		81,0		92,0	100,0	96,0	25,0	-			-
SLP				/20		59,0	1	75,0	100,0	93,0	15,0	-	-	-	-
				Average					100,0	90,0	22,6	1,0	-	-	-
				/21		90,0		90,0	100,0	93,0	19,0	-	-	-	-
XII - SE BA				/20		71,0		82,0	100,0	89,0	10,0	-	-	-	-
				Average		-		-	100,0	88,4	27,0	4,0	-	-	-
				/21		41,3		55,5	100,0	98,7	57,1	17,5	2,8	0,7	-
National				/20		77,1	1	82,5	100,0 100,0	97,5	52,5	16,5	1,7	-	-
			15/20 /	Average	l	-	I	-		97,6	63,9	26,6	2,7	0,3	-