

# CROP CONDITION & DEVELOPMENT STAGES

---


DECEMBER, 5  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)

## CROP CONDITION ANALYST

Sofía Console Insúa  
[sconsoleinsua@bc.org.ar](mailto:sconsoleinsua@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December, 4 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## First Soybean

Season 2019/2020

### First Soybean Planted: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	5,0	-	1,0	3,8
II NEA	1,0	-	1,5	3,4
III NCnt Cba	64,0	27,0	54,3	59,8
IV S Cba	94,0	60,0	80,0	79,6
V NCnt SFe	48,0	70,0	70,0	58,6
VI North Belt	88,0	90,0	100,0	93,4
VII South Belt	94,0	89,5	97,6	94,8
VIII ECnt ER	77,0	69,5	82,3	86,6
IX N LP-W BA	95,0	80,0	90,0	85,8
X Cnt BA	85,0	69,5	80,0	80,6
XI SW BA-S LP	92,0	32,5	68,0	74,4
XII SE BA	75,0	49,7	72,0	75,4
XIII SL	90,0	38,0	60,0	77,0
XIV Cuenca Sal	55,0	43,5	58,0	75,0
XV Others	85,0	20,0	20,0	66,0
<b>National</b>	<b>73,0</b>	<b>58,3</b>	<b>70,1</b>	<b>72,4</b>

### First Soybean Condition: as of December 4, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NWA	-	-	-	50,0	50,0
II NEA	-	-	-	60,0	40,0
III NCnt Cba	-	-	48,0	52,0	-
IV S Cba	-	-	40,0	60,0	-
V NCnt SFe	-	-	12,0	66,0	22,0
VI North Belt	-	-	10,0	80,0	10,0
VII South Belt	-	-	15,0	85,0	-
VIII ECnt ER	-	-	-	85,0	15,0
IX N LP-W BA	-	-	80,0	20,0	-
X Cnt BA	-	-	84,0	16,0	-
XI SW BA-S LP	-	-	88,0	12,0	-
XII SE BA	-	-	-	82,0	18,0
XIII SL	-	-	61,0	39,0	-
XIV Cuenca Sal	-	-	80,0	20,0	-
XV Others	-	-	-	82,0	18,0
<b>National</b>	<b>-</b>	<b>-</b>	<b>31,8</b>	<b>62,8</b>	<b>5,4</b>
<b>Nat.Dec 5, 2018</b>	<b>2,0</b>	<b>15,2</b>	<b>56,4</b>	<b>26,3</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Moisture Condition: as of December 4, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	10,0	90,0	-
II NEA	-	-	12,0	88,0	-
III NCnt Cba	-	15,0	68,0	17,0	-
IV S Cba	-	16,0	66,0	18,0	-
V NCnt SFe	-	-	45,0	55,0	-
VI North Belt	-	2,0	62,0	36,0	-
VII South Belt	-	13,0	60,0	27,0	-
VIII ECnt ER	-	-	34,0	66,0	-
IX N LP-W BA	-	15,0	68,0	17,0	-
X Cnt BA	-	14,0	61,0	25,0	-
XI SW BA-S LP	-	25,0	68,0	7,0	-
XII SE BA	-	24,0	52,0	24,0	-
XIII SL	-	23,0	77,0	-	-
XIV Cuenca Sal	-	21,0	60,0	19,0	-
XV Others	-	-	32,0	68,0	-
<b>National</b>	<b>-</b>	<b>10,5</b>	<b>59,7</b>	<b>29,8</b>	<b>-</b>
<b>Nat.Dec 5, 2018</b>	<b>0,2</b>	<b>11,3</b>	<b>57,1</b>	<b>27,4</b>	<b>3,9</b>

## First Soybean Leaf Development: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	-	-	-	-
III NCnt Cba	-	-	-	-
IV S Cba	-	-	-	-
V NCnt SFe	-	-	-	-
VI North Belt	52,0	64,0	78,0	50,6
VII South Belt	-	-	-	-
VIII ECnt ER	-	-	-	-
IX N LP-W BA	-	-	-	-
X Cnt BA	-	-	-	-
XI SW BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>34,9</b>	<b>29,5</b>	<b>43,2</b>	<b>39,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn

### Early Corn Planted: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	3,0
II	NEA	-	-	-	6,8
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	100,0
XI	SW BA-S LP	100,0	90,0	100,0	100,0
XII	SE BA	100,0	95,0	100,0	98,0
XIII	SL	100,0	100,0	100,0	98,0
XIV	Cuenca Sal	100,0	100,0	100,0	99,0
XV	Others	100,0	21,0	21,0	100,0
<b>National</b>		<b>67,0</b>	<b>73,9</b>	<b>74,3</b>	<b>80,2</b>

### Early Corn Condition: as of December 4, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	1,0	37,0	54,0	8,0
IV	S Cba	-	3,0	49,0	45,0	3,0
V	NCnt SFe	-	1,0	36,0	53,0	10,0
VI	North Belt	-	1,0	37,0	52,0	10,0
VII	South Belt	-	1,0	37,0	53,0	9,0
VIII	ECnt ER	-	-	42,0	48,0	10,0
IX	N LP-W BA	-	3,0	55,0	42,0	-
X	Cnt BA	-	1,0	47,0	49,0	3,0
XI	SW BA-S LP	-	11,0	57,0	32,0	-
XII	SE BA	-	-	43,0	55,0	2,0
XIII	SL	-	15,0	44,0	41,0	-
XIV	Cuenca Sal	-	3,0	55,0	42,0	-
XV	Others	-	-	42,0	48,0	10,0
<b>National</b>		<b>-</b>	<b>2,1</b>	<b>43,2</b>	<b>48,8</b>	<b>5,9</b>
<b>Nat. Dec 5, 2018</b>		<b>0,9</b>	<b>8,2</b>	<b>41,0</b>	<b>41,7</b>	<b>8,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Moisture Condition: as of December 4, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	11,0	60,0	29,0	-
IV	S Cba	-	15,0	60,0	25,0	-
V	NCnt SFe	-	6,0	46,0	48,0	-
VI	North Belt	-	7,0	55,0	38,0	-
VII	South Belt	-	12,0	52,0	36,0	-
VIII	ECnt ER	-	8,0	48,0	43,0	1,0
IX	N LP-W BA	-	16,0	59,0	25,0	-
X	Cnt BA	-	15,0	61,0	24,0	-
XI	SW BA-S LP	-	22,0	60,0	18,0	-
XII	SE BA	-	15,0	50,0	35,0	-
XIII	SL	-	30,0	53,0	17,0	-
XIV	Cuenca Sal	-	21,0	54,0	25,0	-
XV	Others	-	10,0	46,0	44,0	-
<b>National</b>		<b>-</b>	<b>12,6</b>	<b>55,2</b>	<b>32,1</b>	<b>0,1</b>
<b>Nat.Dec 5, 2018</b>		<b>0,5</b>	<b>12,3</b>	<b>52,8</b>	<b>30,8</b>	<b>3,5</b>

## Early Corn Leaf Development: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	100,0	100,0	100,0	84,2
IV	S Cba	100,0	100,0	100,0	87,8
V	NCnt SFe	100,0	100,0	100,0	91,4
VI	North Belt	100,0	100,0	100,0	96,0
VII	South Belt	100,0	100,0	100,0	96,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	100,0	100,0	91,6
X	Cnt BA	96,0	98,0	100,0	94,2
XI	SW BA-S LP	-	-	-	-
XII	SE BA	77,0	80,0	92,0	74,4
XIII	SL	100,0	89,0	95,0	78,2
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>70,4</b>	<b>72,4</b>	<b>73,6</b>	<b>64,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Pollination: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	10,0	10,0	18,0	16,4
IV	S Cba	3,0	-	9,0	16,4
V	NCnt SFe	90,0	57,0	75,0	79,6
VI	North Belt	55,0	16,0	35,0	47,0
VII	South Belt	10,0	3,0	15,0	18,8
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	1,0	-	1,0	3,2
X	Cnt BA	-	-	2,0	2,8
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	1,0	-	4,0	4,2
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>18,6</b>	<b>6,9</b>	<b>14,8</b>	<b>16,6</b>

## Early Corn Silking: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	7,0	-	5,0	8,0
IV	S Cba	-	-	-	8,4
V	NCnt SFe	78,0	28,0	51,0	64,8
VI	North Belt	22,0	4,0	15,0	22,8
VII	South Belt	5,0	-	2,0	7,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	0,4
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>10,2</b>	<b>2,1</b>	<b>6,5</b>	<b>8,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn

### Late Corn Planted: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	8,0	-	3,0	6,0
IV	S Cba	12,0	-	9,0	10,0
V	NCnt SFe	-	-	-	3,6
VI	North Belt	3,0	-	5,0	5,4
VII	South Belt	7,0	-	4,0	8,4
VIII	ECnt ER	2,0	-	-	6,8
IX	N LP-W BA	10,0	-	9,0	19,0
X	Cnt BA	20,0	-	8,0	28,4
XI	SW BA-S LP	20,0	-	8,0	26,0
XII	SE BA	20,0	-	7,0	24,0
XIII	SL	8,0	-	8,0	14,8
XIV	Cuenca Sal	10,0	-	7,0	17,8
XV	Others	-	-	-	-
<b>National</b>		<b>10,0</b>	<b>-</b>	<b>5,9</b>	<b>9,4</b>

## Sunflower

### Sunflower Planted: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	100,0	92,9	95,0	100,0
X	Cnt BA	100,0	98,0	100,0	100,0
XI	SW BA-S LP	94,0	90,6	96,0	95,8
XII	SE BA	98,0	96,4	100,0	97,6
XIII	SL	100,0	100,0	100,0	99,8
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
<b>National</b>		<b>98,4</b>	<b>96,6</b>	<b>98,8</b>	<b>98,4</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Condition: as of December 4, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	33,0	56,0	11,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	35,0	53,0	12,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	6,0	52,0	42,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	12,0	56,0	32,0	-
XII	SE BA	-	2,0	45,0	52,0	1,0
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	4,0	45,0	51,0	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>4,0</b>	<b>44,1</b>	<b>47,6</b>	<b>4,3</b>
<b>Nat.Dec 5, 2018</b>		<b>0,8</b>	<b>10,4</b>	<b>44,6</b>	<b>39,4</b>	<b>4,8</b>

## Sunflower Moisture Condition: as of December 4, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	44,0	50,0	6,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	52,0	48,0	-
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	5,0	49,0	46,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	11,0	70,0	19,0	-
XII	SE BA	-	3,0	56,0	41,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	3,0	50,0	47,0	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>3,9</b>	<b>54,8</b>	<b>40,1</b>	<b>1,2</b>
<b>Nat.Dec 5, 2018</b>		<b>0,0</b>	<b>14,5</b>	<b>51,0</b>	<b>27,3</b>	<b>7,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Leaf Development: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	-	-	-	-
IV S Cba	-	-	-	-
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	-	-	-	-
VII South Belt	-	-	-	-
VIII ECnt ER	-	-	-	-
IX N LP-W BA	100,0	75,0	90,0	92,0
X Cnt BA	-	-	-	-
XI SW BA-S LP	77,0	50,0	69,0	76,4
XII SE BA	90,0	76,0	88,0	81,2
XIII SL	-	-	-	-
XIV Cuenca Sal	100,0	83,0	97,0	91,0
XV Others	-	-	-	-
<b>National</b>	<b>93,3</b>	<b>80,2</b>	<b>89,5</b>	<b>86,1</b>

## Sunflower Flowerbud Stage: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	-	-	-	-
IV S Cba	-	-	-	-
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	-	-	-	-
VII South Belt	-	-	-	-
VIII ECnt ER	-	-	-	-
IX N LP-W BA	28,0	-	23,0	27,0
X Cnt BA	-	-	-	-
XI SW BA-S LP	-	-	-	-
XII SE BA	-	-	-	0,8
XIII SL	-	-	-	-
XIV Cuenca Sal	15,0	6,0	19,0	18,4
XV Others	-	-	-	-
<b>National</b>	<b>43,6</b>	<b>35,5</b>	<b>38,8</b>	<b>37,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowering Stage: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	90,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	82,0	66,0	84,0	85,6
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>36,5</b>	<b>27,1</b>	<b>32,1</b>	<b>31,1</b>

## Sunflower Seed Development: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	75,0	48,0	65,0	81,8
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	48,0	26,0	44,0	44,8
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>24,5</b>	<b>12,9</b>	<b>18,8</b>	<b>21,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Mature: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	29,0	15,0	28,0	29,6
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	15,0	2,0	14,0	13,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>8,9</b>	<b>3,1</b>	<b>7,4</b>	<b>7,6</b>

## Wheat

### Wheat Condition: as of December 4, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	13,0	40,0	47,0	-	-
IV	S Cba	30,0	51,0	14,0	5,0	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	6,0	37,0	54,0	3,0	-
VII	South Belt	14,0	38,0	44,0	4,0	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	24,0	50,0	26,0	-	-
X	Cnt BA	22,0	53,0	25,0	-	-
XI	SW BA-S LP	47,0	53,0	-	-	-
XII	SE BA	10,0	38,0	46,0	6,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>20,8</b>	<b>44,0</b>	<b>31,5</b>	<b>3,8</b>	<b>-</b>
<b>Nat.Dec 5, 2018</b>		<b>5,1</b>	<b>17,5</b>	<b>41,7</b>	<b>30,5</b>	<b>5,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Moisture Condition: as of December 4, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	8,0	30,0	56,0	6,0	-
IV	S Cba	13,0	35,0	46,0	6,0	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	-	16,0	56,0	28,0	-
VII	South Belt	3,0	15,0	42,0	40,0	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	12,0	40,0	46,0	2,0	-
X	Cnt BA	11,0	26,0	55,0	8,0	-
XI	SW BA-S LP	36,0	48,0	16,0	-	-
XII	SE BA	6,0	26,0	52,0	16,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>11,5</b>	<b>30,2</b>	<b>44,0</b>	<b>14,3</b>	<b>-</b>
<b>Nat.Dec 5, 2018</b>		<b>0,2</b>	<b>10,8</b>	<b>47,3</b>	<b>37,9</b>	<b>3,8</b>

## Wheat Ripening: as of December 4, 2019

Regions		December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	99,2
IV	S Cba	100,0	87,0	100,0	89,6
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	96,2
VII	South Belt	99,0	84,0	100,0	90,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	66,0	61,0	73,0	73,0
X	Cnt BA	57,0	45,0	59,0	60,2
XI	SW BA-S LP	50,0	49,0	62,0	62,4
XII	SE BA	53,0	41,0	56,0	54,0
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>85,6</b>	<b>80,5</b>	<b>87,6</b>	<b>84,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Mature: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	93,0	68,0	86,0	87,4
IV S Cba	70,0	52,0	67,0	64,8
V NCnt SFe	96,0	84,0	100,0	97,2
VI North Belt	74,0	60,0	76,0	79,6
VII South Belt	63,0	42,0	59,0	61,4
VIII ECnt ER	-	-	-	-
IX N LP-W BA	28,0	15,0	27,0	42,8
X Cnt BA	20,0	7,0	21,0	24,4
XI SW BA-S LP	16,0	2,0	17,0	24,8
XII SE BA	15,0	3,0	19,0	21,8
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>62,3</b>	<b>48,4</b>	<b>61,9</b>	<b>64,0</b>

## Wheat Harvested: as of December 4, 2019

Regions	December 5, 2018 %	November 27, 2019 %	December 4, 2019 %	2014/2019 Average %
I NWA	100,0	100,0	100,0	100,0
II NEA	100,0	98,9	100,0	100,0
III NCnt Cba	63,0	38,8	60,9	72,6
IV S Cba	38,0	1,3	34,4	31,0
V NCnt SFe	90,0	66,2	93,9	91,4
VI North Belt	57,0	45,7	75,6	65,4
VII South Belt	29,0	4,5	25,7	34,2
VIII ECnt ER	-	-	-	-
IX N LP-W BA	8,0	-	5,7	7,2
X Cnt BA	-	-	1,3	0,8
XI SW BA-S LP	-	-	2,8	-
XII SE BA	-	-	-	-
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>44,4</b>	<b>31,1</b>	<b>46,0</b>	<b>38,1</b>