



CCDS

CROP CONDITION AND DEVELOPMENT STAGES

DECEMBER 7, 2022



DEPARTAMENT & REGIONS

CROP ANALYST

Ing. Martin López
martinlopez@bc.org.ar

CROP ANALYST

Ing. Daniela A. Venturino
dventurino@bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti
apaterniti@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES


Joaquín Pellejero
jpellejero@bc.org.ar

Agustín Podestá
apodesta@bc.org.ar

CONTACT

Av. Corrientes 123
 C1043AAB - CABA
 Tel.: +54 11 3221 7230
estimacionesagricolas@bc.org.ar
 Twitter: @BolsadeC_ETyM
 www.bolsadecereales.com


ISSN 2408-4344t



- | | |
|---------------------------------|--|
| I - NWA (North-West Argentina) | IX - North La Pampa - West Buenos Aires |
| II - NEA (North-East Argentina) | X - Central Buenos Aires |
| III - North-Central Córdoba | XI - South-West de Buenos Aires - South La Pampa |
| IV - South Córdoba | XII - South-East Buenos Aires |
| V - North-Central Santa Fe | XIII - San Luis |
| VI - North Belt | XIV - Cuenca del Salado |
| VII - South Belt | XV - Others |
| VIII - East-Central Entre Ríos | |

We appreciate the contribution of our Network of Collaborators throughout the country.




RECENT ADVERSE EVENTS



METHODOLOGY

Findings of the survey conducted through December 6, 2022. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

SOYBEAN 2022/23



Regional participation in the total national area (%)															
Regions	VII	VI	IX	III	II	IV	VIII	V	I	X	XII	XI	XIII	XIV	XV
Nat. Part. 2022/23	13,8	13,2	11,6	10,0	9,7	9,1	6,8	6,6	6,6	4,5	3,0	2,4	1,3	1,0	0,5
Hist. Nat. Part.	13,1	13,1	11,0	10,8	9,2	9,8	6,3	6,4	6,5	4,3	4,3	2,0	1,5	1,2	0,5




Moisture condition, Crop condition & Development stages												Week 50			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	50,0	100,0	2,8	-	-	-	-	-	-				
		17/22 Average	-	-	6,0	0,7	-	-	-	-	-				
II - NEA		22/23	69,0	90,0	3,0	-	-	-	-	-	-				
		21/22	36,0	100,0	7,5	-	-	-	-	-	-				
		17/22 Average	-	-	8,1	0,9	-	-	-	-	-				
III - NC Cba		22/23	56,0	78,0	20,2	10,3	-	-	-	-	-				
		21/22	41,0	88,5	49,2	19,6	1,6	-	-	-	-				
		17/22 Average	-	-	64,2	29,1	2,5	-	-	-	-				
IV - S Cba		22/23	74,0	84,0	70,3	25,7	-	-	-	-	-				
		21/22	49,6	94,2	80,2	46,8	-	-	-	-	-				
		17/22 Average	-	-	76,5	47,4	1,8	-	-	-	-				
V - NC S Fe		22/23	49,0	58,0	6,8	-	-	-	-	-	-				
		21/22	66,0	97,4	69,5	30,5	-	-	-	-	-				
		17/22 Average	-	-	67,7	30,4	2,4	-	-	-	-				
VI - North Belt	Pests	22/23	49,0	66,0	56,7	25,0	-	-	-	-	-				
		21/22	85,2	95,7	76,7	58,7	-	-	-	-	-				
		17/22 Average	-	-	83,9	57,0	8,9	-	-	-	-				
VII - South Belt	Weeds	22/23	60,8	72,0	53,9	25,0	-	-	-	-	-				
		21/22	88,3	100,0	79,0	55,7	4,2	-	-	-	-				
		17/22 Average	-	-	81,1	59,3	5,3	-	-	-	-				
VIII - CE E. Rios		22/23	59,6	75,0	31,5	9,9	-	-	-	-	-				
		21/22	77,8	98,2	76,4	30,9	-	-	-	-	-				
		17/22 Average	-	-	82,0	46,9	1,1	-	-	-	-				
IX - N LP - W BA	Weeds	22/23	79,1	84,0	62,3	22,5	-	-	-	-	-				
		21/22	65,8	93,3	75,5	51,7	0,7	-	-	-	-				
		17/22 Average	-	-	71,3	46,3	2,2	-	-	-	-				
X - C BA	Weeds	22/23	86,9	90,0	28,3	12,6	-	-	-	-	-				
		21/22	85,9	93,0	45,3	27,8	-	-	-	-	-				
		17/22 Average	-	-	47,4	26,2	0,1	-	-	-	-				
National		22/23	65,7	76,6	37,1	14,9	-	-	-	-	-				
		21/22	70,3	95,4	57,1	34,1	0,8	-	-	-	-				
		17/22 Average	-	-	61,4	37,2	2,7	-	-	-	-				

FIRST SOYBEAN 2022/23

Regional participation in the total national area (%)															
Regions	VII	VI	III	IX	IV	II	I	VIII	V	X	XIII	XII	XIV	XI	XV
Nat. Part. 2022/23	13,2	12,8	11,9	11,7	11,0	10,6	8,4	6,6	6,6	2,8	1,9	0,9	0,6	0,5	0,5
Hist. Nat. Part.	13,7	12,7	11,5	11,5	10,6	10,0	6,6	7,0	6,1	3,4	2,1	2,6	0,9	0,7	0,5

Moisture condition, Crop condition & Development stages												Week 50			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	70,0	-	4,0	-	-	-	-	-	-				
		17/22 Average	-	-	9,0	-	-	-	-	-	-				
II - NEA		22/23	69,0	-	4,0	-	-	-	-	-	-				
		21/22	100,0	-	12,0	-	-	-	-	-	-				
		17/22 Average	-	-	11,4	-	-	-	-	-	-				
III - NC Cba		22/23	56,0	78,0	25,0	14,0	-	-	-	-	-				
		21/22	100,0	100,0	85,0	45,0	5,0	-	-	-	-				
		17/22 Average	-	-	79,3	40,0	4,4	-	-	-	-				
IV - S Cba		22/23	74,0	84,0	85,0	35,0	-	-	-	-	-				
		21/22	96,0	100,0	98,0	72,0	2,0	-	-	-	-				
		17/22 Average	-	-	97,0	62,2	2,4	-	-	-	-				
V - NC S Fe		22/23	49,0	58,0	10,0	-	-	-	-	-	-				
		21/22	86,0	100,0	70,0	35,0	5,0	-	-	-	-				
		17/22 Average	-	-	86,9	45,6	3,2	-	-	-	-				
VI - North Belt	Pests	22/23	49,0	66,0	85,0	40,0	-	-	-	-	-				
		21/22	87,0	100,0	100,0	89,0	14,0	-	-	-	-				
		17/22 Average	-	-	99,5	82,4	13,0	-	-	-	-				
VII - South Belt	Weeds	22/23	61,0	72,0	80,0	38,0	-	-	-	-	-				
		21/22	97,0	94,0	100,0	95,0	6,0	-	-	-	-				
		17/22 Average	-	-	99,2	81,6	7,2	-	-	-	-				
VIII - CE E. Rios		22/23	60,0	75,0	45,0	14,0	-	-	-	-	-				
		21/22	80,0	100,0	95,0	75,0	1,0	-	-	-	-				
		17/22 Average	-	-	94,7	61,0	1,4	-	-	-	-				
IX - N LP - W BA	Weeds	22/23	79,0	84,0	90,0	33,0	-	-	-	-	-				
		21/22	95,0	100,0	98,0	80,0	2,0	-	-	-	-				
		17/22 Average	-	-	94,3	63,8	3,0	-	-	-	-				
National		22/23	65,8	76,6	53,8	22,5	-	-	-	-	-				
		21/22	91,0	98,7	77,3	59,2	4,0	-	-	-	-				
		17/22 Average	-	-	80,4	53,8	3,9	-	-	-	-				

CORN 2022/23






Regional participation in the total national area (%)															
Regions	III	IV	IX	II	VI	VII	I	X	VIII	XIII	XII	V	XI	XIV	XV
Nat. Part. 2021/22	14,5	12,5	11,0	10,6	9,7	7,8	6,2	5,2	4,9	4,7	3,9	3,9	2,6	1,9	0,5
Hist. Nat. Part.	14,4	12,5	10,8	10,8	10,1	7,9	6,1	5,1	4,9	5,0	3,7	3,7	2,6	1,8	0,5
Moisture condition, Crop condition & Development stages													Week 50		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		22/23	-	-	-	-	-	-	-	-	-	-	-	-	-
		21/22	-	-	-	-	-	-	-	-	-	-	-	-	-
		17/22 Average	-	-	-	-	-	-	-	-	-	-	-	-	-
II - NEA		22/23	-	-	-	-	-	-	-	-	-	-	-	-	-
		21/22	-	-	-	-	-	-	-	-	-	-	-	-	-
		17/22 Average	-	-	-	-	-	-	-	-	-	-	-	-	-
III - NC Cba		22/23	57,8	78,9	9,8	5,0	-	-	-	-	-	-	-	-	-
		21/22	100,0	100,0	21,0	7,0	2,2	0,3	-	-	-	-	-	-	-
		17/22 Average	-	-	24,9	14,9	3,9	1,0	-	-	-	-	-	-	-
IV - S Cba		22/23	79,0	86,0	18,2	6,0	-	-	-	-	-	-	-	-	-
		21/22	100,0	100,0	31,0	8,0	1,1	-	-	-	-	-	-	-	-
		17/22 Average	-	-	39,5	17,2	4,1	1,4	-	-	-	-	-	-	-
VI - North Belt		22/23	51,4	58,4	68,0	66,0	13,9	4,0	-	-	-	-	-	-	-
		21/22	100,0	100,0	87,3	85,0	41,7	23,0	-	-	-	-	-	-	-
		17/22 Average	-	-	90,5	87,2	44,6	25,0	-	-	-	-	-	-	-
VII - South Belt	Weeds	22/23	59,1	53,8	77,5	70,0	3,5	-	-	-	-	-	-	-	-
		21/22	96,1	100,0	88,0	86,0	34,4	6,9	-	-	-	-	-	-	-
		17/22 Average	-	-	89,1	86,0	29,5	6,0	-	-	-	-	-	-	-
VIII - CE E. Rios	Drought	22/23	52,0	44,0	32,0	32,0	20,2	3,8	-	-	-	-	-	-	-
		21/22	88,6	100,0	47,3	38,0	29,3	19,0	-	-	-	-	-	-	-
		17/22 Average	-	-	56,1	52,4	39,1	28,0	-	-	-	-	-	-	-
IX - N LP - W BA	Weeds	22/23	76,9	87,1	54,5	35,7	-	-	-	-	-	-	-	-	-
		21/22	100,0	100,0	47,4	35,7	5,6	-	-	-	-	-	-	-	-
		17/22 Average	-	-	63,2	49,2	4,3	0,3	-	-	-	-	-	-	-
X - Central BA		22/23	83,5	93,5	55,0	40,0	-	-	-	-	-	-	-	-	-
		21/22	98,4	100,0	49,0	40,0	2,8	-	-	-	-	-	-	-	-
		17/22 Average	-	-	64,4	47,4	1,9	-	-	-	-	-	-	-	-
XII - SE BA		22/23	72,9	91,9	77,2	33,6	-	-	-	-	-	-	-	-	-
		21/22	70,4	99,9	52,2	41,5	-	-	-	-	-	-	-	-	-
		17/22 Average	-	-	70,3	52,9	-	-	-	-	-	-	-	-	-
XIII - San Luis		22/23	80,7	90,8	10,7	5,0	-	-	-	-	-	-	-	-	-
		21/22	94,4	95,5	31,2	9,8	1,2	-	-	-	-	-	-	-	-
		17/22 Average	-	-	40,5	17,4	0,9	0,1	-	-	-	-	-	-	-
National		22/23	67,2	73,9	32,7	23,8	3,1	0,7	-	-	-	-	-	-	-
		21/22	95,4	99,8	39,5	30,1	10,4	4,5	-	-	-	-	-	-	-
		17/22 Average	-	-	46,7	36,5	11,6	5,6	0,1	-	-	-	-	-	-

EARLY CORN 2022/23

Regional participation in the total national area (%)															
Regions	II	I	VI	VII	IX	X	XII	VIII	V	XI	IV	III	XIV	XV	XIII
Nat. Part. 2022/23	26,5	15,4	13,0	11,6	8,7	4,8	3,9	3,7	2,8	2,3	1,9	1,8	1,7	1,3	0,6
Hist. Nat. Part.	20,2	11,5	16,5	12,9	9,5	4,4	3,6	4,8	2,6	2,6	3,7	3,6	1,7	0,9	1,6




Moisture condition, Crop condition & Development stages												Week 50			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		17/22 Average	-	-	0,8	-	-	-	-	-	-				
II - NEA		22/23	-	-	-	-	-	-	-	-	-				
		21/22	-	-	-	-	-	-	-	-	-				
		17/22 Average	-	-	1,0	-	-	-	-	-	-				
V - NC S Fe	Drought	22/23	46,0	38,0	100,0	100,0	59,0	15,0	-	-	-				
		21/22	100,0	100,0	100,0	100,0	14,0	-	-	-	-				
		17/22 Average	-	-	100,0	100,0	22,2	6,4	-	-	-				
VI - North Belt		22/23	51,0	58,0	100,0	100,0	21,0	6,0	-	-	-				
		21/22	100,0	100,0	100,0	100,0	49,0	27,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	50,8	28,4	-	-	-				
VII - South Belt	Weeds	22/23	58,0	52,0	100,0	100,0	5,0	-	-	-	-				
		21/22	96,0	100,0	100,0	100,0	40,0	8,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	34,4	6,8	-	-	-				
VIII - CE E. Rios	Drought	22/23	52,0	44,0	100,0	100,0	63,0	12,0	-	-	-				
		21/22	87,0	100,0	100,0	100,0	77,0	50,0	-	-	-				
		17/22 Average	-	-	100,0	100,0	72,4	50,4	-	-	-				
IX - N LP - W BA	Weeds	22/23	74,0	85,0	100,0	100,0	-	-	-	-	-				
		21/22	100,0	100,0	100,0	100,0	16,0	-	-	-	-				
		17/22 Average	-	-	100,0	100,0	9,1	0,6	-	-	-				
X - Central BA		22/23	83,0	93,0	100,0	100,0	-	-	-	-	-				
		21/22	98,0	100,0	100,0	100,0	7,0	-	-	-	-				
		17/22 Average	-	-	100,0	100,0	4,6	-	-	-	-				
XII - SE BA		22/23	71,0	89,0	100,0	75,0	-	-	-	-	-				
		21/22	66,0	100,0	100,0	91,0	-	-	-	-	-				
		17/22 Average	-	-	100,0	95,4	-	-	-	-	-				
National		22/23	62,8	68,2	56,8	55,7	7,3	1,7	-	-	-				
		21/22	94,0	99,8	63,5	63,1	22,0	9,5	-	-	-				
		17/22 Average	-	-	67,3	66,7	21,1	10,0	0,1	-	-				

SUNFLOWER 2022/23



Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	II	XIV	X	IV	XIII	VI	VII	VIII	XV	III	I
Nat. Part. 2022/23	26,3	23,7	13,2	9,0	8,5	6,1	4,7	2,6	2,4	1,3	0,6	0,5	0,4	0,9	0,0
Hist. Nat. Part.	25,1	22,6	13,2	7,8	15,0	6,3	4,1	1,6	1,5	0,8	0,5	0,5	0,5	0,4	0,0
Moisture condition, Crop condition & Development stages														Week 50	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		22/23	70,0	74,0	100,0	100,0	100,0	100,0	78,0	18,0	-				
		21/22	40,0	85,0	100,0	100,0	100,0	100,0	78,0	34,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	83,2	42,5	3,7				
V - NC S Fe		22/23	40,0	40,0	100,0	100,0	100,0	81,0	39,0	-	-				
		21/22	80,0	95,0	100,0	100,0	100,0	91,0	52,0	22,0	-				
		17/22 Average	-	-	100,0	100,0	100,0	95,7	54,5	27,2	-				
IX - N LP - W BA	Weeds	22/23	90,0	96,0	100,0	79,0	4,0	-	-	-	-				
		21/22	100,0	100,0	100,0	100,0	24,0	-	-	-	-				
		17/22 Average	-	-	100,0	96,0	35,5	0,8	-	-	-				
X - Central BA	Weeds	22/23	91,0	88,0	100,0	75,0	-	-	-	-	-				
		21/22	100,0	100,0	100,0	100,0	9,0	-	-	-	-				
		17/22 Average	-	-	100,0	97,8	13,7	-	-	-	-				
XI - SW BA - S LP		22/23	80,0	-	98,0	-	-	-	-	-	-				
		21/22	100,0	-	100,0	-	-	-	-	-	-				
		17/22 Average	-	-	99,2	-	1,3	-	-	-	-				
XII - SE BA		22/23	90,0	-	97,0	-	-	-	-	-	-				
		21/22	87,0	-	100,0	-	3,0	-	-	-	-				
		17/22 Average	-	-	99,7	-	6,3	-	-	-	-				
XIV - Cuenca Sal.	Weeds	22/23	85,0	95,0	100,0	57,0	-	-	-	-	-				
		21/22	80,0	82,0	100,0	100,0	22,0	-	-	-	-				
		17/22 Average	-	-	100,0	97,3	28,7	-	-	-	-				
National		22/23	77,0	84,6	98,7	74,7	25,2	19,9	11,8	1,5	-				
		21/22	85,5	96,3	100,0	96,0	34,0	25,1	15,8	6,8	-				
		17/22 Average	-	-	99,7	94,3	40,2	31,2	21,7	11,2	0,6				

WHEAT 2022/23



Regional participation in the total national area (%)															
Regions	XII	VI	VII	XI	IX	V	II	III	VIII	X	IV	I	XIV	XV	XIII
Nat. Part. 2022/23	13,5	12,6	12,1	11,0	9,6	7,2	6,9	5,4	6,8	6,4	4,4	3,0	0,8	0,4	0,2
Hist. Nat. Part.	10,4	13,3	10,0	9,2	8,3	7,6	6,9	9,3	5,1	5,5	6,2	6,2	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages													Week 50		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Stem Extension	Heading	Ripening	Mature	Harvested				
I - NWA		22/23	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
II - NEA		22/23	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		17/22 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
III - NC Cba		22/23	23,0	20,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0			
		21/22	90,0	70,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	94,6			
		17/22 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,0	92,5			
IV - S Cba		22/23	44,0	26,0	100,0	100,0	100,0	100,0	100,0	100,0	75,0	30,0			
		21/22	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	83,0	42,5			
		17/22 Average	65,6	52,2	100,0	100,0	100,0	100,0	96,4	83,6	56,2				
V - NC S Fe		22/23	45,0	47,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0			
		21/22	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		17/22 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
VI - North Belt		22/23	41,0	24,0	100,0	100,0	100,0	100,0	100,0	100,0	91,0	70,0			
		21/22	95,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	89,8			
		17/22 Average	73,0	59,6	100,0	100,0	100,0	100,0	99,0	91,0	83,6				
VII - South Belt		22/23	40,0	23,0	100,0	100,0	100,0	100,0	100,0	100,0	81,0	65,0			
		21/22	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	86,0	47,9			
		17/22 Average	88,1	82,2	100,0	100,0	100,0	100,0	97,4	78,6	54,3				
IX - N LP - W BA		22/23	68,0	40,0	100,0	100,0	100,0	100,0	88,0	54,0	3,0				
		21/22	100,0	100,0	100,0	100,0	100,0	100,0	100,0	62,0	8,5				
		17/22 Average	82,0	77,6	100,0	100,0	100,0	100,0	88,6	47,4	21,6				
X - Central BA		22/23	84,0	61,0	100,0	100,0	100,0	100,0	86,0	31,0	2,0				
		21/22	98,0	100,0	100,0	100,0	100,0	100,0	100,0	54,0	-				
		17/22 Average	77,8	69,1	100,0	100,0	100,0	100,0	79,0	40,2	10,5				
XI - SW BA - S LP		22/23	82,0	80,0	100,0	100,0	100,0	100,0	81,0	35,0	2,0				
		21/22	88,0	92,0	100,0	100,0	100,0	100,0	100,0	59,0	4,0				
		17/22 Average	72,7	71,1	100,0	100,0	100,0	100,0	77,4	33,2	8,3				
XII - SE BA		22/23	81,0	53,0	100,0	100,0	100,0	100,0	79,0	38,0	-				
		21/22	81,0	94,0	100,0	100,0	100,0	100,0	89,0	52,0	-				
		17/22 Average	80,4	82,4	100,0	100,0	100,0	100,0	70,4	28,6	-				
National		22/23	69,9	52,0	100,0	100,0	100,0	100,0	92,9	70,4	42,1				
		21/22	91,3	96,9	100,0	100,0	100,0	100,0	98,8	81,1	53,4				
		17/22 Average	78,5	74,2	100,0	100,0	100,0	100,0	91,9	72,4	56,7				