

# CROP CONDITION & DEVELOPMENT STAGES

---


JANUARY, 3  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## COORDINATOR

Gonzalo Hermida  
[ghermida@bc.org.ar](mailto:ghermida@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP CONDITION ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Wheat & Sunflower

Santiago Burrone  
[sburrone@bc.org.ar](mailto:sburrone@bc.org.ar)  
Corn

Ayelén Gago  
[amgago@bc.org.ar](mailto:amgago@bc.org.ar)  
Soybean

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through January 2, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## First Soybean

### First Soybean Planted: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 25,0                  | 60,0                   | 87,0                  | 51,8                   |
| II              | NEA          | 30,0                  | 38,0                   | 50,0                  | 53,4                   |
| III             | Ctro N Cba   | 100,0                 | 100,0                  | 100,0                 | 99,8                   |
| IV              | S Cba        | 100,0                 | 100,0                  | 100,0                 | 99,8                   |
| V               | Ctro N SFe   | 99,0                  | 95,0                   | 100,0                 | 94,8                   |
| VI              | Núcleo Norte | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VII             | Núcleo Sur   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VIII            | Ctro E ER    | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| IX              | N LP-OBA     | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| X               | Ctro Bs As   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| XI              | SO BA-S LP   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| XII             | SE BA        | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| XIII            | San Luis     | 100,0                 | 100,0                  | 100,0                 | 99,4                   |
| XIV             | Cuenca Sal   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| XV              | Others       | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| <b>National</b> |              | <b>91,3</b>           | <b>93,5</b>            | <b>96,0</b>           | <b>93,7</b>            |

### First Soybean Condition: as of January 02, 2019

| Regions                   |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|---------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                         | NOA          | -              | 2,0         | 50,0        | 43,0        | 5,0            |
| II                        | NEA          | -              | 6,0         | 50,0        | 40,0        | 4,0            |
| III                       | Ctro N Cba   | -              | 12,0        | 43,0        | 45,0        | -              |
| IV                        | S Cba        | -              | 11,0        | 69,0        | 20,0        | -              |
| V                         | Ctro N SFe   | 1,0            | 12,0        | 44,0        | 43,0        | -              |
| VI                        | Núcleo Norte | -              | 11,0        | 28,0        | 38,0        | 23,0           |
| VII                       | Núcleo Sur   | -              | 7,0         | 40,0        | 43,0        | 10,0           |
| VIII                      | Ctro E ER    | -              | 18,0        | 34,0        | 48,0        | -              |
| IX                        | N LP-OBA     | -              | 15,0        | 52,0        | 33,0        | -              |
| X                         | Ctro Bs As   | -              | -           | -           | -           | -              |
| XI                        | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                       | SE BA        | -              | 10,0        | 58,0        | 32,0        | -              |
| XIII                      | San Luis     | -              | -           | -           | -           | -              |
| XIV                       | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                        | Others       | -              | -           | -           | -           | -              |
| <b>National</b>           |              | <b>0,1</b>     | <b>11,0</b> | <b>44,7</b> | <b>38,6</b> | <b>5,6</b>     |
| <b>Nat. Jan. 03, 2018</b> |              | <b>0,1</b>     | <b>9,0</b>  | <b>38,4</b> | <b>52,6</b> | <b>-</b>       |

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Moisture Condition: as of January 02, 2019

| Regions                   | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|---------------------------|------------|-------------|--------------|-------------|------------|
| I NOA                     | -          | 11,0        | 56,0         | 30,0        | 3,0        |
| II NEA                    | -          | 8,0         | 38,0         | 46,0        | 8,0        |
| III Ctro N Cba            | -          | 18,0        | 58,0         | 24,0        | -          |
| IV S Cba                  | -          | 17,0        | 76,0         | 7,0         | -          |
| V Ctro N SFe              | -          | 2,0         | 65,0         | 25,0        | 8,0        |
| VI Núcleo Norte           | -          | 3,0         | 48,0         | 46,0        | 3,0        |
| VII Núcleo Sur            | -          | -           | 47,0         | 44,0        | 9,0        |
| VIII Ctro E ER            | -          | 2,0         | 57,0         | 26,0        | 15,0       |
| IX N LP-OBA               | -          | -           | 48,0         | 42,0        | 10,0       |
| X Ctro Bs As              | -          | -           | -            | -           | -          |
| XI SO BA-S LP             | -          | -           | -            | -           | -          |
| XII SE BA                 | -          | 4,0         | 50,0         | 36,0        | 10,0       |
| XIII San Luis             | -          | -           | -            | -           | -          |
| XIV Cuenca Sal            | -          | -           | -            | -           | -          |
| XV Others                 | -          | -           | -            | -           | -          |
| <b>National</b>           | <b>-</b>   | <b>6,3</b>  | <b>54,7</b>  | <b>32,6</b> | <b>6,4</b> |
| <b>Nat. Jan. 03, 2018</b> | <b>0,1</b> | <b>26,8</b> | <b>61,5</b>  | <b>11,6</b> | <b>-</b>   |

## First Soybean Leaf Development: as of January 02, 2019

| Regions         | January 03, 2018 % | December 26, 2018 % | January 02, 2019 % | 2013/2018 Average % |
|-----------------|--------------------|---------------------|--------------------|---------------------|
| I NOA           | 8,0                | 25,0                | 39,0               | 12,0                |
| II NEA          | 16,0               | 28,0                | 34,0               | 16,6                |
| III Ctro N Cba  | 91,0               | 60,0                | 73,0               | 81,4                |
| IV S Cba        | 100,0              | 71,0                | 85,0               | 93,1                |
| V Ctro N SFe    | 82,0               | 60,0                | 73,0               | 78,0                |
| VI Núcleo Norte | 100,0              | 82,0                | 95,0               | 91,6                |
| VII Núcleo Sur  | 100,0              | 86,0                | 96,0               | 96,6                |
| VIII Ctro E ER  | 98,0               | 72,0                | 86,0               | 92,2                |
| IX N LP-OBA     | 88,0               | 76,0                | 90,0               | 93,4                |
| X Ctro Bs As    | -                  | -                   | -                  | -                   |
| XI SO BA-S LP   | -                  | -                   | -                  | -                   |
| XII SE BA       | 92,0               | 59,0                | 71,0               | 78,8                |
| XIII San Luis   | -                  | -                   | -                  | -                   |
| XIV Cuenca Sal  | -                  | -                   | -                  | -                   |
| XV Others       | -                  | -                   | -                  | -                   |
| <b>National</b> | <b>84,7</b>        | <b>67,7</b>         | <b>80,1</b>        | <b>79,7</b>         |

# CROP CONDITION & DEVELOPMENT STAGES

## First Soybean Beginning Bloom: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | 57,0                  | 23,0                   | 35,0                  | 46,6                   |
| IV              | S Cba        | 44,0                  | 28,0                   | 39,0                  | 37,8                   |
| V               | Ctro N SFe   | 40,0                  | 13,0                   | 25,0                  | 39,2                   |
| VI              | Núcleo Norte | 65,0                  | 38,0                   | 51,0                  | 54,0                   |
| VII             | Núcleo Sur   | 55,0                  | 28,0                   | 43,0                  | 47,8                   |
| VIII            | Ctro E ER    | -                     | -                      | 6,0                   | 3,4                    |
| IX              | N LP-OBA     | -                     | -                      | -                     | -                      |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>41,3</b>           | <b>21,3</b>            | <b>31,7</b>           | <b>36,5</b>            |

## Second soybean

### Second Soybean Planted: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 2,0                   | 20,0                   | 45,0                  | 42,4                   |
| II              | NEA          | 5,0                   | 25,0                   | 35,0                  | 43,0                   |
| III             | Ctro N Cba   | 84,0                  | 85,0                   | 97,0                  | 95,9                   |
| IV              | S Cba        | 90,0                  | 85,0                   | 98,0                  | 90,9                   |
| V               | Ctro N SFe   | 75,0                  | 75,0                   | 94,0                  | 85,0                   |
| VI              | Núcleo Norte | 95,0                  | 93,0                   | 98,0                  | 97,0                   |
| VII             | Núcleo Sur   | 90,0                  | 72,0                   | 85,0                  | 94,5                   |
| VIII            | Ctro E ER    | 80,0                  | 65,0                   | 70,0                  | 92,4                   |
| IX              | N LP-OBA     | 90,0                  | 60,0                   | 80,0                  | 88,2                   |
| X               | Ctro Bs As   | 60,0                  | 30,0                   | 61,0                  | 77,6                   |
| XI              | SO BA-S LP   | 30,0                  | 40,0                   | 80,0                  | 64,6                   |
| XII             | SE BA        | 45,0                  | 30,0                   | 36,0                  | 66,0                   |
| XIII            | San Luis     | 48,0                  | 55,0                   | 75,0                  | 89,1                   |
| XIV             | Cuenca Sal   | 45,0                  | 15,0                   | 45,0                  | 68,7                   |
| XV              | Others       | 60,0                  | 40,0                   | 65,0                  | 88,5                   |
| <b>National</b> |              | <b>64,8</b>           | <b>60,6</b>            | <b>75,5</b>           | <b>78,0</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Second Soybean Condition: as of January 02, 2019

| Regions                  | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|--------------------------|-------------|-------------|-------------|-------------|-------------|
| I NOA                    | -           | -           | -           | -           | -           |
| II NEA                   | -           | -           | -           | -           | -           |
| III Ctro N Cba           | -           | 11,0        | 66,0        | 23,0        | -           |
| IV S Cba                 | -           | 13,0        | 59,0        | 28,0        | -           |
| V Ctro N SFe             | 1,0         | 22,0        | 49,0        | 28,0        | -           |
| VI Núcleo Norte          | -           | 12,0        | 51,0        | 37,0        | -           |
| VII Núcleo Sur           | 2,0         | 12,0        | 51,0        | 35,0        | -           |
| VIII Ctro E ER           | -           | 8,0         | 46,0        | 46,0        | -           |
| IX N LP-OBA              | -           | 10,0        | 65,0        | 25,0        | -           |
| X Ctro Bs As             | -           | -           | -           | -           | -           |
| XI SO BA-S LP            | -           | -           | -           | -           | -           |
| XII SE BA                | -           | -           | -           | -           | -           |
| XIII San Luis            | -           | -           | -           | -           | -           |
| XIV Cuenca Sal           | -           | -           | -           | -           | -           |
| XV Others                | -           | -           | -           | -           | -           |
| <b>National</b>          | <b>0,3</b>  | <b>12,0</b> | <b>55,4</b> | <b>31,8</b> | <b>0,5</b>  |
| <b>Nat.Jan. 03, 2018</b> | <b>-</b>    | <b>6,2</b>  | <b>45,3</b> | <b>48,5</b> | <b>-</b>    |

## Second Soybean Moisture Condition: as of January 02, 2019

| Regions                  | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|------------|-------------|--------------|-------------|------------|
| I NOA                    | -          | -           | -            | -           | -          |
| II NEA                   | -          | -           | -            | -           | -          |
| III Ctro N Cba           | -          | 22,0        | 42,0         | 36,0        | -          |
| IV S Cba                 | -          | 37,0        | 57,0         | 6,0         | -          |
| V Ctro N SFe             | -          | 3,0         | 64,0         | 23,0        | 10,0       |
| VI Núcleo Norte          | -          | 3,0         | 49,0         | 45,0        | 3,0        |
| VII Núcleo Sur           | -          | -           | 43,0         | 39,0        | 18,0       |
| VIII Ctro E ER           | -          | 2,0         | 60,0         | 26,0        | 12,0       |
| IX N LP-OBA              | -          | -           | 57,0         | 33,0        | 10,0       |
| X Ctro Bs As             | -          | -           | -            | -           | -          |
| XI SO BA-S LP            | -          | -           | -            | -           | -          |
| XII SE BA                | -          | -           | -            | -           | -          |
| XIII San Luis            | -          | -           | -            | -           | -          |
| XIV Cuenca Sal           | -          | -           | -            | -           | -          |
| XV Others                | -          | -           | -            | -           | -          |
| <b>National</b>          | <b>-</b>   | <b>8,2</b>  | <b>51,1</b>  | <b>33,0</b> | <b>7,8</b> |
| <b>Nat.Jan. 03, 2018</b> | <b>0,4</b> | <b>23,3</b> | <b>63,9</b>  | <b>12,4</b> | <b>-</b>   |

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean

### Soybean Planted: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 26,8                  | 46,5                   | 72,8                  | 39,7                   |
| II              | NEA          | 26,8                  | 33,9                   | 45,3                  | 40,9                   |
| III             | Ctro N Cba   | 99,4                  | 96,0                   | 99,2                  | 92,0                   |
| IV              | S Cba        | 98,5                  | 96,4                   | 99,5                  | 96,5                   |
| V               | Ctro N SFe   | 94,7                  | 88,0                   | 97,9                  | 88,1                   |
| VI              | Núcleo Norte | 99,7                  | 97,8                   | 99,4                  | 99,5                   |
| VII             | Núcleo Sur   | 98,0                  | 93,1                   | 96,3                  | 98,4                   |
| VIII            | Ctro E ER    | 99,7                  | 92,6                   | 93,7                  | 97,0                   |
| IX              | N LP-OBA     | 98,7                  | 90,3                   | 95,1                  | 96,0                   |
| X               | Ctro Bs As   | 82,4                  | 66,6                   | 81,4                  | 89,3                   |
| XI              | SO BA-S LP   | 77,8                  | 58,6                   | 86,2                  | 73,8                   |
| XII             | SE BA        | 88,1                  | 61,4                   | 64,7                  | 78,6                   |
| XIII            | San Luis     | 98,5                  | 97,5                   | 98,6                  | 94,7                   |
| XIV             | Cuenca Sal   | 62,5                  | 44,8                   | 64,3                  | 84,2                   |
| XV              | Others       | 92,5                  | 70,4                   | 82,8                  | 90,6                   |
| <b>National</b> |              | <b>87,5</b>           | <b>83,3</b>            | <b>89,7</b>           | <b>86,8</b>            |

### Soybean Condition: as of January 02, 2019

| Regions                   |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|---------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                         | NOA          | -              | -           | -           | -           | -              |
| II                        | NEA          | -              | -           | -           | -           | -              |
| III                       | Ctro N Cba   | -              | -           | -           | -           | -              |
| IV                        | S Cba        | -              | -           | -           | -           | -              |
| V                         | Ctro N SFe   | 1,0            | 15,4        | 45,7        | 38,0        | -              |
| VI                        | Núcleo Norte | -              | 11,3        | 35,1        | 37,7        | 15,9           |
| VII                       | Núcleo Sur   | 0,4            | 8,1         | 42,4        | 41,3        | 7,8            |
| VIII                      | Ctro E ER    | -              | 16,4        | 35,9        | 47,7        | -              |
| IX                        | N LP-OBA     | -              | -           | -           | -           | -              |
| X                         | Ctro Bs As   | -              | -           | -           | -           | -              |
| XI                        | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                       | SE BA        | -              | 10,0        | 58,0        | 32,0        | -              |
| XIII                      | San Luis     | -              | -           | -           | -           | -              |
| XIV                       | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                        | Others       | -              | -           | -           | -           | -              |
| <b>National</b>           |              | <b>0,1</b>     | <b>11,3</b> | <b>47,3</b> | <b>37,0</b> | <b>4,3</b>     |
| <b>Nat. Jan. 03, 2018</b> |              | <b>0,2</b>     | <b>8,5</b>  | <b>40,1</b> | <b>51,2</b> | <b>-</b>       |

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Moisture Condition: as of January 02, 2019

| Regions                  | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|------------|-------------|--------------|-------------|------------|
| I NOA                    | -          | -           | -            | -           | -          |
| II NEA                   | -          | -           | -            | -           | -          |
| III Ctro N Cba           | -          | -           | -            | -           | -          |
| IV S Cba                 | -          | -           | -            | -           | -          |
| V Ctro N SFe             | -          | 2,3         | 64,7         | 24,3        | 8,7        |
| VI Núcleo Norte          | -          | 3,0         | 48,3         | 45,7        | 3,0        |
| VII Núcleo Sur           | -          | -           | 46,1         | 42,9        | 10,9       |
| VIII Ctro E ER           | -          | 2,0         | 57,5         | 26,0        | 14,5       |
| IX N LP-OBA              | -          | -           | -            | -           | -          |
| X Ctro Bs As             | -          | -           | -            | -           | -          |
| XI SO BA-S LP            | -          | -           | -            | -           | -          |
| XII SE BA                | -          | 4,0         | 50,0         | 36,0        | 10,0       |
| XIII San Luis            | -          | -           | -            | -           | -          |
| XIV Cuenca Sal           | -          | -           | -            | -           | -          |
| XV Others                | -          | -           | -            | -           | -          |
| <b>National</b>          | <b>-</b>   | <b>6,9</b>  | <b>53,8</b>  | <b>32,8</b> | <b>6,6</b> |
| <b>Nat.Jan. 03, 2018</b> | <b>0,3</b> | <b>26,4</b> | <b>61,7</b>  | <b>11,6</b> | <b>-</b>   |

## Early Corn

### Early Corn Planted: as of January 02, 2019

| Regions         | January 03, 2018 % | December 26, 2018 % | January 02, 2019 % | 2013/2018 Average % |
|-----------------|--------------------|---------------------|--------------------|---------------------|
| I NOA           | 12,0               | 15,0                | 42,0               | 21,6                |
| II NEA          | 7,0                | 18,0                | 33,0               | 23,6                |
| III Ctro N Cba  | 100,0              | 100,0               | 100,0              | 100,0               |
| IV S Cba        | 100,0              | 100,0               | 100,0              | 100,0               |
| V Ctro N SFe    | 100,0              | 100,0               | 100,0              | 100,0               |
| VI Núcleo Norte | 100,0              | 100,0               | 100,0              | 100,0               |
| VII Núcleo Sur  | 100,0              | 100,0               | 100,0              | 100,0               |
| VIII Ctro E ER  | 100,0              | 100,0               | 100,0              | 100,0               |
| IX N LP-OBA     | 100,0              | 100,0               | 100,0              | 100,0               |
| X Ctro Bs As    | 100,0              | 100,0               | 100,0              | 100,0               |
| XI SO BA-S LP   | 100,0              | 100,0               | 100,0              | 100,0               |
| XII SE BA       | 100,0              | 100,0               | 100,0              | 100,0               |
| XIII San Luis   | 100,0              | 100,0               | 100,0              | 100,0               |
| XIV Cuenca Sal  | 100,0              | 100,0               | 100,0              | 100,0               |
| XV Others       | 100,0              | 100,0               | 100,0              | 100,0               |
| <b>National</b> | <b>69,6</b>        | <b>72,6</b>         | <b>79,1</b>        | <b>75,3</b>         |



# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Condition: as of January 02, 2019

| Regions                  |              | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|--------------------------|--------------|-------------|-------------|-------------|-------------|-------------|
| I                        | NOA          | -           | -           | -           | -           | -           |
| II                       | NEA          | -           | -           | -           | -           | -           |
| III                      | Ctro N Cba   | -           | 9,0         | 41,0        | 43,0        | 7,0         |
| IV                       | S Cba        | 1,0         | 13,0        | 44,0        | 39,0        | 3,0         |
| V                        | Ctro N SFe   | -           | 5,0         | 28,0        | 53,0        | 14,0        |
| VI                       | Núcleo Norte | -           | -           | 28,0        | 58,0        | 14,0        |
| VII                      | Núcleo Sur   | -           | -           | 26,0        | 58,0        | 16,0        |
| VIII                     | Ctro E ER    | -           | -           | -           | -           | -           |
| IX                       | N LP-OBA     | -           | 5,0         | 43,0        | 47,0        | 5,0         |
| X                        | Ctro Bs As   | 2,0         | 11,0        | 47,0        | 35,0        | 5,0         |
| XI                       | SO BA-S LP   | -           | -           | -           | -           | -           |
| XII                      | SE BA        | -           | 4,0         | 51,0        | 44,0        | 1,0         |
| XIII                     | San Luis     | 3,0         | 28,0        | 45,0        | 24,0        | -           |
| XIV                      | Cuenca Sal   | -           | -           | -           | -           | -           |
| XV                       | Others       | -           | -           | -           | -           | -           |
| <b>National</b>          |              | <b>0,3</b>  | <b>5,1</b>  | <b>38,6</b> | <b>47,5</b> | <b>8,5</b>  |
| <b>Nat.Jan. 03, 2018</b> |              | <b>11,3</b> | <b>21,4</b> | <b>34,0</b> | <b>30,1</b> | <b>3,3</b>  |

## Early Corn Moisture Condition: as of January 02, 2019

| Regions                  |              | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|--------------|------------|-------------|--------------|-------------|------------|
| I                        | NOA          | -          | -           | -            | -           | -          |
| II                       | NEA          | -          | -           | -            | -           | -          |
| III                      | Ctro N Cba   | -          | 32,0        | 61,0         | 7,0         | -          |
| IV                       | S Cba        | 3,0        | 40,0        | 55,0         | 2,0         | -          |
| V                        | Ctro N SFe   | -          | 17,0        | 62,0         | 18,0        | 3,0        |
| VI                       | Núcleo Norte | -          | 3,0         | 57,0         | 37,0        | 3,0        |
| VII                      | Núcleo Sur   | -          | -           | 41,0         | 51,0        | 8,0        |
| VIII                     | Ctro E ER    | -          | -           | -            | -           | -          |
| IX                       | N LP-OBA     | -          | 2,0         | 43,0         | 47,0        | 8,0        |
| X                        | Ctro Bs As   | -          | 2,0         | 45,0         | 44,0        | 9,0        |
| XI                       | SO BA-S LP   | -          | -           | -            | -           | -          |
| XII                      | SE BA        | -          | 12,0        | 56,0         | 26,0        | 6,0        |
| XIII                     | San Luis     | 2,0        | 24,0        | 68,0         | 6,0         | -          |
| XIV                      | Cuenca Sal   | -          | -           | -            | -           | -          |
| XV                       | Others       | -          | -           | -            | -           | -          |
| <b>National</b>          |              | <b>0,2</b> | <b>9,1</b>  | <b>50,6</b>  | <b>34,9</b> | <b>5,2</b> |
| <b>Nat.Jan. 03, 2018</b> |              | <b>-</b>   | <b>36,1</b> | <b>56,7</b>  | <b>7,2</b>  | <b>-</b>   |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Leaf Development: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| IV              | S Cba        | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VII             | Núcleo Sur   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| X               | Ctro Bs As   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | 100,0                 | 100,0                  | 100,0                 | 99,8                   |
| XIII            | San Luis     | 100,0                 | 100,0                  | 100,0                 | 99,8                   |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>68,1</b>           | <b>68,4</b>            | <b>69,7</b>           | <b>72,5</b>            |

## Early Corn Pollination: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | 85,0                  | 83,0                   | 100,0                 | 88,0                   |
| IV              | S Cba        | 95,0                  | 74,0                   | 100,0                 | 94,2                   |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VII             | Núcleo Sur   | 92,0                  | 91,0                   | 100,0                 | 97,2                   |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 78,0                  | 61,0                   | 85,0                  | 91,6                   |
| X               | Ctro Bs As   | 69,0                  | 57,0                   | 71,0                  | 75,2                   |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | 22,0                  | 2,0                    | 16,0                  | 23,0                   |
| XIII            | San Luis     | 71,0                  | 16,0                   | 70,0                  | 66,2                   |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>55,2</b>           | <b>49,4</b>            | <b>57,2</b>           | <b>59,7</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Silking: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | 60,0                  | 58,0                   | 84,0                  | 74,0                   |
| IV              | S Cba        | 68,0                  | 53,0                   | 82,0                  | 75,2                   |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | 81,0                  | 88,0                   | 98,0                  | 79,3                   |
| VII             | Núcleo Sur   | 78,0                  | 72,0                   | 93,0                  | 76,7                   |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 61,0                  | 46,0                   | 63,0                  | 76,5                   |
| X               | Ctro Bs As   | 32,0                  | 22,0                   | 49,0                  | 52,4                   |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | 1,0                   | -                      | 6,0                   | 3,8                    |
| XIII            | San Luis     | 25,0                  | 11,0                   | 35,0                  | 38,0                   |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>42,2</b>           | <b>39,4</b>            | <b>50,1</b>           | <b>47,7</b>            |

## Early Corn Grain Growth: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | -                     | -                      | 5,0                   | 3,6                    |
| IV              | S Cba        | -                     | -                      | 1,0                   | -                      |
| V               | Ctro N SFe   | 30,0                  | 52,0                   | 59,0                  | 51,4                   |
| VI              | Núcleo Norte | 4,0                   | 9,0                    | 14,0                  | 12,9                   |
| VII             | Núcleo Sur   | 2,0                   | -                      | 9,0                   | 2,2                    |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 1,0                   | -                      | -                     | 1,2                    |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | 1,0                   | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>2,7</b>            | <b>3,8</b>             | <b>6,7</b>            | <b>4,8</b>             |

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Mature: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | -                     | -                      | -                     | -                      |
| IV              | S Cba        | -                     | -                      | -                     | -                      |
| V               | Ctro N SFe   | -                     | -                      | 3,0                   | 2,2                    |
| VI              | Núcleo Norte | -                     | -                      | -                     | 0,2                    |
| VII             | Núcleo Sur   | -                     | -                      | -                     | -                      |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | -                     | -                      | -                     | -                      |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>-</b>              | <b>-</b>               | <b>0,1</b>            | <b>0,1</b>             |

## Late Corn

## Late Corn Planted: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | -                     | -                      | -                     | -                      |
| III             | Ctro N Cba   | 91,0                  | 70,0                   | 90,0                  | 79,8                   |
| IV              | S Cba        | 94,0                  | 88,0                   | 95,0                  | 88,4                   |
| V               | Ctro N SFe   | 23,0                  | 30,0                   | 35,0                  | 42,0                   |
| VI              | Núcleo Norte | 95,0                  | 58,0                   | 90,0                  | 91,4                   |
| VII             | Núcleo Sur   | 83,0                  | 55,0                   | 90,0                  | 88,6                   |
| VIII            | Ctro E ER    | 85,0                  | 20,0                   | 38,0                  | 68,4                   |
| IX              | N LP-OBA     | 92,0                  | 85,0                   | 92,0                  | 92,4                   |
| X               | Ctro Bs As   | 93,0                  | 86,0                   | 95,0                  | 97,2                   |
| XI              | SO BA-S LP   | 92,0                  | 75,0                   | 90,0                  | 95,4                   |
| XII             | SE BA        | 93,0                  | 76,0                   | 88,0                  | 93,0                   |
| XIII            | San Luis     | 94,0                  | 80,0                   | 95,0                  | 88,8                   |
| XIV             | Cuenca Sal   | 93,0                  | 75,0                   | 90,0                  | 97,2                   |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>87,6</b>           | <b>73,5</b>            | <b>87,2</b>           | <b>83,7</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Condition: as of January 02, 2019

| Regions                  |              | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|--------------------------|--------------|-------------|-------------|-------------|-------------|-------------|
| I                        | NOA          | -           | -           | -           | -           | -           |
| II                       | NEA          | -           | -           | -           | -           | -           |
| III                      | Ctro N Cba   | -           | 1,0         | 67,0        | 31,0        | 1,0         |
| IV                       | S Cba        | -           | 1,0         | 49,0        | 45,0        | 5,0         |
| V                        | Ctro N SFe   | -           | -           | -           | -           | -           |
| VI                       | Núcleo Norte | -           | 4,0         | 53,0        | 37,0        | 6,0         |
| VII                      | Núcleo Sur   | -           | 4,0         | 52,0        | 36,0        | 8,0         |
| VIII                     | Ctro E ER    | -           | -           | -           | -           | -           |
| IX                       | N LP-OBA     | -           | 5,0         | 51,0        | 41,0        | 3,0         |
| X                        | Ctro Bs As   | 5,0         | 29,0        | 33,0        | 28,0        | 5,0         |
| XI                       | SO BA-S LP   | -           | -           | -           | -           | -           |
| XII                      | SE BA        | 1,0         | 9,0         | 58,0        | 30,0        | 2,0         |
| XIII                     | San Luis     | 3,0         | 18,0        | 50,0        | 25,0        | 4,0         |
| XIV                      | Cuenca Sal   | -           | -           | -           | -           | -           |
| XV                       | Others       | -           | -           | -           | -           | -           |
| <b>National</b>          |              | <b>1,0</b>  | <b>6,3</b>  | <b>54,0</b> | <b>35,5</b> | <b>3,2</b>  |
| <b>Nat.Jan. 03, 2018</b> |              | <b>11,5</b> | <b>34,5</b> | <b>28,7</b> | <b>23,0</b> | <b>2,4</b>  |

## Late Corn Moisture Condition: as of January 02, 2019

| Regions                  |              | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|--------------|------------|-------------|--------------|-------------|------------|
| I                        | NOA          | -          | -           | -            | -           | -          |
| II                       | NEA          | -          | -           | -            | -           | -          |
| III                      | Ctro N Cba   | 3,0        | 39,0        | 55,0         | 3,0         | -          |
| IV                       | S Cba        | 5,0        | 46,0        | 49,0         | -           | -          |
| V                        | Ctro N SFe   | -          | -           | -            | -           | -          |
| VI                       | Núcleo Norte | -          | 5,0         | 46,0         | 43,0        | 6,0        |
| VII                      | Núcleo Sur   | -          | -           | 44,0         | 42,0        | 14,0       |
| VIII                     | Ctro E ER    | -          | -           | -            | -           | -          |
| IX                       | N LP-OBA     | -          | -           | 43,0         | 47,0        | 10,0       |
| X                        | Ctro Bs As   | -          | -           | 41,0         | 48,0        | 11,0       |
| XI                       | SO BA-S LP   | -          | -           | -            | -           | -          |
| XII                      | SE BA        | -          | 12,0        | 41,0         | 39,0        | 8,0        |
| XIII                     | San Luis     | 4,0        | 37,0        | 57,0         | 2,0         | -          |
| XIV                      | Cuenca Sal   | -          | -           | -            | -           | -          |
| XV                       | Others       | -          | -           | -            | -           | -          |
| <b>National</b>          |              | <b>2,5</b> | <b>27,3</b> | <b>49,0</b>  | <b>17,3</b> | <b>3,9</b> |
| <b>Nat.Jan. 03, 2018</b> |              | <b>-</b>   | <b>46,5</b> | <b>48,4</b>  | <b>5,1</b>  | <b>-</b>   |

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Corn Planted: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 12,0                  | 15,0                   | 42,0                  | 21,6                   |
| II              | NEA          | 7,0                   | 18,0                   | 33,0                  | 23,6                   |
| III             | Ctro N Cba   | 92,4                  | 74,5                   | 91,5                  | 84,8                   |
| IV              | S Cba        | 95,2                  | 90,4                   | 96,0                  | 93,0                   |
| V               | Ctro N SFe   | 50,0                  | 54,5                   | 57,8                  | 67,9                   |
| VI              | Núcleo Norte | 99,3                  | 94,5                   | 98,7                  | 98,2                   |
| VII             | Núcleo Sur   | 96,6                  | 93,3                   | 98,5                  | 97,6                   |
| VIII            | Ctro E ER    | 94,0                  | 68,0                   | 75,2                  | 90,1                   |
| IX              | N LP-OBA     | 96,0                  | 92,5                   | 96,0                  | 96,9                   |
| X               | Ctro Bs As   | 95,8                  | 92,3                   | 97,3                  | 98,7                   |
| XI              | SO BA-S LP   | 96,8                  | 87,5                   | 95,0                  | 98,6                   |
| XII             | SE BA        | 97,2                  | 88,0                   | 94,0                  | 98,6                   |
| XIII            | San Luis     | 95,2                  | 84,0                   | 96,0                  | 92,8                   |
| XIV             | Cuenca Sal   | 95,8                  | 86,3                   | 94,5                  | 99,0                   |
| XV              | Others       | 59,2                  | 100,0                  | 100,0                 | 78,6                   |
| <b>National</b> |              | <b>77,9</b>           | <b>73,0</b>            | <b>82,7</b>           | <b>80,4</b>            |

### Corn Condition: as of January 02, 2019

| Regions                   |              | Very Poor<br>% | Poor<br>%   | Fair<br>%   | Good<br>%   | Excellent<br>% |
|---------------------------|--------------|----------------|-------------|-------------|-------------|----------------|
| I                         | NOA          | -              | -           | -           | -           | -              |
| II                        | NEA          | -              | -           | -           | -           | -              |
| III                       | Ctro N Cba   | -              | 2,3         | 62,7        | 33,0        | 2,0            |
| IV                        | S Cba        | 0,2            | 3,5         | 48,0        | 43,8        | 4,6            |
| V                         | Ctro N SFe   | 0,4            | 5,0         | 34,3        | 51,0        | 9,3            |
| VI                        | Núcleo Norte | -              | 0,5         | 31,0        | 55,5        | 13,1           |
| VII                       | Núcleo Sur   | -              | 0,5         | 29,6        | 55,0        | 14,9           |
| VIII                      | Ctro E ER    | -              | -           | -           | -           | -              |
| IX                        | N LP-OBA     | -              | 5,0         | 46,8        | 44,1        | 4,0            |
| X                         | Ctro Bs As   | 3,6            | 20,7        | 39,5        | 31,2        | 5,0            |
| XI                        | SO BA-S LP   | -              | -           | -           | -           | -              |
| XII                       | SE BA        | 0,5            | 6,3         | 54,3        | 37,4        | 1,5            |
| XIII                      | San Luis     | 3,0            | 20,1        | 49,0        | 24,8        | 3,2            |
| XIV                       | Cuenca Sal   | -              | -           | -           | -           | -              |
| XV                        | Others       | -              | -           | -           | -           | -              |
| <b>National</b>           |              | <b>0,6</b>     | <b>5,7</b>  | <b>45,9</b> | <b>41,8</b> | <b>6,0</b>     |
| <b>Nat..Jan. 03, 2018</b> |              | <b>11,4</b>    | <b>28,2</b> | <b>31,2</b> | <b>26,4</b> | <b>2,9</b>     |

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Moisture Condition: as of January 02, 2019

| Regions                  |              | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|--------------|------------|-------------|--------------|-------------|------------|
| I                        | NOA          | -          | -           | -            | -           | -          |
| II                       | NEA          | -          | -           | -            | -           | -          |
| III                      | Ctro N Cba   | 2,5        | 37,9        | 56,0         | 3,7         | -          |
| IV                       | S Cba        | 4,6        | 44,8        | 50,3         | 0,4         | -          |
| V                        | Ctro N SFe   | 1,2        | 16,2        | 59,6         | 20,0        | 3,0        |
| VI                       | Núcleo Norte | -          | 3,2         | 55,7         | 37,7        | 3,4        |
| VII                      | Núcleo Sur   | -          | -           | 41,4         | 49,8        | 8,8        |
| VIII                     | Ctro E ER    | -          | -           | -            | -           | -          |
| IX                       | N LP-OBA     | -          | 1,0         | 43,0         | 47,0        | 9,0        |
| X                        | Ctro Bs As   | -          | 0,9         | 42,9         | 46,1        | 10,1       |
| XI                       | SO BA-S LP   | -          | -           | -            | -           | -          |
| XII                      | SE BA        | -          | 12,0        | 49,0         | 32,1        | 6,9        |
| XIII                     | San Luis     | 3,6        | 34,3        | 59,3         | 2,8         | -          |
| XIV                      | Cuenca Sal   | -          | -           | -            | -           | -          |
| XV                       | Others       | -          | -           | -            | -           | -          |
| <b>National</b>          |              | <b>1,3</b> | <b>17,8</b> | <b>49,8</b>  | <b>26,5</b> | <b>4,6</b> |
| <b>Nat.Jan. 03, 2018</b> |              | <b>-</b>   | <b>41,5</b> | <b>52,4</b>  | <b>6,1</b>  | <b>-</b>   |

## Sunflower

### Sunflower Condition: as of January 02, 2019

| Regions                  |              | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|--------------------------|--------------|-------------|-------------|-------------|-------------|-------------|
| I                        | NOA          | -           | -           | -           | -           | -           |
| II                       | NEA          | 5,0         | 11,0        | 40,0        | 38,0        | 6,0         |
| III                      | Ctro N Cba   | -           | -           | -           | -           | -           |
| IV                       | S Cba        | -           | -           | -           | -           | -           |
| V                        | Ctro N SFe   | 5,0         | 7,0         | 41,0        | 42,0        | 5,0         |
| VI                       | Núcleo Norte | -           | -           | -           | -           | -           |
| VII                      | Núcleo Sur   | -           | -           | -           | -           | -           |
| VIII                     | Ctro E ER    | -           | -           | -           | -           | -           |
| IX                       | N LP-OBA     | -           | 4,0         | 37,0        | 51,0        | 8,0         |
| X                        | Ctro Bs As   | -           | -           | -           | -           | -           |
| XI                       | SO BA-S LP   | 4,0         | 7,0         | 45,0        | 34,0        | 10,0        |
| XII                      | SE BA        | 3,0         | 8,0         | 41,0        | 43,0        | 5,0         |
| XIII                     | San Luis     | -           | -           | -           | -           | -           |
| XIV                      | Cuenca Sal   | -           | 5,0         | 41,0        | 36,0        | 18,0        |
| XV                       | Others       | -           | -           | -           | -           | -           |
| <b>National</b>          |              | <b>3,3</b>  | <b>7,8</b>  | <b>40,8</b> | <b>40,3</b> | <b>7,8</b>  |
| <b>Nat.Jan. 03, 2018</b> |              | <b>1,6</b>  | <b>14,0</b> | <b>33,7</b> | <b>37,2</b> | <b>13,5</b> |

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Moisture Condition: as of January 02, 2019

| Regions                  |              | Dry %      | Poor %      | Favourable % | Optimum %   | Wet %      |
|--------------------------|--------------|------------|-------------|--------------|-------------|------------|
| I                        | NOA          | -          | -           | -            | -           | -          |
| II                       | NEA          | -          | 13,0        | 44,0         | 37,0        | 6,0        |
| III                      | Ctro N Cba   | -          | -           | -            | -           | -          |
| IV                       | S Cba        | -          | -           | -            | -           | -          |
| V                        | Ctro N SFe   | 4,0        | 11,0        | 52,0         | 28,0        | 5,0        |
| VI                       | Núcleo Norte | -          | -           | -            | -           | -          |
| VII                      | Núcleo Sur   | -          | -           | -            | -           | -          |
| VIII                     | Ctro E ER    | -          | -           | -            | -           | -          |
| IX                       | N LP-OBA     | -          | -           | 53,0         | 38,0        | 9,0        |
| X                        | Ctro Bs As   | -          | -           | -            | -           | -          |
| XI                       | SO BA-S LP   | -          | -           | 56,0         | 34,0        | 10,0       |
| XII                      | SE BA        | -          | 16,0        | 65,0         | 14,0        | 5,0        |
| XIII                     | San Luis     | -          | -           | -            | -           | -          |
| XIV                      | Cuenca Sal   | -          | 7,0         | 48,0         | 30,0        | 15,0       |
| XV                       | Others       | -          | -           | -            | -           | -          |
| <b>National</b>          |              | <b>0,9</b> | <b>8,6</b>  | <b>54,2</b>  | <b>28,9</b> | <b>7,4</b> |
| <b>Nat.Jan. 03, 2018</b> |              | <b>1,4</b> | <b>36,5</b> | <b>58,2</b>  | <b>3,9</b>  | <b>-</b>   |

## Sunflower Flowerbud Stage: as of January 02, 2019

| Regions         |              | January 03, 2018 % | December 26, 2018 % | January 02, 2019 % | 2013/2018 Average % |
|-----------------|--------------|--------------------|---------------------|--------------------|---------------------|
| I               | NOA          | -                  | -                   | -                  | -                   |
| II              | NEA          | 100,0              | 100,0               | 100,0              | 100,0               |
| III             | Ctro N Cba   | -                  | -                   | -                  | -                   |
| IV              | S Cba        | -                  | -                   | -                  | -                   |
| V               | Ctro N SFe   | 100,0              | 100,0               | 100,0              | 100,0               |
| VI              | Núcleo Norte | -                  | -                   | -                  | -                   |
| VII             | Núcleo Sur   | -                  | -                   | -                  | -                   |
| VIII            | Ctro E ER    | -                  | -                   | -                  | -                   |
| IX              | N LP-OBA     | 78,0               | 55,0                | 71,0               | 87,4                |
| X               | Ctro Bs As   | -                  | -                   | -                  | -                   |
| XI              | SO BA-S LP   | 53,0               | 18,0                | 31,0               | 59,4                |
| XII             | SE BA        | 56,0               | 21,0                | 33,0               | 54,6                |
| XIII            | San Luis     | -                  | -                   | -                  | -                   |
| XIV             | Cuenca Sal   | 74,0               | 59,0                | 72,0               | 71,6                |
| XV              | Others       | -                  | -                   | -                  | -                   |
| <b>National</b> |              | <b>75,1</b>        | <b>58,7</b>         | <b>66,4</b>        | <b>74,9</b>         |



# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowering Stage: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| III             | Ctro N Cba   | -                     | -                      | -                     | -                      |
| IV              | S Cba        | -                     | -                      | -                     | -                      |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | -                     | -                      | -                     | -                      |
| VII             | Núcleo Sur   | -                     | -                      | -                     | -                      |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 40,0                  | 22,0                   | 29,0                  | 39,6                   |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | 15,0                  | -                      | -                     | 13,2                   |
| XII             | SE BA        | 29,0                  | -                      | 4,0                   | 20,2                   |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | 22,0                  | 23,0                   | 48,0                  | 24,6                   |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>53,4</b>           | <b>44,1</b>            | <b>47,8</b>           | <b>46,2</b>            |

## Sunflower Seed Development: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| III             | Ctro N Cba   | -                     | -                      | -                     | -                      |
| IV              | S Cba        | -                     | -                      | -                     | -                      |
| V               | Ctro N SFe   | 80,0                  | 87,0                   | 100,0                 | 95,0                   |
| VI              | Núcleo Norte | -                     | -                      | -                     | -                      |
| VII             | Núcleo Sur   | -                     | -                      | -                     | -                      |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 12,0                  | -                      | 2,0                   | 6,0                    |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | 3,0                    |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>35,1</b>           | <b>36,8</b>            | <b>39,2</b>           | <b>31,0</b>            |

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Mature: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | 87,0                  | 73,0                   | 92,0                  | 90,2                   |
| III             | Ctro N Cba   | -                     | -                      | -                     | -                      |
| IV              | S Cba        | -                     | -                      | -                     | -                      |
| V               | Ctro N SFe   | 60,0                  | 48,0                   | 63,0                  | 61,8                   |
| VI              | Núcleo Norte | -                     | -                      | -                     | -                      |
| VII             | Núcleo Sur   | -                     | -                      | -                     | -                      |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | -                     | -                      | -                     | -                      |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>27,9</b>           | <b>24,0</b>            | <b>30,7</b>           | <b>23,9</b>            |

## Sunflower Harvested: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | -                     | -                      | -                     | -                      |
| II              | NEA          | 45,0                  | 30,0                   | 52,0                  | 39,4                   |
| III             | Ctro N Cba   | -                     | -                      | -                     | -                      |
| IV              | S Cba        | -                     | -                      | -                     | -                      |
| V               | Ctro N SFe   | 12,0                  | 7,0                    | 18,0                  | 10,4                   |
| VI              | Núcleo Norte | -                     | -                      | -                     | -                      |
| VII             | Núcleo Sur   | -                     | -                      | -                     | -                      |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | -                     | -                      | -                     | -                      |
| X               | Ctro Bs As   | -                     | -                      | -                     | -                      |
| XI              | SO BA-S LP   | -                     | -                      | -                     | -                      |
| XII             | SE BA        | -                     | -                      | -                     | -                      |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>11,4</b>           | <b>7,9</b>             | <b>14,5</b>           | <b>8,3</b>             |

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat

### Wheat Condition: as of January 02, 2019

| Regions                   |              | Very Poor % | Poor %      | Fair %      | Good %      | Excellent % |
|---------------------------|--------------|-------------|-------------|-------------|-------------|-------------|
| I                         | NOA          | -           | -           | -           | -           | -           |
| II                        | NEA          | -           | -           | -           | -           | -           |
| III                       | Ctro N Cba   | -           | -           | -           | -           | -           |
| IV                        | S Cba        | -           | -           | -           | -           | -           |
| V                         | Ctro N SFe   | -           | -           | -           | -           | -           |
| VI                        | Núcleo Norte | -           | -           | -           | -           | -           |
| VII                       | Núcleo Sur   | -           | -           | -           | -           | -           |
| VIII                      | Ctro E ER    | -           | -           | -           | -           | -           |
| IX                        | N LP-OBA     | -           | 21,0        | 40,0        | 37,0        | 2,0         |
| X                         | Ctro Bs As   | 3,0         | 18,0        | 44,0        | 31,0        | 4,0         |
| XI                        | SO BA-S LP   | 7,0         | 19,0        | 33,0        | 36,0        | 5,0         |
| XII                       | SE BA        | 5,0         | 7,0         | 39,0        | 41,0        | 8,0         |
| XIII                      | San Luis     | -           | -           | -           | -           | -           |
| XIV                       | Cuenca Sal   | -           | -           | -           | -           | -           |
| XV                        | Others       | -           | -           | -           | -           | -           |
| <b>National</b>           |              | <b>4,6</b>  | <b>13,8</b> | <b>38,3</b> | <b>37,5</b> | <b>5,8</b>  |
| <b>Nat..Jan. 03, 2018</b> |              | <b>-</b>    | <b>15,2</b> | <b>36,5</b> | <b>48,3</b> | <b>0,0</b>  |

### Wheat Moisture Condition: as of January 02, 2019

| Regions                   |              | Dry %    | Poor %      | Favourable % | Optimum %   | Wet %       |
|---------------------------|--------------|----------|-------------|--------------|-------------|-------------|
| I                         | NOA          | -        | -           | -            | -           | -           |
| II                        | NEA          | -        | -           | -            | -           | -           |
| III                       | Ctro N Cba   | -        | -           | -            | -           | -           |
| IV                        | S Cba        | -        | -           | -            | -           | -           |
| V                         | Ctro N SFe   | -        | -           | -            | -           | -           |
| VI                        | Núcleo Norte | -        | -           | -            | -           | -           |
| VII                       | Núcleo Sur   | -        | -           | -            | -           | -           |
| VIII                      | Ctro E ER    | -        | -           | -            | -           | -           |
| IX                        | N LP-OBA     | -        | -           | 37,0         | 48,0        | 15,0        |
| X                         | Ctro Bs As   | -        | -           | 25,0         | 57,0        | 18,0        |
| XI                        | SO BA-S LP   | -        | 14,0        | 58,0         | 21,0        | 7,0         |
| XII                       | SE BA        | -        | 12,0        | 63,0         | 16,0        | 9,0         |
| XIII                      | San Luis     | -        | -           | -            | -           | -           |
| XIV                       | Cuenca Sal   | -        | -           | -            | -           | -           |
| XV                        | Others       | -        | -           | -            | -           | -           |
| <b>National</b>           |              | <b>-</b> | <b>9,4</b>  | <b>53,1</b>  | <b>27,0</b> | <b>10,5</b> |
| <b>Nat..Jan. 03, 2018</b> |              | <b>-</b> | <b>36,1</b> | <b>54,8</b>  | <b>9,1</b>  | <b>-</b>    |

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Mature: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| II              | NEA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| III             | Ctro N Cba   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| IV              | S Cba        | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VII             | Núcleo Sur   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VIII            | Ctro E ER    | -                     | -                      | -                     | -                      |
| IX              | N LP-OBA     | 100,0                 | 81,0                   | 100,0                 | 100,0                  |
| X               | Ctro Bs As   | 100,0                 | 83,0                   | 100,0                 | 99,4                   |
| XI              | SO BA-S LP   | 95,0                  | 62,0                   | 84,0                  | 97,6                   |
| XII             | SE BA        | 90,0                  | 60,0                   | 83,0                  | 94,8                   |
| XIII            | San Luis     | -                     | -                      | -                     | -                      |
| XIV             | Cuenca Sal   | -                     | -                      | -                     | -                      |
| XV              | Others       | -                     | -                      | -                     | -                      |
| <b>National</b> |              | <b>98,4</b>           | <b>90,3</b>            | <b>97,0</b>           | <b>99,1</b>            |

## Wheat Harvested: as of January 02, 2019

| Regions         |              | January 03, 2018<br>% | December 26, 2018<br>% | January 02, 2019<br>% | 2013/2018 Average<br>% |
|-----------------|--------------|-----------------------|------------------------|-----------------------|------------------------|
| I               | NOA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| II              | NEA          | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| III             | Ctro N Cba   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| IV              | S Cba        | 100,0                 | 96,0                   | 100,0                 | 100,0                  |
| V               | Ctro N SFe   | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VI              | Núcleo Norte | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| VII             | Núcleo Sur   | 100,0                 | 91,0                   | 100,0                 | 100,0                  |
| VIII            | Ctro E ER    | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| IX              | N LP-OBA     | 97,0                  | 68,0                   | 85,0                  | 98,0                   |
| X               | Ctro Bs As   | 92,0                  | 55,0                   | 78,0                  | 90,0                   |
| XI              | SO BA-S LP   | 72,0                  | 48,0                   | 70,0                  | 77,0                   |
| XII             | SE BA        | 56,0                  | 30,0                   | 55,0                  | 51,6                   |
| XIII            | San Luis     | 100,0                 | 100,0                  | 100,0                 | 99,6                   |
| XIV             | Cuenca Sal   | 95,0                  | 60,0                   | 90,0                  | 92,8                   |
| XV              | Others       | 100,0                 | 100,0                  | 100,0                 | 100,0                  |
| <b>National</b> |              | <b>91,6</b>           | <b>82,1</b>            | <b>90,6</b>           | <b>90,6</b>            |