



# CCDS

CROP CONDITION AND DEVELOPMENT STAGES

**DECEMBER 23, 2020**



## DEPARTAMENT & REGIONS

### HEAD OF DEPARTMENT

Ing. Esteban J. Copati  
*ecopati@bc.org.ar*

### CROP ANALYST

Ing. Martin López  
*martinlopez@bc.org.ar*

### CROP ANALYST

Ing. Daniela A. Venturino  
*dventurino@bc.org.ar*

### CROP ANALYST

Ing. Andrés Paterniti  
*apaterniti@bc.org.ar*

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Ing. Juan Francisco de Aramburu  
*jdearamburu@bc.org.ar*  
 Wheat and Sunflower


Sofía Console Insúa  
*sconsoleinsua@bc.org.ar*  
 Soybean

Matías Mihura  
*mmihura@bc.org.ar*  
 Corn

### CONTACT

Av. Corrientes 123  
 C1043AAB - CABA  
 Tel.: +54 11 4515 8200 | 8300  
*estimacionesagricolas@bc.org.ar*  
 Twitter: @estimacionesbc

ISSN 2408-4344t




I - NWA (North-West Argentina)  
 II - NEA (North-East Argentina)  
 III - North-Central Córdoba  
 IV - South Córdoba  
 V - North-Central Santa Fe  
 VI - North Belt  
 VII - South Belt  
 VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires  
 X - Central Buenos Aires  
 XI - South-West de Buenos Aires - South La Pampa  
 XII - South-East Buenos Aires  
 XIII - San Luis  
 XIV - Cuenca del Salado  
 XV - Others

*We appreciate the contribution of our Network of Collaborators throughout the country.*




## RECENT ADVERSE EVENTS



## METHODOLOGY

Findings of the survey conducted through December 22, 2020. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to

## SOYBEAN



Regional participation in the total national area (%)															
Regions	VII	VI	IX	III	II	IV	I	V	VIII	X	XII	XI	XIII	XIV	XV
Nat. Part. 2019/20	13,5	13,1	10,9	10,2	9,7	9,5	8,0	6,4	6,2	4,1	3,6	1,7	1,6	1,1	0,4
Hist. Nat. Part.	12,8	13,9	11,0	11,3	8,2	9,2	5,3	6,7	6,4	4,2	5,9	2,3	1,3	1,1	0,4
Moisture condition, Crop condition & Development stages															Week 52
Regions	Adverse event	Season		Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested			
I - NOA	Drought	20/21	-	-	-	15,8	-	-	-	-	-	-	-	-	-
		19/20	-	-	-	22,0	-	-	-	-	-	-	-	-	-
		15/20 Average	-	-	-	33,4	-	-	-	-	-	-	-	-	-
II - NEA		20/21	-	-	-	33,5	-	-	-	-	-	-	-	-	-
		19/20	-	-	-	29,0	-	-	-	-	-	-	-	-	-
		15/20 Average	-	-	-	27,8	-	-	-	-	-	-	-	-	-
III - CN Cba		20/21	50,1	96,0	82,4	-	-	-	-	-	-	-	-	-	-
		19/20	89,8	95,5	93,0	-	-	-	-	-	-	-	-	-	-
		15/20 Average	-	-	94,0	-	-	-	-	-	-	-	-	-	-
IV - S Cba		20/21	69,2	92,7	96,5	80,2	6,2	-	-	-	-	-	-	-	-
		19/20	78,6	95,9	91,0	73,5	19,2	-	-	-	-	-	-	-	-
		15/20 Average	-	-	95,4	74,4	24,8	0,9	-	-	-	-	-	-	-
V - CN S Fe		20/21	82,9	98,7	94,5	65,1	5,7	-	-	-	-	-	-	-	-
		19/20	82,9	100,0	88,0	75,4	20,0	-	-	-	-	-	-	-	-
		15/20 Average	-	-	89,2	61,0	26,0	0,8	-	-	-	-	-	-	-
VI - Núcleo Norte	Pests	20/21	95,3	100,0	99,0	77,0	4,7	-	-	-	-	-	-	-	-
		19/20	88,9	97,4	100,0	87,1	25,4	-	-	-	-	-	-	-	-
		15/20 Average	-	-	98,4	78,1	30,7	-	-	-	-	-	-	-	-
VII - Núcleo Sur		20/21	85,0	97,8	93,3	78,1	8,4	-	-	-	-	-	-	-	-
		19/20	89,8	100,0	95,0	84,4	23,5	-	-	-	-	-	-	-	-
		15/20 Average	-	-	96,4	83,6	35,8	1,2	-	-	-	-	-	-	-
VIII - CE E. Ríos		20/21	88,6	99,2	96,5	73,4	3,0	-	-	-	-	-	-	-	-
		19/20	95,6	98,4	94,0	84,5	17,3	-	-	-	-	-	-	-	-
		15/20 Average	-	-	96,0	81,4	23,4	-	-	-	-	-	-	-	-
IX - N LP - O BA	Drought	20/21	69,2	89,0	84,5	73,8	7,9	-	-	-	-	-	-	-	-
		19/20	82,8	97,6	92,0	73,2	18,1	-	-	-	-	-	-	-	-
		15/20 Average	-	-	93,4	69,4	19,1	-	-	-	-	-	-	-	-
X - Ctro BA		20/21	78,2	91,2	68,1	42,5	4,4	-	-	-	-	-	-	-	-
		19/20	65,2	88,2	67,0	51,8	9,2	-	-	-	-	-	-	-	-
		15/20 Average	-	-	77,2	55,5	14,0	-	-	-	-	-	-	-	-
National		20/21	74,6	95,4	77,2	55,3	4,4	-	-	-	-	-	-	-	-
		19/20	85,8	97,5	79,0	63,2	15,4	-	-	-	-	-	-	-	-
		15/20 Average	-	-	83,0	61,8	21,0	0,3	-	-	-	-	-	-	-



## FIRST SOYBEAN

Regional participation in the total national area (%)															
Regions	VII	VI	III	IX	IV	II	I	VIII	V	X	XIII	XII	XIV	XI	XV
Nat. Part. 2019/20	13,7	12,7	11,7	11,4	10,8	10,6	8,2	6,8	5,9	2,6	2,2	1,9	0,7	0,4	0,4
Hist. Nat. Part.	13,9	14,1	11,4	11,3	9,9	8,6	5,3	7,2	6,4	3,6	1,7	4,4	0,9	1,0	0,4

Moisture condition, Crop condition & Development stages												Week 52			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NOA	Drought	20/21	-	-	17,0	-	-	-	-	-	-				
		19/20	-	-	30,0	-	-	-	-	-	-				
		15/20 Average	-	-	39,0	-	-	-	-	-	-				
II - NEA		20/21	-	-	40,0	-	-	-	-	-	-				
		19/20	-	-	33,0	-	-	-	-	-	-				
		15/20 Average	-	-	28,6	-	-	-	-	-	-				
III - CN Cba		20/21	47,0	95,0	85,0	-	-	-	-	-	-				
		19/20	89,0	94,0	100,0	-	-	-	-	-	-				
		15/20 Average	-	-	98,4	-	-	-	-	-	-				
IV - S Cba		20/21	69,0	91,0	100,0	100,0	8,0	-	-	-	-				
		19/20	82,0	95,0	100,0	90,0	26,0	-	-	-	-				
		15/20 Average	-	-	99,4	84,4	30,2	1,0	-	-	-				
V - CN S Fe		20/21	77,0	98,0	100,0	88,0	9,0	-	-	-	-				
		19/20	80,0	100,0	100,0	96,0	32,0	-	-	-	-				
		15/20 Average	-	-	95,6	71,8	34,6	1,0	-	-	-				
VI - Núcleo Norte	Pests	20/21	93,0	100,0	100,0	100,0	7,0	-	-	-	-				
		19/20	99,0	96,0	100,0	100,0	39,0	-	-	-	-				
		15/20 Average	-	-	100,0	87,8	39,8	-	-	-	-				
VII - Núcleo Sur		20/21	82,0	97,0	100,0	100,0	12,0	-	-	-	-				
		19/20	90,0	100,0	100,0	100,0	32,0	-	-	-	-				
		15/20 Average	-	-	100,0	95,2	43,0	1,4	-	-	-				
VIII - CE E. Ríos		20/21	86,0	99,0	100,0	88,0	4,0	-	-	-	-				
		19/20	97,0	98,0	100,0	97,0	23,0	-	-	-	-				
		15/20 Average	-	-	100,0	89,8	27,6	-	-	-	-				
IX - N LP - O BA		20/21	70,0	87,0	100,0	100,0	11,0	-	-	-	-				
		19/20	89,0	97,0	100,0	97,0	25,0	-	-	-	-				
		15/20 Average	-	-	100,0	85,0	25,0	-	-	-	-				
National		20/21	70,8	94,0	85,1	73,8	6,5	-	-	-	-				
		19/20	88,8	96,8	90,0	80,2	22,7	-	-	-	-				
		15/20 Average	-	-	91,2	75,0	27,6	0,3	-	-	-				

## SECOND SOYBEAN

### Regional participation in the total national area (%)




Regions	VI	VII	IX	II	I	XII	V	X	III	IV	VIII	XI	XIV	XV	XIII
Nat. Part. 2019/20	13,9	13,1	9,8	7,7	7,5	7,4	7,4	7,2	7,1	6,7	4,9	4,6	1,9	0,4	0,2
Hist. Nat. Part.	13,3	9,8	10,1	7,1	5,3	10,4	7,5	6,1	10,9	7,5	3,9	6,0	1,6	0,4	0,2

### Moisture condition, Crop condition & Development stages

Week 52

Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested
I - NOA	Drought	20/21	-	-	13,0	-	-	-	-	-	-
		19/20	-	-	7,0	-	-	-	-	-	-
		15/20 Average	-	-	21,8	-	-	-	-	-	-
II - NEA		20/21	-	-	14,0	-	-	-	-	-	-
		19/20	-	-	15,0	-	-	-	-	-	-
		15/20 Average	-	-	27,0	-	-	-	-	-	-
III - CN Cba		20/21	63,0	100,0	73,0	-	-	-	-	-	-
		19/20	92,0	100,0	77,0	-	-	-	-	-	-
		15/20 Average	-	-	81,2	-	-	-	-	-	-
IV - S Cba		20/21	70,0	100,0	84,0	-	-	-	-	-	-
		19/20	64,0	100,0	65,0	-	-	-	-	-	-
		15/20 Average	-	-	80,2	-	-	-	-	-	-
V - CN S Fe		20/21	95,0	100,0	85,0	-	-	-	-	-	-
		19/20	90,0	100,0	68,0	-	-	-	-	-	-
		15/20 Average	-	-	75,6	-	-	-	-	-	-
VI - Núcleo Norte		20/21	100,0	100,0	97,0	31,0	-	-	-	-	-
		19/20	70,0	100,0	100,0	63,0	-	-	-	-	-
		15/20 Average	-	-	90,8	45,4	-	-	-	-	-
VII - Núcleo Sur		20/21	94,0	100,0	78,0	-	-	-	-	-	-
		19/20	89,0	100,0	80,0	-	-	-	-	-	-
		15/20 Average	-	-	80,8	-	-	-	-	-	-
VIII - CE E. Ríos		20/21	98,0	100,0	86,0	-	-	-	-	-	-
		19/20	90,0	100,0	77,0	-	-	-	-	-	-
		15/20 Average	-	-	77,0	-	-	-	-	-	-
IX - N LP - O BA	Drought	20/21	65,0	100,0	45,0	-	-	-	-	-	-
		19/20	60,0	100,0	71,0	-	-	-	-	-	-
		15/20 Average	-	-	71,8	-	-	-	-	-	-
X - Ctro BA		20/21	-	-	43,0	-	-	-	-	-	-
		19/20	-	-	38,0	-	-	-	-	-	-
		15/20 Average	-	-	47,0	-	-	-	-	-	-
XII - SE BA		20/21	-	-	27,0	-	-	-	-	-	-
		19/20	-	-	7,0	-	-	-	-	-	-
		15/20 Average	-	-	29,0	-	-	-	-	-	-
National		20/21	86,6	99,6	59,8	-	-	-	-	-	-
		19/20	76,4	100,0	58,0	-	-	-	-	-	-
		15/20 Average	-	-	62,0	-	-	-	-	-	-

## CORN 2020/21








Regional participation in the total national area (%)																
Regions	III	IV	II	IX	VI	VII	I	X	VIII	XIII	XII	V	XI	XIV	XV	
Nat. Part. 2019/20	14,3	12,3	11,3	11,0	9,5	7,3	6,4	5,3	5,3	4,7	3,8	3,8	2,7	1,9	0,5	
Hist. Nat. Part.	14,5	12,4	11,3	10,6	10,1	7,9	6,6	5,1	4,3	4,7	3,5	3,8	2,7	1,9	0,5	
Moisture condition, Crop condition & Development stages															Week 52	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested					
I - NOA		20/21	-	-	1,0	-	-	-	-	-	-					
		19/20	-	-	5,0	-	-	-	-	-	-	-				
		15/20 Average	-	-	11,2	-	-	-	-	-	-	-				
II - NEA		20/21	-	-	1,5	-	-	-	-	-	-					
		19/20	-	-	4,0	-	-	-	-	-	-	-				
		15/20 Average	-	-	15,2	-	-	-	-	-	-	-				
III - CN Cba		20/21	81,7	87,9	28,0	24,4	6,0	2,5	0,2	-	-					
		19/20	75,2	93,6	86,0	28,0	17,0	12,0	-	-	-	-				
		15/20 Average	-	-	68,0	22,8	12,8	8,2	-	-	-	-				
IV - S Cba		20/21	82,9	89,2	72,7	27,8	5,2	2,2	0,1	-	-					
		19/20	81,5	93,0	87,0	33,0	18,0	13,0	-	-	-	-				
		15/20 Average	-	-	82,8	33,2	17,6	11,6	-	-	-	-				
VI - Núcleo Norte		20/21	88,0	89,7	94,3	89,5	64,6	41,7	2,6	-	-					
		19/20	63,5	79,7	98,0	95,0	89,0	80,0	7,0	-	-	-				
		15/20 Average	-	-	95,6	87,6	84,2	71,8	4,8	-	-	-				
VII - Núcleo Sur		20/21	80,4	88,6	94,4	88,5	58,5	27,5	0,9	-	-					
		19/20	58,8	91,3	98,0	94,0	79,0	64,0	-	-	-	-				
		15/20 Average	-	-	95,4	85,2	73,6	56,2	0,4	-	-	-				
VIII - CE E. Rios		20/21	83,8	91,5	44,2	42,3	34,2	25,8	19,0	-	-					
		19/20	82,3	91,4	76,0	68,0	64,0	62,0	10,0	-	-	-				
		15/20 Average	-	-	78,8	68,2	64,8	64,4	11,0	-	-	-				
IX - N LP - S BA	Drought	20/21	57,6	76,6	73,6	53,2	16,0	7,2	-	-	-					
		19/20	61,3	79,2	93,0	72,0	42,0	29,0	-	-	-	-				
		15/20 Average	-	-	90,2	62,6	38,4	26,0	-	-	-	-				
X - Ctro BA		20/21	76,9	81,0	70,0	50,8	9,6	6,0	-	-	-					
		19/20	36,9	71,3	93,0	73,0	35,0	14,0	-	-	-	-				
		15/20 Average	-	-	92,8	58,0	28,4	11,2	-	-	-	-				
XII - SE BA		20/21	74,4	86,7	84,0	61,0	5,0	0,5	-	-	-					
		19/20	42,6	84,5	94,0	70,0	9,0	2,0	-	-	-	-				
		15/20 Average	-	-	93,4	73,8	9,2	0,4	-	-	-	-				
XIII - San Luis	Drought	20/21	45,0	71,8	73,6	22,6	1,8	1,0	-	-	-					
		19/20	69,7	80,3	85,0	33,0	6,0	3,0	-	-	-	-				
		15/20 Average	-	-	84,4	29,8	7,4	3,0	-	-	-	-				
National		20/21	75,9	85,0	55,4	40,2	17,9	10,2	1,9	-	-					
		19/20	65,9	86,0	75,0	51,0	34,0	27,0	2,0	-	-	-				
		15/20 Average	-	-	71,6	46,4	29,8	22,4	1,6	-	-	-				

## EARLY CORN 2020/21

Regional participation in the total national area (%)															
Regions	II	VI	I	VII	IX	X	VIII	XII	III	IV	V	XI	XIV	XIII	XV
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9
Moisture condition, Crop condition & Development stages															Week 52
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NOA		20/21	80,0	-	2,0	-	-	-	-	-	-	-	-	-	-
		19/20	95,0	-	5,0	-	-	-	-	-	-	-	-	-	-
		15/20 Average	-	-	16,2	-	-	-	-	-	-	-	-	-	-
II - NEA		20/21	80,0	-	2,5	-	-	-	-	-	-	-	-	-	-
		19/20	100,0	-	4,0	-	-	-	-	-	-	-	-	-	-
		15/20 Average	-	-	19,8	-	-	-	-	-	-	-	-	-	-
III - CN Cba		20/21	76,0	78,0	100,0	100,0	60,0	25,0	2,0	-	-	-	-	-	
		19/20	68,0	90,0	100,0	100,0	70,0	52,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	84,2	63,8	39,8	0,4	-	-	-	-	-	
IV - S Cba		20/21	72,0	85,0	100,0	100,0	43,0	18,0	1,0	-	-	-	-	-	
		19/20	71,0	86,0	100,0	100,0	69,0	51,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	90,8	70,0	50,6	-	-	-	-	-	-	
VI - Núcleo Norte		20/21	88,0	90,0	100,0	100,0	76,0	49,0	3,0	-	-	-	-	-	
		19/20	64,0	79,0	100,0	100,0	95,0	85,0	7,0	-	-	-	-	-	
		15/20 Average	-	-	100,0	96,4	95,0	80,6	6,4	-	-	-	-	-	
VII - Núcleo Sur		20/21	80,0	88,0	100,0	100,0	68,0	32,0	1,0	-	-	-	-	-	
		19/20	59,0	91,0	100,0	100,0	85,0	69,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	96,2	87,4	70,2	0,8	-	-	-	-	-	
VIII - CE E. Rios		20/21	81,0	86,0	100,0	100,0	90,0	68,0	50,0	-	-	-	-	-	
		19/20	81,0	90,0	100,0	100,0	99,0	95,0	15,0	-	-	-	-	-	
		15/20 Average	-	-	100,0	92,8	92,6	91,8	13,8	-	-	-	-	-	
IX - N LP - O BA	Drought	20/21	55,0	72,0	100,0	100,0	40,0	18,0	-	-	-	-	-	-	
		19/20	64,0	81,0	100,0	100,0	64,0	45,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	94,6	63,6	45,8	-	-	-	-	-	-	
X - Ctro BA		20/21	72,0	78,0	100,0	100,0	24,0	15,0	-	-	-	-	-	-	
		19/20	36,0	71,0	100,0	100,0	55,0	22,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	98,8	58,6	27,2	-	-	-	-	-	-	
XII - SE BA		20/21	70,0	88,0	100,0	100,0	10,0	1,0	-	-	-	-	-	-	
		19/20	42,0	82,0	100,0	100,0	14,0	3,0	-	-	-	-	-	-	
		15/20 Average	-	-	100,0	97,4	10,0	1,4	-	-	-	-	-	-	
National		20/21	76,2	83,5	64,5	63,7	35,8	20,3	3,7	-	-	-	-	-	
		19/20	62,6	84,0	76,0	74,0	54,0	43,0	3,0	-	-	-	-	-	
		15/20 Average	-	-	80,2	68,6	50,8	39,4	2,8	-	-	-	-	-	






## SUNFLOWER 2020/21



Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	XIV	X	II	IV	XIII	VI	VII	XV	VIII	III	I
Nat. Part. 2019/20	28,2	26,8	12,5	10,0	7,1	5,0	4,6	1,5	1,4	0,8	0,6	0,6	0,5	0,4	0,0
Hist. Nat. Part.	22,0	21,8	14,2	7,6	5,6	3,6	20,4	1,3	1,4	0,6	0,5	0,4	0,4	0,3	0,0
Moisture condition, Crop condition & Development stages														Week 52	
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested				
II - NEA		20/21	23,0	13,0	100,0	100,0	100,0	100,0	95,0	55,0	-				
		19/20	95,0	100,0	100,0	100,0	100,0	100,0	100,0	74,0	5,5				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	78,0	21,3				
V - CN S Fe		20/21	68,0	87,0	100,0	100,0	100,0	100,0	83,0	38,0	-				
		19/20	84,0	96,0	100,0	100,0	100,0	100,0	84,0	49,0	1,0				
		15/20 Average	-	-	100,0	100,0	100,0	100,0	83,4	51,2	4,6				
IX - N LP - O BA		20/21	85,0	90,0	100,0	100,0	65,0	26,0	-	-	-				
		19/20	86,0	93,0	100,0	100,0	60,0	25,0	-	-	-				
		15/20 Average	-	-	100,0	100,0	67,0	27,2	2,1	-	-				
X - Ctro BA		20/21	75,0	91,0	100,0	100,0	46,0	15,0	-	-	-				
		19/20	86,0	93,0	100,0	100,0	60,0	25,0	-	-	-				
		15/20 Average	-	-	100,0	100,0	67,0	27,2	2,1	-	-				
XI - SO BA - S LP		20/21	81,0	89,0	100,0	100,0	26,0	-	-	-	-				
		19/20	62,0	80,0	100,0	100,0	21,0	-	-	-	-				
		15/20 Average	-	-	100,0	98,4	31,4	4,0	-	-	-				
XII - SE BA		20/21	73,0	86,0	100,0	100,0	30,0	-	-	-	-				
		19/20	97,0	100,0	100,0	100,0	23,0	-	-	-	-				
		15/20 Average	-	-	100,0	99,0	32,6	6,6	-	-	-				
XIV - Cuenca Sal.		20/21	93,0	88,0	100,0	100,0	67,0	12,0	-	-	-				
		19/20	70,0	88,0	100,0	100,0	60,0	18,0	-	-	-				
		15/20 Average	-	-	100,0	100,0	70,0	16,6	-	-	-				
National		20/21	75,2	84,4	100,0	100,0	50,9	24,2	15,5	7,4	-				
		19/20	84,1	93,2	100,0	100,0	57,0	39,6	31,9	21,2	1,3				
		15/20 Average	-	-	100,0	99,4	63,2	42,5	32,7	23,0	4,5				

**WHEAT 2020/21**





Regional participation in the total national area (%)															
Regions	VI	XII	VII	XI	IX	III	V	I	X	IV	II	VIII	XIV	XV	XIII
Nat. Part. 2019/20	13,1	11,0	10,0	9,8	9,2	7,9	7,7	6,2	6,1	5,7	5,6	5,1	2,0	0,4	0,2
Hist. Nat. Part.	13,3	9,7	9,5	9,3	8,3	11,6	6,9	6,1	5,3	6,6	6,8	4,6	1,6	0,3	0,2
Moisture condition, Crop condition & Development stages													Week 52		
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Tillering	Stem Extension	Heading	Ripening	Mature	Harvested				
I - NOA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
II - NEA		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
III - CN Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
IV - S Cba		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,6	98,6	
V - CN S Fe		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
VI - Núcleo Norte		20/21	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
VII - Núcleo Sur		20/21	92,0	77,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			96,2
		19/20	66,0	18,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			96,9
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			96,6
IX - N LP - O BA		20/21	85,0	92,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0			93,0
		19/20	34,0	11,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0			94,0
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	89,8			74,4
X - Ctro BA		20/21	82,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	85,0			45,7
		19/20	52,0	13,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0			91,7
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	97,8	80,8	59,3			
XI - SO BA - S LP		20/21	86,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	73,0			48,1
		19/20	9,0	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,0			73,3
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	96,4	69,2	45,7			
XII - SE BA		20/21	84,0	96,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	64,0			23,3
		19/20	63,0	41,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	64,0			22,5
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	91,6	58,8	17,5			
National		20/21	85,1	94,5	100,0	100,0	100,0	100,0	100,0	100,0	100,0	91,7			79,3
		19/20	51,6	31,5	100,0	100,0	100,0	100,0	100,0	100,0	100,0	93,5			87,8
		15/20 Average	-	-	100,0	100,0	100,0	100,0	100,0	98,6	90,6	78,6			