

CROP CONDITION & DEVELOPMENT STAGES


JUNE, 14
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 6, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Season 2018/2019

Wheat

Wheat Planted: as of June 13, 2018

Regions		June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I	NOA	79,0	61,0	67,0	76,6
II	NEA	50,0	30,0	52,0	55,2
III	Ctro N Cba	70,0	43,0	65,0	67,4
IV	S Cba	43,0	22,0	34,0	39,6
V	Ctro N SFe	35,0	19,0	42,0	34,6
VI	Núcleo Norte	50,0	20,0	40,0	45,4
VII	Núcleo Sur	20,0	10,0	22,0	23,0
VIII	Ctro E ER	18,0	6,0	9,0	9,4
IX	N LP-OBA	10,0	6,0	18,0	13,1
X	Ctro Bs As	9,0	4,0	13,0	9,6
XI	SO BA-S LP	20,0	9,0	12,0	16,0
XII	SE BA	50,0	30,0	52,0	55,2
XIII	San Luis	30,0	8,0	20,0	24,2
XIV	Cuenca Sal	20,0	5,0	8,0	13,8
XV	Others	40,0	15,0	40,0	36,0
National		36,6	20,3	34,1	32,2

Condición Hídrica de Trigo: datos al 13 de Junio, 2018

Zonas-PAS		Sequía %	Regular %	Adecuada %	Óptima %	Exceso %
I	NOA	18,0	35,0	47,0	-	-
II	NEA	-	8,0	59,0	33,0	-
III	Ctro N Cba	-	31,0	49,0	14,0	6,0
IV	S Cba	6,0	6,0	60,0	28,0	-
V	Ctro N SFe	-	17,0	52,0	31,0	-
VI	Núcleo Norte	-	-	40,0	57,0	3,0
VII	Núcleo Sur	-	-	38,0	33,0	29,0
VIII	Ctro E ER	-	2,0	23,0	65,0	10,0
IX	N LP-OBA	-	14,0	44,0	42,0	-
X	Ctro Bs As	-	-	35,0	49,0	16,0
XI	SO BA-S LP	-	-	63,0	32,0	5,0
XII	SE BA	-	5,0	33,0	32,0	30,0
XIII	San Luis	-	42,0	52,0	6,0	-
XIV	Cuenca Sal	-	-	18,0	31,0	51,0
XV	Otras	-	-	-	51,0	49,0
Total Trigo		2,7	14,3	46,9	30,6	5,5

CROP CONDITION & DEVELOPMENT STAGES

Season 2017/2018

Early Corn

Early Corn Harvested: as of June 13, 2018

Regions	June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I NOA	12,0	3,0	10,0	8,2
II NEA	6,8	10,0	14,0	16,6
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	99,8
VII Núcleo Sur	100,0	100,0	100,0	99,5
VIII Ctro E ER	100,0	100,0	100,0	99,9
IX N LP-OBA	98,0	92,0	95,0	92,3
X Ctro Bs As	98,0	69,0	75,0	80,8
XI SO BA-S LP	88,0	52,0	55,0	68,6
XII SE BA	86,0	50,0	52,0	51,0
XIII San Luis	100,0	100,0	100,0	95,4
XIV Cuenca Sal	100,0	90,0	93,0	91,8
XV Others	100,0	100,0	100,0	100,0
National	78,0	62,4	65,0	81,9

Late Corn

Late Corn Harvested: as of June 13, 2018

Regions	June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	12,0	13,0	18,0	15,5
IV S Cba	14,0	15,0	23,0	17,0
V Ctro N SFe	15,0	21,0	23,0	16,0
VI Núcleo Norte	20,0	35,0	42,0	24,8
VII Núcleo Sur	15,5	37,0	50,0	27,1
VIII Ctro E ER	25,0	30,0	60,0	34,2
IX N LP-OBA	20,0	7,5	22,0	18,4
X Ctro Bs As	12,5	8,0	18,0	13,7
XI SO BA-S LP	-	-	-	8,8
XII SE BA	-	-	-	0,6
XIII San Luis	10,0	15,0	20,0	18,0
XIV Cuenca Sal	22,0	7,0	15,0	27,0
XV Others	45,0	25,0	30,0	30,0
National	13,3	14,1	21,9	15,1

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Harvested: as of June 13, 2018

Regions		June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I	NOA	12,0	3,0	10,0	8,2
II	NEA	6,8	10,0	14,0	16,6
III	Ctro N Cba	25,2	25,5	29,8	26,7
IV	S Cba	39,8	31,5	38,0	39,7
V	Ctro N SFe	40,5	47,8	49,2	47,4
VI	Núcleo Norte	88,0	90,3	91,7	82,8
VII	Núcleo Sur	87,3	87,2	89,9	81,3
VIII	Ctro E ER	73,8	71,8	84,1	76,9
IX	N LP-OBA	51,2	48,9	57,8	53,7
X	Ctro Bs As	55,3	31,9	40,3	53,3
XI	SO BA-S LP	57,2	30,6	32,4	51,7
XII	SE BA	68,8	29,5	30,7	42,6
XIII	San Luis	28,0	31,0	35,1	38,4
XIV	Cuenca Sal	68,8	39,4	45,5	72,3
XV	Others	67,0	52,0	55,3	54,6
National		45,0	40,0	45,0	46,3

First Soybean

First Soybean Condition: as of June 13, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	15,0	35,0	38,0	12,0	-
II	NEA	45,0	28,0	17,0	10,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	38,0	27,0	35,0	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	40,0	47,0	13,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	40,0	27,0	25,0	8,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		41,8	28,9	22,1	7,2	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of June 13, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	16,0	62,0	22,0	-	-
II	NEA	-	8,0	71,0	21,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	53,0	22,0	25,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	8,0	67,0	25,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	54,0	22,0	24,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,4	3,0	56,6	21,6	18,4

First Soybean Harvested: as of June 13, 2018

Regions		June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I	NOA	84,0	98,0	99,0	85,8
II	NEA	89,0	91,5	96,6	90,8
III	Ctro N Cba	100,0	100,0	100,0	98,2
IV	S Cba	96,0	98,0	100,0	97,0
V	Ctro N SFe	96,0	99,0	100,0	97,2
VI	Núcleo Norte	100,0	100,0	100,0	99,8
VII	Núcleo Sur	100,0	98,3	99,9	99,3
VIII	Ctro E ER	98,5	100,0	100,0	99,3
IX	N LP-OBA	85,5	97,7	99,2	94,9
X	Ctro Bs As	93,0	70,5	90,0	91,0
XI	SO BA-S LP	90,0	88,5	97,8	85,4
XII	SE BA	94,0	56,1	70,0	85,8
XIII	San Luis	100,0	100,0	100,0	98,6
XIV	Cuenca Sal	95,0	88,3	90,0	91,6
XV	Others	100,0	100,0	100,0	100,0
National		95,2	95,8	98,0	95,8

Second Soybean

Second Soybean Condition: as of June 13, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	70,0	25,0	5,0	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	86,0	12,0	2,0	-	-
V	Ctro N SFe	89,0	11,0	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	97,0	3,0	-	-	-
IX	N LP-OBA	61,0	30,0	9,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	47,0	29,0	19,0	5,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		57,5	25,1	13,7	3,7	-

Second Soybean Moisture Condition: as of June 13, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	8,0	71,0	21,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	14,0	68,0	18,0	-
V	Ctro N SFe	-	10,0	64,0	26,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	52,0	29,0	19,0
IX	N LP-OBA	-	8,0	67,0	25,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	54,0	22,0	24,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	2,0	56,7	22,5	18,9

ROP CONDITION & DEVELOPMENT STAGES

Second Soybean Harvested: as of June 13, 2018

Regions		June 17, 2017 %	June 9, 2018 %	June 13, 2018 %	2012/2017 Average %
I	NOA	87,5	100,0	100,0	83,5
II	NEA	92,0	92,0	94,0	87,0
III	Ctro N Cba	100,0	99,0	100,0	97,1
IV	S Cba	94,0	96,5	99,5	95,7
V	Ctro N SFe	98,5	91,0	93,0	97,8
VI	Núcleo Norte	99,5	96,0	100,0	99,0
VII	Núcleo Sur	98,3	87,5	100,0	95,5
VIII	Ctro E ER	96,5	96,0	97,0	97,1
IX	N LP-OBA	83,0	89,0	95,0	89,4
X	Ctro Bs As	83,0	58,0	78,0	79,1
XI	SO BA-S LP	84,3	78,0	89,0	79,3
XII	SE BA	80,0	26,0	29,0	67,8
XIII	San Luis	100,0	100,0	100,0	92,6
XIV	Cuenca Sal	96,0	51,0	60,0	80,2
XV	Others	100,0	100,0	100,0	93,0
National		92,2	84,2	88,5	87,2

Soybean

Soybean Condition: as of June 13, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	15,0	35,0	38,0	12,0	-
II	NEA	56,5	26,6	11,5	5,4	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	86,0	12,0	2,0	-	-
V	Ctro N SFe	89,0	11,0	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	38,0	27,0	35,0	-	-
VIII	Ctro E ER	97,0	3,0	-	-	-
IX	N LP-OBA	53,5	36,1	10,4	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	44,7	28,3	21,0	6,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		52,7	26,3	16,3	4,8	-

ROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of June 13, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	16,0	62,0	22,0	-	-
II NEA	-	8,0	71,0	21,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	14,0	68,0	18,0	-
V Ctro N SFe	-	10,0	64,0	26,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	53,0	22,0	25,0
VIII Ctro E ER	-	-	52,0	29,0	19,0
IX N LP-OBA	-	8,0	67,0	25,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	54,0	22,0	24,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,1	2,3	56,6	22,2	18,7

Soybean Harvested: as of June 30, 2018

Regions	June 14, 2017 %	June 6, 2018 %	June 13, 2018 %	2012/2017 Average %
I NOA	84,6	98,7	99,4	85,2
II NEA	89,7	91,7	95,8	90,2
III Ctro N Cba	100,0	99,7	100,0	98,0
IV S Cba	95,6	97,7	99,9	96,8
V Ctro N SFe	96,7	96,8	98,1	97,4
VI Núcleo Norte	99,9	99,1	100,0	99,7
VII Núcleo Sur	99,7	96,4	99,9	98,8
VIII Ctro E ER	98,2	99,5	99,6	99,0
IX N LP-OBA	84,9	96,1	98,4	93,8
X Ctro Bs As	88,8	65,7	85,4	87,4
XI SO BA-S LP	86,6	82,3	92,6	83,0
XII SE BA	88,5	42,4	51,4	78,7
XIII San Luis	100,0	100,0	100,0	98,5
XIV Cuenca Sal	95,5	57,8	65,5	88,7
XV Others	100,0	100,0	100,0	98,9
National	94,5	92,9	95,6	94,3