

# CROP CONDITION & DEVELOPMENT STAGES

---


DECEMBER, 7  
2017



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## COORDINATOR

Gonzalo Hermida  
[ghermida@bc.org.ar](mailto:ghermida@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## SATELLITE IMAGES ANALYST

María Victoria Corte  
[mcorte@bc.org.ar](mailto:mcorte@bc.org.ar)

## CROP CONDITION ANALYST

Daniela Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)  
Wheat & Sunflower

Santiago Burrone  
[sburrone@bc.org.ar](mailto:sburrone@bc.org.ar)  
Corn

Ayelén Gago  
[amgago@bc.org.ar](mailto:amgago@bc.org.ar)  
Soybean

## CONTACT

Av. Corrientes 123  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December 6, 2017 by the Agricultural Estimates Department at the Grain Exchange. The areas under analysis in this report account for 90% of the crops planted area. The regional data is published once planting reaches 100% of the projected area.

## Wheat

### Wheat Condition: as of December 06, 2017

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	40,0	40,0	20,0	-
II NEA	-	30,0	40,0	30,0	-
III Ctro N Cba	10,0	15,0	55,0	15,0	5,0
IV S Cba	20,0	15,0	15,0	20,0	30,0
V Ctro N SFe	-	15,0	25,0	50,0	10,0
VI Núcleo Norte	-	20,0	25,0	20,0	35,0
VII Núcleo Sur	-	-	33,3	16,7	50,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	33,3	50,0	16,7
X Ctro Bs As	11,1	33,3	44,5	11,1	-
XI SO BA-S LP	-	12,5	25,0	12,5	50,0
XII SE BA	-	-	15,0	75,0	10,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>7,0</b>	<b>15,0</b>	<b>30,0</b>	<b>27,6</b>	<b>20,4</b>

### Wheat Moisture Condition: as of December 06, 2017

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	30,0	50,0	20,0	-	-
II NEA	15,0	50,0	35,0	-	-
III Ctro N Cba	-	20,0	80,0	-	-
IV S Cba	-	20,0	50,0	30,0	-
V Ctro N SFe	12,0	45,0	30,0	13,0	-
VI Núcleo Norte	-	28,0	50,0	22,0	-
VII Núcleo Sur	-	16,7	73,3	10,0	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	65,0	35,0	-
X Ctro Bs As	5,0	31,0	54,0	10,0	-
XI SO BA-S LP	-	12,5	62,5	25,0	-
XII SE BA	-	5,0	75,0	20,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>3,9</b>	<b>23,7</b>	<b>57,0</b>	<b>15,4</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Heading: as of December 06, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	99,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	97,0	100,0	100,0
X	Ctro Bs As	100,0	93,0	100,0	100,0
XI	SO BA-S LP	97,0	87,0	100,0	95,0
XII	SE BA	100,0	83,0	100,0	98,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>99,6</b>	<b>96,0</b>	<b>100,0</b>	<b>98,5</b>

## Wheat Ripening: as of December 06, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	85,0	100,0	100,0
IV	S Cba	82,0	62,0	82,0	80,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	98,0	75,0	95,0	95,0
VII	Núcleo Sur	87,0	53,0	87,0	90,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	78,0	33,0	75,0	80,0
X	Ctro Bs As	77,0	29,0	72,0	75,0
XI	SO BA-S LP	62,0	17,0	58,0	60,0
XII	SE BA	50,0	12,0	49,0	48,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>83,1</b>	<b>60,4</b>	<b>83,4</b>	<b>73,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Mature: as of December 06, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	95,0	100,0	100,0
III	Ctro N Cba	77,0	40,0	78,0	75,0
IV	S Cba	50,0	30,0	52,0	47,0
V	Ctro N SFe	92,0	68,0	98,0	95,0
VI	Núcleo Norte	70,0	37,0	66,0	68,0
VII	Núcleo Sur	53,0	23,0	54,0	55,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	40,0	7,0	39,0	42,0
X	Ctro Bs As	18,0	-	-	21,7
XI	SO BA-S LP	20,0	-	-	23,0
XII	SE BA	13,0	-	-	15,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>54,0</b>	<b>33,7</b>	<b>52,7</b>	<b>43,8</b>

## Wheat Harvested: as of December 06, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	100,0	95,0	100,0	100,0
II	NEA	100,0	89,0	100,0	100,0
III	Ctro N Cba	70,0	18,0	70,0	87,0
IV	S Cba	40,0	4,0	32,0	57,8
V	Ctro N SFe	95,0	55,0	92,0	97,5
VI	Núcleo Norte	70,0	15,0	60,0	85,3
VII	Núcleo Sur	40,0	2,0	40,0	54,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	5,0	-	5,0	15,8
X	Ctro Bs As	2,0	-	2,0	3,3
XI	SO BA-S LP	-	-	-	0,4
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>40,7</b>	<b>20,6</b>	<b>44,7</b>	<b>42,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower

### Sunflower Planted: as of December 6, 2017

Ç	December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	95,0	100,0	100,0
X Ctro Bs As	100,0	90,0	100,0	100,0
XI SO BA-S LP	100,0	70,0	94,0	99,0
XII SE BA	100,0	88,0	97,0	99,6
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	95,0	100,0	100,0
XV Others	100,0	100,0	100,0	100,0
<b>National</b>	<b>98,4</b>	<b>90,1</b>	<b>98,1</b>	<b>99,7</b>

### Sunflower Condition: as of December 6, 2017

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	11,1	22,2	44,5	22,2
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	12,5	12,5	37,5	37,5
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	66,7	33,3
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	20,0	50,0	30,0
XV Others	-	-	-	-	-
<b>National</b>	<b>0,4</b>	<b>8,8</b>	<b>16,1</b>	<b>54,4</b>	<b>20,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Moisture Condition: as of December 6, 2017

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	10,0	40,0	30,0	20,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	50,0	38,0	12,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	66,7	33,3	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	10,0	60,0	20,0	10,0
XV Others	-	-	-	-	-
<b>National</b>	<b>2,7</b>	<b>23,1</b>	<b>46,8</b>	<b>26,8</b>	<b>0,6</b>

## Sunflower Leaf Development: as of December 6, 2017

Regions	December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	78,0	55,0	72,0	75,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	78,0	72,0	90,0	75,0
XV Others	-	-	-	-
<b>National</b>	<b>82,8</b>	<b>71,2</b>	<b>88,7</b>	<b>71,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowerbud Stage: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	90,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	25,0	-	25,0	28,6
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	19,0	-	-	20,0
XV	Others	-	-	-	-
<b>National</b>		<b>39,6</b>	<b>39,9</b>	<b>40,2</b>	<b>33,8</b>

## Sunflower Seed Development: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	82,0	45,0	77,0	80,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	43,0	15,0	42,0	40,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>22,2</b>	<b>15,0</b>	<b>23,5</b>	<b>18,1</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Flowering Stage: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	85,0	100,0	98,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	88,0	55,0	92,0	90,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>33,5</b>	<b>29,7</b>	<b>36,9</b>	<b>27,0</b>

## Sunflower Mature: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	38,0	5,0	35,0	36,8
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	25,0	-	22,0	22,5
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>11,0</b>	<b>1,2</b>	<b>11,1</b>	<b>8,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Early Corn Planted: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	95,0	100,0	99,8
XII	SE BA	100,0	95,0	100,0	98,8
XIII	San Luis	100,0	100,0	100,0	99,2
XIV	Cuenca Sal	100,0	100,0	100,0	99,7
XV	Others	100,0	100,0	100,0	89,2
<b>National</b>		<b>84,9</b>	<b>66,2</b>	<b>66,6</b>	<b>91,2</b>

### Early Corn Condition: as of December 6, 2017

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	42,9	28,6	28,5	-
IV	S Cba	-	5,0	20,0	75,0	-
V	Ctro N SFe	-	-	33,3	66,7	-
VI	Núcleo Norte	-	12,5	25,0	52,5	10,0
VII	Núcleo Sur	-	-	10,0	80,0	10,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	15,0	80,0	5,0
X	Ctro Bs As	-	14,3	42,9	42,8	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	12,5	50,0	37,5	-
XIII	San Luis	-	-	40,0	60,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>			<b>9,1</b>	<b>24,5</b>	<b>61,4</b>	<b>5,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Moisture Condition: as of December 6, 2017

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	57,1	28,6	14,3	-
IV	S Cba	-	15,0	40,6	44,4	-
V	Ctro N SFe	-	83,3	16,7	-	-
VI	Núcleo Norte	-	33,3	55,6	11,1	-
VII	Núcleo Sur	-	15,0	65,0	20,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	10,0	70,0	20,0	-
X	Ctro Bs As	-	57,1	42,9	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	25,0	62,5	12,5	-
XIII	San Luis	-	10,0	55,0	35,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,5</b>	<b>31,3</b>	<b>51,1</b>	<b>17,0</b>	<b>-</b>

## Early Corn Leaf Development: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	98,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	75,0	96,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>97,0</b>	<b>97,7</b>	<b>99,7</b>	<b>97,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Pollination: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	30,0	-	-	46,9
IV	S Cba	33,0	12,0	18,0	48,0
V	Ctro N SFe	70,0	51,0	81,0	94,3
VI	Núcleo Norte	40,0	17,0	28,0	69,6
VII	Núcleo Sur	42,0	-	-	55,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	35,0
X	Ctro Bs As	10,0	-	-	11,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	20,0	-	-	21,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>27,2</b>	<b>7,6</b>	<b>15,1</b>	<b>46,2</b>

## Early Corn Silking: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	11,2	-	-	16,2
IV	S Cba	23,0	-	11,0	25,0
V	Ctro N SFe	52,0	34,3	59,0	68,0
VI	Núcleo Norte	21,0	-	14,0	32,0
VII	Núcleo Sur	10,0	-	-	25,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	18,0
X	Ctro Bs As	-	-	-	2,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	6,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>12,5</b>	<b>1,7</b>	<b>8,4</b>	<b>23,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Planted: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	8,0	2,0	5,0	15,6
IV	S Cba	15,0	2,0	8,0	26,0
V	Ctro N SFe	10,0	8,0	8,0	6,0
VI	Núcleo Norte	12,0	5,0	6,0	17,2
VII	Núcleo Sur	15,0	5,0	6,0	17,2
VIII	Ctro E ER	20,0	8,0	12,0	14,0
IX	N LP-OBA	20,0	8,0	15,0	40,0
X	Ctro Bs As	22,0	10,0	15,0	43,0
XI	SO BA-S LP	25,0	15,0	25,0	33,0
XII	SE BA	20,0	12,5	20,0	23,6
XIII	San Luis	25,0	2,0	6,0	31,0
XIV	Cuenca Sal	18,0	10,0	21,0	32,6
XV	Others	15,0	2,0	20,0	7,0
<b>National</b>		<b>12,1</b>	<b>4,9</b>	<b>9,6</b>	<b>19,2</b>

## Corn Planted: as of December 6, 2017

Regions		December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I	NOA	7,5	-	-	2,8
II	NEA	7,0	-	-	8,8
III	Ctro N Cba	21,8	15,0	19,3	27,8
IV	S Cba	40,5	20,0	26,4	51,2
V	Ctro N SFe	37,0	35,0	40,2	45,1
VI	Núcleo Norte	86,8	85,0	85,9	84,3
VII	Núcleo Sur	87,3	80,0	81,2	82,3
VIII	Ctro E ER	72,0	60,0	64,8	69,5
IX	N LP-OBA	68,0	50,0	57,5	73,2
X	Ctro Bs As	61,0	40,0	49,0	78,6
XI	SO BA-S LP	73,8	57,0	70,0	83,1
XII	SE BA	84,0	57,0	68,0	88,5
XIII	San Luis	40,0	20,0	24,8	53,9
XIV	Cuenca Sal	67,2	40,0	52,6	82,4
XV	Others	49,0	40,0	52,0	37,0
<b>National</b>		<b>48,0</b>	<b>35,8</b>	<b>40,4</b>	<b>53,3</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean

### First Soybean Planted: as of December 06, 2017

Regions	December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I NOA	7,0	-	-	6,0
II NEA	6,0	-	0,5	5,5
III Ctro N Cba	50,0	18,0	60,0	67,6
IV S Cba	84,0	57,0	80,0	83,8
V Ctro N SFe	55,0	39,0	78,0	65,0
VI Núcleo Norte	97,0	88,0	99,0	96,6
VII Núcleo Sur	97,5	75,0	95,0	96,1
VIII Ctro E ER	86,0	54,0	90,0	88,8
IX N LP-OBA	81,0	50,0	70,0	91,6
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	76,5	30,0	75,0	84,5
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>72,0</b>	<b>47,9</b>	<b>71,9</b>	<b>76,1</b>

### Second Soybean Planted: as of December 06, 2017

Regions	December 07, 2016 %	November 22, 2017 %	December 06, 2017 %	2012/2017 Average %
I NOA	-	-	-	0,3
II NEA	-	-	-	2,4
III Ctro N Cba	5,0	-	-	24,0
IV S Cba	6,0	-	2,0	20,2
V Ctro N SFe	9,0	-	4,0	34,6
VI Núcleo Norte	24,0	-	45,0	65,6
VII Núcleo Sur	5,0	-	8,0	32,0
VIII Ctro E ER	20,0	-	8,0	40,8
IX N LP-OBA	2,0	-	-	17,8
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	5,5
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
<b>National</b>	<b>6,1</b>	<b>-</b>	<b>7,5</b>	<b>20,5</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Soybean Planted: as of December 06, 2017

Regions		December 07, 2016	November 22, 2017	December 06, 2017	2012/2017 Average
		%	%	%	%
I	NOA	5,8	-	-	4,7
II	NEA	4,7	-	0,3	5,1
III	Ctro N Cba	40,7	12,7	42,3	61,0
IV	S Cba	73,5	44,9	63,4	76,3
V	Ctro N SFe	42,6	27,2	55,5	57,7
VI	Núcleo Norte	84,9	64,2	84,4	91,2
VII	Núcleo Sur	85,2	60,3	78,0	86,1
VIII	Ctro E ER	77,9	44,6	75,7	81,7
IX	N LP-OBA	61,0	38,9	54,4	74,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	49,1	15,8	39,4	48,5
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>57,6</b>	<b>34,0</b>	<b>53,2</b>	<b>64,4</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Vegetation Change detection map


The following maps were drawn based on temporal MODIS Vegetation indices, which provided time-space comparisons of the crop condition, related to the foliar area, the photosynthesis activity and to the canopy architecture.

The index value may vary according to the soil use, condition and development of the vegetation cover, soil moisture and to regional climatic conditions.


These properties have turned the green index into a valuable tool for the assessment of vegetation cover, as well as for the study of the classification and dynamics of vegetation and its phenological aspect.

The analysis not only represents variations in the crops surveyed by the Department, but also considers other coverings such as natural forest, pastures, green areas and vegetation associated with water courses.

Departing from this index, fortnightly changes were detected compared to both, the same and previous season. Red areas in maps evidence a decrease above 10% in the vegetation index, while the green areas indicate a rise above 10% of the vegetation index.




*Vegetation index difference between the second fortnight and first fortnight in November, 2017*





# CROP CONDITION & DEVELOPMENT STAGES



*Vegetation index difference between the second fortnight in November, 2017 and the same fortnight YoY*

