

CROP CONDITION & DEVELOPMENT STAGES


OCTOBER 10,
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino
dventurino@bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa
sconsoleinsua@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through October, 9 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Season 2019/2020

Corn

Early Corn Planted: as of October 9, 2019

Regions	October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	70,0	23,0	25,0	74,0
IV S Cba	85,0	21,0	33,0	74,6
V Ctro N SFe	100,0	95,0	96,0	98,0
VI Núcleo Norte	90,0	82,0	87,0	91,4
VII Núcleo Sur	90,0	66,0	68,0	82,4
VIII Ctro E ER	100,0	89,0	95,0	100,0
IX N LP-OBA	65,0	12,0	30,0	67,4
X Ctro Bs As	35,0	10,0	35,0	45,8
XI SO BA-S LP	31,0	-	-	13,0
XII SE BA	10,0	-	-	8,8
XIII San Luis	70,0	20,0	30,0	55,6
XIV Cuenca Sal	12,0	8,0	20,0	33,6
XV Others	75,0	7,0	9,0	94,6
National	49,0	33,6	39,4	55,4

Early Corn Condition: as of October 9, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	15,0	56,0	29,0	-
IV S Cba	-	13,0	68,0	19,0	-
V Ctro N SFe	-	2,0	40,0	58,0	-
VI Núcleo Norte	-	14,0	61,0	25,0	-
VII Núcleo Sur	-	10,0	57,0	33,0	-
VIII Ctro E ER	-	1,0	46,0	53,0	-
IX N LP-OBA	-	31,0	54,0	15,0	-
X Ctro Bs As	-	18,0	57,0	25,0	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	20,0	52,0	28,0	-
XIV Cuenca Sal	-	25,0	59,0	16,0	-
XV Others	-	15,0	65,0	20,0	-
National	-	12,5	56,0	31,5	-
Nat. October 10, 2018	2,6	20,1	45,6	28,7	3,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of October 9, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	2,0	33,0	51,0	14,0	-
IV	S Cba	2,0	39,0	46,0	13,0	-
V	Ctro N SFe	-	8,0	57,0	35,0	-
VI	Núcleo Norte	1,0	42,0	45,0	12,0	-
VII	Núcleo Sur	1,0	39,0	48,0	12,0	-
VIII	Ctro E ER	-	10,0	57,0	28,0	5,0
IX	N LP-OBA	12,0	53,0	27,0	8,0	-
X	Ctro Bs As	12,0	41,0	32,0	15,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	-	-	-
XIII	San Luis	10,0	38,0	36,0	16,0	-
XIV	Cuenca Sal	10,0	43,0	35,0	12,0	-
XV	Others	2,0	32,0	48,0	18,0	-
National		2,5	35,4	45,9	15,5	0,6
Nat.October 10, 2018		10,7	40,0	40,5	7,0	1,7

Sunflower

Sunflower Planted: as of October 9, 2019

Regions		October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	72,1	77,0	72,0
IV	S Cba	45,0	6,7	10,7	14,4
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	90,0	54,8	82,0	60,6
VII	Núcleo Sur	20,0	16,5	49,0	9,8
VIII	Ctro E ER	80,0	57,0	73,0	50,8
IX	N LP-OBA	7,0	-	-	9,4
X	Ctro Bs As	5,0	0,9	2,5	7,8
XI	SO BA-S LP	2,0	-	-	2,8
XII	SE BA	1,0	-	1,4	3,0
XIII	San Luis	10,0	-	-	8,0
XIV	Cuenca Sal	5,0	-	4,8	9,4
XV	Others	100,0	53,3	87,0	65,0
National		41,9	33,7	35,0	34,2

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Condition: as of October 9, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	7,0	43,0	47,0	3,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	5,0	35,0	58,0	2,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	45,0	55,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	5,0	51,0	44,0	-
XV	Others	-	-	-	-	-
National		0,0	6,3	40,2	51,1	2,4
Nat.October 10, 2018		0,0	5,5	33,7	49,2	11,6

Sunflower Moisture Condition: as of October 9, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	12,0	52,0	36,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	10,0	51,0	39,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	11,0	46,0	43,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	1,0	15,0	50,0	34,0	-
XV	Others	-	-	-	-	-
National		0,2	11,1	51,0	37,5	0,1
Nat.October 10, 2018		4,7	34,3	50,7	10,1	0,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of October 9, 2019

Regions	October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	100,0	94,0	100,0	100,0
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	86,0	78,0	85,0	88,2
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	37,0	28,6	30,8	29,0

Sunflower Flowerbud Stage: as of October 9, 2019

Regions	October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	34,0	14,0	21,0	35,4
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	7,0	-	5,0	10,6
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	8,9	2,6	4,6	8,3

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of October 9, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	19,0	51,0	30,0	-
II	NEA	6,0	20,0	36,0	38,0	-
III	Ctro N Cba	12,0	32,0	28,0	28,0	-
IV	S Cba	17,0	39,0	37,0	7,0	-
V	Ctro N SFe	-	18,0	44,0	38,0	-
VI	Núcleo Norte	8,0	25,0	38,0	29,0	-
VII	Núcleo Sur	15,0	31,0	36,0	18,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	18,0	37,0	34,0	11,0	-
X	Ctro Bs As	9,0	29,0	38,0	24,0	-
XI	SO BA-S LP	22,0	41,0	37,0	-	-
XII	SE BA	-	31,0	48,0	21,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		9,7	28,3	39,2	22,7	-
Nat.October 10, 2018		6,0	19,3	37,6	30,8	6,2

Wheat Moisture Condition: as of October 9, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	17,0	36,0	47,0	-	-
II	NEA	-	14,0	51,0	35,0	-
III	Ctro N Cba	11,0	29,0	48,0	12,0	-
IV	S Cba	20,0	36,0	31,0	13,0	-
V	Ctro N SFe	-	8,0	55,0	37,0	-
VI	Núcleo Norte	8,0	24,0	46,0	22,0	-
VII	Núcleo Sur	10,0	26,0	38,0	26,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	18,0	41,0	33,0	8,0	-
X	Ctro Bs As	15,0	39,0	36,0	10,0	-
XI	SO BA-S LP	32,0	45,0	23,0	-	-
XII	SE BA	7,0	28,0	45,0	20,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		11,6	27,9	41,3	18,7	0,4
Nat.October 10, 2018		15,7	34,2	32,4	15,6	2,1

CROP CONDITION & DEVELOPMENT STAGES

Wheat Steam Extension: as of October 9, 2019

Regions		October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2014/2019 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	95,0	100,0	98,4
IV	S Cba	100,0	77,0	84,0	96,2
V	Ctro N SFe	100,0	89,0	97,0	100,0
VI	Núcleo Norte	100,0	78,0	87,0	98,8
VII	Núcleo Sur	97,0	61,0	79,0	90,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	68,0	42,0	55,0	79,8
X	Ctro Bs As	69,0	29,0	46,0	63,8
XI	SO BA-S LP	57,0	26,0	44,0	58,2
XII	SE BA	71,0	21,0	39,0	53,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		88,5	65,4	76,1	85,2

Wheat Heading: as of October 9, 2019

Regions		October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2014/2019 Average %
I	NOA	100,0	97,0	100,0	97,6
II	NEA	100,0	66,0	82,0	93,2
III	Ctro N Cba	69,0	37,0	51,0	60,0
IV	S Cba	61,0	16,0	31,0	43,8
V	Ctro N SFe	61,0	48,0	59,0	71,4
VI	Núcleo Norte	78,0	23,0	42,0	57,0
VII	Núcleo Sur	52,0	21,0	30,0	38,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	25,0	3,0	10,0	26,2
X	Ctro Bs As	28,0	-	4,0	16,2
XI	SO BA-S LP	12,0	-	-	11,6
XII	SE BA	22,0	-	-	16,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		55,7	26,2	36,1	47,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Ripening: as of October 9, 2019

Regions		October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2014/2019 Average %
I	NOA	60,0	41,0	54,0	51,4
II	NEA	42,0	26,0	35,0	31,2
III	Ctro N Cba	4,0	-	-	6,4
IV	S Cba	-	-	-	0,6
V	Ctro N SFe	10,0	5,0	13,0	15,4
VI	Núcleo Norte	-	-	-	4,4
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		8,5	4,8	7,0	8,3

Wheat Mature: as of October 9, 2019

Regions		October 10, 2018 %	October 2, 2019 %	October 9, 2019 %	2014/2019 Average %
I	NOA	34,0	14,0	30,0	20,6
II	NEA	22,0	-	9,0	10,6
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	1,2
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		3,8	0,9	2,6	2,0