

CROP CONDITION & DEVELOPMENT STAGES


JUNE, 6
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through June 5, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Wheat

Season 2019/2020

Wheat Planted: as of June 5, 2019

Regions	June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2014/2019 Average %
I NOA	61,0	53,0	79,2	47,2
II NEA	30,0	4,2	5,4	23,0
III Ctro N Cba	43,0	11,0	43,3	34,0
IV S Cba	22,0	3,0	21,9	14,4
V Ctro N SFe	19,0	7,9	20,5	14,6
VI Núcleo Norte	20,0	8,3	28,2	11,0
VII Núcleo Sur	10,0	3,3	5,3	7,8
VIII Ctro E ER	16,0	3,0	6,6	6,6
IX N LP-OBA	6,0	3,1	4,6	10,4
X Ctro Bs As	4,0	0,8	7,3	3,0
XI SO BA-S LP	9,0	0,4	5,4	5,2
XII SE BA	6,0	1,7	7,4	2,6
XIII San Luis	8,0	-	15,0	8,4
XIV Cuenca Sal	5,0	-	8,0	4,0
XV Others	15,0	2,3	4,0	18,2
National	20,0	7,7	19,7	15,8

Wheat Condition: as of June 5, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	27,0	66,0	7,0
II NEA	-	-	44,0	56,0	-
III Ctro N Cba	-	-	26,0	69,0	5,0
IV S Cba	-	-	37,0	60,0	3,0
V Ctro N SFe	-	-	38,0	62,0	-
VI Núcleo Norte	-	-	27,0	44,0	29,0
VII Núcleo Sur	-	-	31,0	41,0	28,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	27,0	71,0	2,0
X Ctro Bs As	-	-	31,0	69,0	-
XI SO BA-S LP	-	-	35,0	62,0	3,0
XII SE BA	-	-	32,0	68,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	-	29,6	60,8	9,6
Nat. June 6, 2018	-	7,5	51,1	38,8	2,5

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of June 5, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	34,0	66,0	-
II NEA	-	-	31,0	15,0	54,0
III Ctro N Cba	-	-	22,0	78,0	-
IV S Cba	-	-	18,0	82,0	-
V Ctro N SFe	-	-	50,0	29,0	21,0
VI Núcleo Norte	-	-	31,0	69,0	-
VII Núcleo Sur	-	-	31,0	67,0	2,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	21,0	79,0	-
X Ctro Bs As	-	13,0	55,0	32,0	-
XI SO BA-S LP	-	10,0	29,0	61,0	-
XII SE BA	-	-	78,0	22,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	-	0,5	32,5	63,9	3,1
Nat. June 6, 2018	-	22,8	47,6	24,2	5,5

First Soybean

Season 2018/2019

First Soybean Condition: as of June 5, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	58,0	38,0	4,0
II NEA	34,0	32,0	23,0	11,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	21,0	20,0	41,0	18,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	13,0	20,0	41,0	26,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	27,7	26,5	29,7	15,5	0,5
Nat. June 6, 2018	45,9	28,4	19,9	5,9	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	52,0	43,0	5,0
II	NEA	-	-	17,0	32,0	51,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	15,0	24,0	35,0	26,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	7,0	36,0	42,0	15,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,2	2,0	22,8	33,5	41,6
Nat.June 6, 2018		0,2	7,3	62,3	21,6	8,5

First Soybean Harvested: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	98,0	77,0	92,0	74,6
II	NEA	91,5	22,0	56,0	77,9
III	Ctro N Cba	100,0	99,5	100,0	97,7
IV	S Cba	98,0	99,5	100,0	93,4
V	Ctro N SFe	99,0	88,0	96,0	94,4
VI	Núcleo Norte	100,0	100,0	100,0	99,2
VII	Núcleo Sur	98,3	100,0	100,0	98,6
VIII	Ctro E ER	100,0	100,0	100,0	98,2
IX	N LP-OBA	97,7	100,0	100,0	92,0
X	Ctro Bs As	70,5	98,0	99,0	81,6
XI	SO BA-S LP	88,5	97,8	100,0	76,3
XII	SE BA	56,1	93,0	99,3	66,2
XIII	San Luis	100,0	95,0	100,0	96,0
XIV	Cuenca Sal	88,3	100,0	100,0	85,1
XV	Others	100,0	100,0	100,0	94,6
National		95,8	93,3	97,1	91,8

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean

Second Soybean Condition: as of June 5, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	33,0	40,0	27,0	-
II	NEA	34,0	27,0	26,0	13,0	-
III	Ctro N Cba	10,0	32,0	18,0	35,0	5,0
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	35,0	37,0	28,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	9,0	18,0	40,0	33,0	-
VIII	Ctro E ER	-	25,0	46,0	29,0	-
IX	N LP-OBA	-	29,0	44,0	24,0	3,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	36,0	35,0	29,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		11,8	29,9	34,1	24,0	0,2
Nat. June 6, 2018		63,6	23,1	10,6	2,7	-

Second Soybean Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	40,0	51,0	9,0
II	NEA	-	-	16,0	36,0	48,0
III	Ctro N Cba	-	23,0	36,0	38,0	3,0
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	41,0	42,0	17,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	40,0	33,0	27,0	-
VIII	Ctro E ER	-	30,0	29,0	26,0	15,0
IX	N LP-OBA	-	26,0	38,0	36,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	37,0	36,0	27,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	13,6	31,1	35,2	20,2
Nat. June 6, 2018		-	5,7	61,2	23,1	10,0

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Harvested: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	100,0	81,0	92,0	70,0
II	NEA	92,0	22,0	54,0	69,0
III	Ctro N Cba	99,0	95,0	98,5	96,2
IV	S Cba	96,5	99,6	100,0	91,1
V	Ctro N SFe	91,0	77,0	84,4	90,0
VI	Núcleo Norte	96,0	99,0	100,0	97,8
VII	Núcleo Sur	87,5	94,8	99,0	90,3
VIII	Ctro E ER	96,0	86,7	94,2	94,2
IX	N LP-OBA	89,0	87,8	98,0	83,1
X	Ctro Bs As	58,0	66,0	88,0	66,4
XI	SO BA-S LP	78,0	91,6	97,5	67,6
XII	SE BA	26,0	67,5	91,0	38,6
XIII	San Luis	100,0	95,0	100,0	79,0
XIV	Cuenca Sal	51,0	95,0	100,0	59,6
XV	Others	100,0	98,0	100,0	85,0
National		84,2	84,6	93,9	77,7

Soybean

Soybean Condition: as of June 5, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	11,2	51,9	34,3	2,6
II	NEA	34,0	30,6	23,8	11,5	-
III	Ctro N Cba	10,0	32,0	18,0	35,0	5,0
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	7,2	29,9	38,4	24,6	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	9,0	18,0	40,0	33,0	-
VIII	Ctro E ER	-	25,0	46,0	29,0	-
IX	N LP-OBA	-	29,0	44,0	24,0	3,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	0,8	35,0	35,4	28,8	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		20,2	28,1	31,8	19,5	0,4
Nat. June 6, 2018		56,6	25,2	14,2	4,0	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	47,9	45,7	6,4
II	NEA	-	-	16,7	33,1	50,2
III	Ctro N Cba	-	23,0	36,0	38,0	3,0
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	5,1	35,2	39,6	20,1
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	40,0	33,0	27,0	-
VIII	Ctro E ER	-	30,0	29,0	26,0	15,0
IX	N LP-OBA	-	26,0	38,0	36,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	7,0	36,0	42,0	15,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,6	7,4	27,2	33,3	31,5
Nat. June 6, 2018		0,1	6,4	61,6	22,5	9,4

Soybean Harvested: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	98,7	78,4	92,0	73,7
II	NEA	91,7	22,0	55,5	76,2
III	Ctro N Cba	99,7	98,3	99,6	97,4
IV	S Cba	97,7	99,5	100,0	93,1
V	Ctro N SFe	96,8	84,4	92,2	93,4
VI	Núcleo Norte	99,1	99,7	100,0	98,9
VII	Núcleo Sur	96,4	98,8	99,8	97,4
VIII	Ctro E ER	99,5	97,2	98,8	97,6
IX	N LP-OBA	96,1	97,1	99,5	90,2
X	Ctro Bs As	65,7	83,0	93,8	76,8
XI	SO BA-S LP	82,3	93,6	98,3	71,0
XII	SE BA	42,4	79,1	94,8	54,7
XIII	San Luis	100,0	95,0	100,0	95,6
XIV	Cuenca Sal	57,8	96,8	100,0	73,9
XV	Others	100,0	99,0	100,0	92,8
National		92,9	90,7	96,1	88,8

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Condition: as of June 5, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	3,3	40,0	44,4	12,2
II	NEA	-	11,9	48,0	36,4	3,8
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	27,5	65,0	7,5
X	Ctro Bs As	-	-	47,5	37,5	15,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	41,3	50,0	8,8
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	8,0	44,5	40,5	7,1
Nat. June 6, 2018		21,8	26,8	32,7	16,3	2,3

Early Corn Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	38,3	61,1	0,6
II	NEA	-	-	41,0	39,0	20,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	40,0	60,0	-
X	Ctro Bs As	-	-	30,0	70,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	0,6	5,6	46,9	46,9	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	0,5	40,3	47,8	11,3
Nat. June 6, 2018		7,6	28,3	46,4	10,3	7,4

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Mature: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	100,0	95,0	98,0	100,0
II	NEA	100,0	94,0	98,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	98,1	99,3	100,0

Early Corn Harvested: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	3,0	-	3,0	6,8
II	NEA	10,0	-	2,0	12,2
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,8
VII	Núcleo Sur	100,0	100,0	100,0	99,5
VIII	Ctro E ER	100,0	100,0	100,0	99,9
IX	N LP-OBA	92,0	91,0	95,0	89,9
X	Ctro Bs As	69,0	92,0	95,0	77,8
XI	SO BA-S LP	52,0	80,0	82,0	65,4
XII	SE BA	50,0	62,0	68,0	45,4
XIII	San Luis	100,0	100,0	100,0	86,9
XIV	Cuenca Sal	90,0	75,0	80,0	85,4
XV	Others	100,0	67,0	69,0	100,0
National		62,4	63,1	64,8	79,8

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Condition: as of June 5, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	34,5	51,0	14,5
IV	S Cba	-	-	43,6	48,6	7,9
V	Ctro N SFe	-	1,0	42,0	43,0	14,0
VI	Núcleo Norte	-	0,9	44,5	42,3	12,3
VII	Núcleo Sur	-	1,8	37,7	46,8	13,6
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	33,6	64,3	2,1
X	Ctro Bs As	-	-	46,3	45,6	8,1
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	5,7	43,6	45,0	5,7
XIII	San Luis	-	-	40,0	50,0	10,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	0,4	40,0	49,7	9,9
Nat.June 6, 2018		42,2	30,6	21,3	5,6	0,3

Late Corn Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	1,0	55,5	41,7	1,8
IV	S Cba	-	-	37,1	62,9	-
V	Ctro N SFe	-	-	32,0	68,0	-
VI	Núcleo Norte	-	-	35,5	61,4	3,2
VII	Núcleo Sur	-	-	52,3	46,8	0,9
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,9	57,1	-
X	Ctro Bs As	-	-	38,8	61,3	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	0,7	8,6	54,3	36,4	-
XIII	San Luis	-	15,0	55,0	30,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	1,9	45,2	52,1	0,7
Nat.June 6, 2018		-	32,2	52,1	12,4	3,3

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Mature: as of June 5, 2019

Regions	June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	98,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	85,0	97,0	95,0
VI Núcleo Norte	100,0	88,0	100,0	95,0
VII Núcleo Sur	100,0	95,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	97,0	100,0	100,0
X Ctro Bs As	100,0	96,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	82,0	95,0	90,0
XIII San Luis	100,0	84,0	98,0	95,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	100,0	95,3	99,5	99,0

Corn

Corn Condition: as of June 5, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	3,3	40,0	44,4	12,2
II NEA	-	11,9	48,0	36,4	3,8
III Ctro N Cba	-	-	34,5	51,0	14,5
IV S Cba	-	-	43,6	48,6	7,9
V Ctro N SFe	-	1,0	42,0	43,0	14,0
VI Núcleo Norte	-	0,9	44,5	42,3	12,3
VII Núcleo Sur	-	1,8	37,7	46,8	13,6
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	33,2	64,3	2,5
X Ctro Bs As	-	-	46,3	45,3	8,4
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	4,4	43,0	46,2	6,4
XIII San Luis	-	-	40,0	50,0	10,0
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,0	2,8	41,4	46,8	9,0
Nat. June 6, 2018	33,8	29,7	26,1	9,4	1,0

CROP CONDITION & DEVELOPMENT STAGES

Corn Moisture Condition: as of June 5, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	38,3	61,1	0,6
II	NEA	-	-	41,0	39,0	20,0
III	Ctro N Cba	-	1,0	55,5	41,7	1,8
IV	S Cba	-	-	37,1	62,9	-
V	Ctro N SFe	-	-	32,0	68,0	-
VI	Núcleo Norte	-	-	35,5	61,4	3,2
VII	Núcleo Sur	-	-	52,3	46,8	0,9
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	42,7	57,3	-
X	Ctro Bs As	-	-	38,4	61,6	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	0,7	7,9	52,5	38,9	-
XIII	San Luis	-	15,0	55,0	30,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,0	1,5	43,7	50,7	4,1
Nat. June 6, 2018		2,0	33,6	49,5	9,9	5,0

Corn Mature: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	100,0	95,0	98,0	100,0
II	NEA	100,0	94,0	98,0	100,0
III	Ctro N Cba	100,0	98,3	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	90,3	98,1	97,0
VI	Núcleo Norte	100,0	98,4	100,0	99,0
VII	Núcleo Sur	100,0	99,3	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	98,5	100,0	100,0
X	Ctro Bs As	100,0	97,8	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	91,0	97,5	98,3
XIII	San Luis	100,0	87,2	98,4	96,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	96,9	99,4	99,6

CROP CONDITION & DEVELOPMENT STAGES

Corn Harvested: as of June 5, 2019

Regions		June 6, 2018 %	May 29, 2019 %	June 5, 2019 %	2013/2018 Average %
I	NOA	3,0	-	3,0	6,8
II	NEA	10,0	-	2,0	12,2
III	Ctro N Cba	25,5	21,5	23,6	22,9
IV	S Cba	31,5	26,3	27,1	34,6
V	Ctro N SFe	47,8	33,7	33,7	45,1
VI	Núcleo Norte	90,3	89,7	90,2	81,8
VII	Núcleo Sur	87,2	87,6	88,1	79,5
VIII	Ctro E ER	71,8	58,6	58,6	73,6
IX	N LP-OBA	48,9	51,5	58,0	50,3
X	Ctro Bs As	31,9	40,6	42,0	50,5
XI	SO BA-S LP	30,6	39,3	40,3	48,6
XII	SE BA	29,5	30,5	33,5	37,8
XIII	San Luis	31,0	19,6	19,6	29,7
XIV	Cuenca Sal	39,4	33,1	35,4	65,3
XV	Others	52,0	67,0	69,0	47,1
National		40,0	37,4	39,3	42,8