

CROP CONDITION & DEVELOPMENT STAGES


JANUARY, 18
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through January 17, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Wheat


Wheat Mature: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	95,0	100,0	100,0
XII SE BA	100,0	90,0	100,0	100,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	100,0	98,4	100,0	100,0

Wheat Harvested: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	97,0	100,0	100,0
X Ctro Bs As	100,0	92,0	100,0	100,0
XI SO BA-S LP	100,0	72,0	100,0	99,8
XII SE BA	100,0	56,0	100,0	99,5
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	100,0	95,0	100,0	100,0
XV Others	100,0	100,0	100,0	100,0
National	100,0	91,6	100,0	99,8

CROP CONDITION & DEVELOPMENT STAGES



Sunflower

Sunflower Condition: as of January 17, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	14,0	50,0	28,0	8,0
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	15,0	30,0	50,0	5,0
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	20,0	35,0	45,0
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	33,3	50,0	16,7	-
XII SE BA	-	-	25,0	62,5	12,5
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	9,0	49,0	42,0
XV Others	-	-	-	-	-
National	-	13,7	33,6	40,8	12,0

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Moisture Condition: as of January 17, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	25,0	45,0	30,0	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	30,0	65,0	5,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	8,0	23,0	57,0	12,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	15,0	39,0	46,0	-	-
XII	SE BA	-	22,0	78,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	24,0	53,0	23,0	-
XV	Others	-	-	-	-	-
National		6,3	32,1	57,8	3,7	-

Sunflower Flowerbud Stage: as of January 3, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	96,0	78,0	100,0	95,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	98,0	53,0	87,0	95,8
XII	SE BA	96,0	56,0	89,0	95,9
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	100,0	74,0	100,0	96,0
XV	Others	-	-	-	-
National		97,5	75,1	94,2	96,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	67,0	40,0	67,0	65,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	65,0	15,0	57,0	63,3
XII	SE BA	70,0	29,0	61,0	67,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	62,0	22,0	56,0	60,0
XV	Others	-	-	-	-
National		84,4	53,4	75,3	73,6

Sunflower Seed Development: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	94,0	80,0	100,0	95,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	33,0	12,0	29,0	30,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	3,0	-	10,0	4,4
XII	SE BA	17,0	-	17,0	18,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	43,0	-	39,0	41,7
XV	Others	-	-	-	-
National		46,8	35,1	49,3	37,2

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	87,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	78,0	60,0	79,0	75,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	2,0	5,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		31,5	27,9	34,4	22,7

Sunflower Harvested: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	75,0	45,0	82,0	80,0
III	Ctro N Cba	50,0	-	30,0	38,8
IV	S Cba	-	-	5,0	-
V	Ctro N SFe	22,0	12,0	40,0	35,6
VI	Núcleo Norte	10,0	-	10,0	8,8
VII	Núcleo Sur	-	-	6,0	-
VIII	Ctro E ER	-	-	2,0	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	10,0	-
National		16,6	11,4	23,6	15,1

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Planted: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	78,0	12,0	45,0	48,3
II	NEA	80,0	7,0	60,0	69,3
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		95,6	69,6	84,7	94,0

Early Corn Condition: as of January 17, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	62,5	12,5	10,0	15,0	-
IV	S Cba	20,0	10,0	50,0	20,0	-
V	Ctro N SFe	60,0	20,0	15,0	5,0	-
VI	Núcleo Norte	25,0	25,0	37,5	12,5	-
VII	Núcleo Sur	22,0	40,0	22,0	16,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	50,0	50,0	-	-
X	Ctro Bs As	28,6	14,3	28,6	28,6	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	75,0	25,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		20,3	24,6	43,1	10,7	1,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Moisture Condition: as of January 17, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	12,5	75,0	12,5	-
IV S Cba	-	11,1	88,9	-	-
V Ctro N SFe	16,7	33,3	50,0	-	-
VI Núcleo Norte	-	12,5	87,5	-	-
VII Núcleo Sur	-	66,7	33,3	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	33,3	66,7	-	-
X Ctro Bs As	-	85,7	14,3	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	12,5	87,5	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	3,9	32,9	62,6	0,6	-

Early Corn Leaf Development: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	100,0	100,0	100,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	88,4	69,1	75,6	94,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	95,0	95,0	98,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	90,0	89,0	95,0	100,0
X	Ctro Bs As	90,0	78,0	85,0	90,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	50,0	30,0	55,0	60,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		75,4	59,4	62,0	83,7

Early Corn Silking: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	85,0	75,0	85,0	92,0
IV	S Cba	84,0	74,0	86,0	92,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	85,0	95,0	100,0
VII	Núcleo Sur	100,0	88,0	95,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	85,0	82,0	90,0	91,8
X	Ctro Bs As	75,0	50,0	75,0	81,9
XI	SO BA-S LP	-	-	-	-
XII	SE BA	30,0	8,0	28,0	36,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		68,4	48,8	56,1	77,5

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Grain Growth: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	10,0	1,0	12,0	18,0
IV	S Cba	10,0	2,0	12,0	18,0
V	Ctro N SFe	60,0	38,0	55,0	65,3
VI	Núcleo Norte	40,0	12,0	40,0	50,0
VII	Núcleo Sur	25,0	12,0	30,0	30,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	15,0	5,0	15,0	25,0
X	Ctro Bs As	15,0	1,0	14,0	18,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		17,7	6,2	16,4	25,8

Late Corn

Late Corn Planted: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	95,0	91,0	100,0	89,4
IV	S Cba	98,0	94,0	100,0	97,8
V	Ctro N SFe	95,0	23,0	87,0	67,6
VI	Núcleo Norte	100,0	95,0	100,0	100,0
VII	Núcleo Sur	100,0	83,0	100,0	100,0
VIII	Ctro E ER	95,0	85,0	100,0	94,4
IX	N LP-OBA	100,0	92,0	100,0	98,8
X	Ctro Bs As	100,0	93,0	100,0	99,6
XI	SO BA-S LP	100,0	92,0	100,0	99,6
XII	SE BA	100,0	93,0	100,0	99,0
XIII	San Luis	100,0	94,0	100,0	97,0
XIV	Cuenca Sal	100,0	93,0	100,0	99,6
XV	Others	100,0	32,0	65,0	80,0
National		95,1	87,6	99,0	83,1

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Condition: as of January 17, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	62,5	12,5	10,0	15,0	-
IV S Cba	20,0	30,0	40,0	10,0	-
V Ctro N SFe	40,0	20,0	20,0	20,0	-
VI Núcleo Norte	25,0	25,0	37,5	12,5	-
VII Núcleo Sur	20,0	45,0	22,0	13,0	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	50,0	50,0	-	-
X Ctro Bs As	29,0	14,0	29,0	28,0	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	75,0	25,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	30,7	22,3	34,6	12,2	0,3

Late Corn Moisture Condition: as of January 17, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	12,5	75,0	12,5	-
IV S Cba	-	11,1	88,9	-	-
V Ctro N SFe	16,7	33,3	50,0	-	-
VI Núcleo Norte	-	12,5	87,5	-	-
VII Núcleo Sur	-	66,7	33,3	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	33,3	66,7	-	-
X Ctro Bs As	-	85,7	14,3	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	12,5	87,5	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,8	26,8	68,9	3,5	-

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Leaf Development: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	60,0	30,0	58,0	78,0
IV	S Cba	65,0	15,0	60,0	80,6
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	70,0	32,0	65,0	77,5
VII	Núcleo Sur	78,0	30,0	75,0	83,3
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	75,0	50,0	70,0	83,3
X	Ctro Bs As	70,0	38,0	60,0	75,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	58,0	50,0	55,0	55,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		55,2	31,3	60,1	64,5

Corn

Corn Planted: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	78,0	12,0	45,0	42,0
II	NEA	80,0	7,0	60,0	59,5
III	Ctro N Cba	95,8	92,4	100,0	97,8
IV	S Cba	98,6	95,2	100,0	99,3
V	Ctro N SFe	96,5	50,0	91,6	86,8
VI	Núcleo Norte	100,0	99,3	100,0	100,0
VII	Núcleo Sur	100,0	96,6	100,0	100,0
VIII	Ctro E ER	98,3	94,0	100,0	97,8
IX	N LP-OBA	100,0	96,0	100,0	99,8
X	Ctro Bs As	100,0	95,8	100,0	99,9
XI	SO BA-S LP	100,0	96,8	100,0	99,9
XII	SE BA	100,0	97,2	100,0	99,9
XIII	San Luis	100,0	95,2	100,0	98,8
XIV	Cuenca Sal	100,0	95,8	100,0	99,9
XV	Others	100,0	59,2	79,0	89,5
National		95,3	77,9	91,3	90,4

CROP CONDITION & DEVELOPMENT STAGES

Corn Condition: as of January 17, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	62,5	12,5	10,0	15,0	-
IV	S Cba	20,0	26,0	42,0	12,0	-
V	Ctro N SFe	47,6	20,0	18,1	14,3	-
VI	Núcleo Norte	25,0	25,0	37,5	12,5	-
VII	Núcleo Sur	21,6	41,0	22,0	15,4	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	50,0	50,0	-	-
X	Ctro Bs As	28,8	14,1	28,8	28,2	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	75,0	25,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		25,5	23,4	38,9	11,4	0,8

Corn Moisture Condition: as of January 17, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	12,5	75,0	12,5	-
IV	S Cba	-	11,1	88,9	-	-
V	Ctro N SFe	16,7	33,3	50,0	-	-
VI	Núcleo Norte	-	12,5	87,5	-	-
VII	Núcleo Sur	-	66,7	33,3	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	33,3	66,7	-	-
X	Ctro Bs As	-	85,7	14,3	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	12,5	87,5	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,4	29,8	65,7	2,0	-

CROP CONDITION & DEVELOPMENT STAGES

Corn Leaf Development: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	65,4	19,3	64,3	81,1
IV	S Cba	74,1	24,8	68,0	86,3
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	90,7	86,1	94,8	95,4
VII	Núcleo Sur	92,7	81,4	95,0	96,5
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	102,0	57,0	85,0	91,4
X	Ctro Bs As	83,6	50,8	76,0	90,4
XI	SO BA-S LP	-	-	-	-
XII	SE BA	88,4	67,2	82,0	92,5
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		69,8	41,1	68,5	78,6

Corn Pollination: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	13,7	12,8	14,7	14,1
IV	S Cba	30,7	19,0	23,2	32,4
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	80,5	85,0	85,3	80,5
VII	Núcleo Sur	81,3	73,6	80,4	79,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	54,3	39,0	51,0	53,8
X	Ctro Bs As	45,2	27,6	35,2	57,3
XI	SO BA-S LP	-	-	-	-
XII	SE BA	38,4	13,2	33,0	50,7
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		36,4	29,9	34,6	40,8

CROP CONDITION & DEVELOPMENT STAGES

Corn Silking: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	12,2	11,3	12,8	12,9
IV S Cba	24,0	14,8	17,2	27,0
V Ctro N SFe	-	-	-	-
VI Núcleo Norte	80,2	72,3	80,8	79,6
VII Núcleo Sur	81,0	70,4	76,0	78,7
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	48,4	41,0	45,0	44,7
X Ctro Bs As	36,4	20,0	30,0	50,4
XI SO BA-S LP	-	-	-	-
XII SE BA	23,1	4,8	16,8	30,4
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	32,3	26,4	30,3	36,3

Corn Grain Growth: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	1,4	0,2	1,8	2,5
IV S Cba	2,9	0,4	2,4	5,3
V Ctro N SFe	-	-	-	-
VI Núcleo Norte	32,1	10,2	34,0	39,8
VII Núcleo Sur	20,3	9,6	24,0	23,6
VIII Ctro E ER	26,9	16,8	31,2	40,4
IX N LP-OBA	8,5	2,5	7,5	12,2
X Ctro Bs As	7,3	0,4	5,6	11,1
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	8,4	3,3	8,9	12,1

CROP CONDITION & DEVELOPMENT STAGES

First Soybean

First Soybean Planted: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	98,0	25,0	71,0	86,3
II	NEA	94,0	30,0	78,0	86,7
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	99,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		99,5	91,3	97,0	98,2

First Soybean Condition: as of January 17, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	67,0	33,0	-	-
II	NEA	-	30,0	50,0	20,0	-
III	Ctro N Cba	-	10,0	45,0	45,0	-
IV	S Cba	-	8,0	77,7	14,3	-
V	Ctro N SFe	-	30,0	65,0	5,0	-
VI	Núcleo Norte	-	-	10,0	75,0	15,0
VII	Núcleo Sur	-	20,0	47,0	33,0	-
VIII	Ctro E ER	-	10,0	69,0	21,0	-
IX	N LP-OBA	-	20,0	30,0	50,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	12,5	62,5	25,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	17,2	45,6	35,0	2,3

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of January 17, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	20,0	80,0	-	-	-
II NEA	-	30,0	70,0	-	-
III Ctro N Cba	-	40,0	49,0	11,0	-
IV S Cba	-	10,0	79,0	11,0	-
V Ctro N SFe	12,0	38,0	50,0	-	-
VI Núcleo Norte	-	7,0	93,0	-	-
VII Núcleo Sur	-	68,0	32,0	-	-
VIII Ctro E ER	-	65,0	35,0	-	-
IX N LP-OBA	-	20,0	80,0	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	12,5	87,5	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	1,6	35,9	59,9	2,6	-

First Soybean Leaf Development: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	91,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	98,0	82,0	97,0	96,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	98,0	100,0	100,0
IX N LP-OBA	100,0	90,0	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	92,0	100,0	98,0
XIII San Luis	100,0	91,0	100,0	100,0
XIV Cuenca Sal	100,0	90,0	100,0	100,0
XV Others	100,0	88,0	100,0	100,0
National	94,3	84,9	92,2	92,5

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	78,0	57,0	75,0	74,0
IV	S Cba	63,0	44,0	74,0	75,0
V	Ctro N SFe	77,0	40,0	70,0	78,4
VI	Núcleo Norte	85,0	65,0	91,0	86,0
VII	Núcleo Sur	88,0	55,0	85,0	96,0
VIII	Ctro E ER	74,0	50,0	73,0	85,6
IX	N LP-OBA	78,0	35,0	69,0	83,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	25,0	-	28,0	30,0
XIII	San Luis	61,0	30,0	55,0	65,0
XIV	Cuenca Sal	82,0	42,0	65,0	77,0
XV	Others	35,0	18,0	35,0	20,0
National		66,2	41,3	65,2	69,8

First Soybean Beginning Pod: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	37,0	12,0	25,0	39,0
IV	S Cba	34,0	-	35,0	42,0
V	Ctro N SFe	35,0	-	24,0	60,0
VI	Núcleo Norte	34,0	8,0	40,0	35,3
VII	Núcleo Sur	23,0	-	21,0	34,3
VIII	Ctro E ER	11,0	-	10,0	18,5
IX	N LP-OBA	20,0	-	18,0	25,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	10,0	-	-	-
XIII	San Luis	5,0	-	-	8,0
XIV	Cuenca Sal	11,0	-	5,0	10,0
XV	Others	2,0	-	3,0	5,0
National		24,0	2,6	20,2	27,4

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean

Second Soybean Planted: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	86,0	30,0	73,0	71,7
II	NEA	87,0	20,0	75,0	72,0
III	Ctro N Cba	99,0	98,0	100,0	99,4
IV	S Cba	100,0	93,0	100,0	100,0
V	Ctro N SFe	96,0	85,0	100,0	95,8
VI	Núcleo Norte	99,5	99,0	100,0	99,9
VII	Núcleo Sur	100,0	90,0	100,0	100,0
VIII	Ctro E ER	100,0	98,0	100,0	99,7
IX	N LP-OBA	100,0	94,0	100,0	99,6
X	Ctro Bs As	100,0	70,0	100,0	99,2
XI	SO BA-S LP	100,0	70,0	100,0	99,0
XII	SE BA	100,0	75,0	100,0	98,0
XIII	San Luis	100,0	65,0	100,0	100,0
XIV	Cuenca Sal	100,0	55,0	100,0	100,0
XV	Others	100,0	80,0	100,0	100,0
National		97,9	78,5	96,0	95,2

Second Soybean Condition: as of January 17, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	67,0	33,0	-	-
II	NEA	-	30,0	50,0	20,0	-
III	Ctro N Cba	-	10,0	23,0	67,0	-
IV	S Cba	-	-	50,0	50,0	-
V	Ctro N SFe	-	40,0	50,0	10,0	-
VI	Núcleo Norte	-	15,0	47,5	37,5	-
VII	Núcleo Sur	-	15,0	50,0	35,0	-
VIII	Ctro E ER	-	44,4	33,3	22,2	-
IX	N LP-OBA	-	20,0	65,0	15,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	25,0	62,5	12,5	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	26,0	44,4	29,6	-

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Moisture Condition: as of January 17, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	30,0	57,0	13,0	-
IV	S Cba	-	5,0	82,5	12,5	-
V	Ctro N SFe	16,0	38,0	46,0	-	-
VI	Núcleo Norte	-	15,0	85,0	-	-
VII	Núcleo Sur	-	70,0	30,0	-	-
VIII	Ctro E ER	-	89,0	11,0	-	-
IX	N LP-OBA	-	20,0	80,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	37,5	62,5	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,4	41,3	53,7	2,6	-

Second Soybean Leaf Development: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	75,0	60,0	87,0	86,0
IV	S Cba	68,0	48,0	78,0	75,0
V	Ctro N SFe	80,0	58,0	77,0	80,0
VI	Núcleo Norte	86,0	70,0	93,0	90,0
VII	Núcleo Sur	77,0	51,0	78,0	78,0
VIII	Ctro E ER	83,0	50,0	77,0	85,0
IX	N LP-OBA	78,0	60,0	80,0	80,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	46,0	23,0	45,0	55,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		68,6	34,3	65,6	74,3

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Beginning Bloom: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	-	-	-	5,0
IV S Cba	-	-	-	5,0
V Ctro N SFe	-	-	-	3,0
VI Núcleo Norte	12,0	-	14,0	15,1
VII Núcleo Sur	9,0	-	9,0	10,3
VIII Ctro E ER	-	-	-	4,0
IX N LP-OBA	-	-	-	5,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	2,6	-	2,7	5,2

Soybean

Soybean Planted: as of January 17, 2018

Regions	January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I NOA	95,9	26,8	71,7	84,5
II NEA	92,5	26,8	77,0	83,8
III Ctro N Cba	99,8	99,4	100,0	99,9
IV S Cba	100,0	98,5	100,0	100,0
V Ctro N SFe	98,9	94,7	100,0	99,3
VI Núcleo Norte	99,9	99,7	100,0	100,0
VII Núcleo Sur	100,0	98,0	100,0	100,0
VIII Ctro E ER	100,0	99,7	100,0	100,0
IX N LP-OBA	100,0	98,7	100,0	99,9
X Ctro Bs As	100,0	82,4	100,0	99,7
XI SO BA-S LP	100,0	77,8	100,0	99,6
XII SE BA	100,0	88,1	100,0	99,1
XIII San Luis	100,0	98,5	100,0	100,0
XIV Cuenca Sal	100,0	62,5	100,0	100,0
XV Others	100,0	92,5	100,0	100,0
National	99,2	87,5	96,7	97,6

CROP CONDITION & DEVELOPMENT STAGES

Soybean Condition: as of January 17, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	67,0	33,0	-	-
II	NEA	-	30,0	50,0	20,0	-
III	Ctro N Cba	-	10,0	38,5	51,5	-
IV	S Cba	-	6,3	71,8	21,9	-
V	Ctro N SFe	-	33,0	60,4	6,5	-
VI	Núcleo Norte	-	4,1	20,2	64,8	10,9
VII	Núcleo Sur	-	19,0	47,6	33,4	-
VIII	Ctro E ER	-	16,0	62,8	21,2	-
IX	N LP-OBA	-	20,0	37,8	42,2	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	18,3	62,5	19,2	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		-	19,7	45,2	33,4	1,6

Soybean Moisture Condition: as of January 17, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	20,0	80,0	-	-	-
II	NEA	-	30,0	70,0	-	-
III	Ctro N Cba	-	37,0	51,4	11,6	-
IV	S Cba	-	8,9	79,7	11,3	-
V	Ctro N SFe	13,2	38,0	48,8	-	-
VI	Núcleo Norte	-	9,2	90,8	-	-
VII	Núcleo Sur	-	68,4	31,6	-	-
VIII	Ctro E ER	-	69,2	30,8	-	-
IX	N LP-OBA	-	20,0	80,0	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	24,1	75,9	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		1,9	37,4	58,1	2,6	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Leaf Development: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	92,6	81,9	96,2	97,5
IV	S Cba	93,2	88,9	95,3	97,0
V	Ctro N SFe	92,5	74,7	90,9	92,7
VI	Núcleo Norte	96,2	91,9	98,1	99,9
VII	Núcleo Sur	95,5	90,4	95,7	95,2
VIII	Ctro E ER	97,0	89,6	96,0	96,4
IX	N LP-OBA	95,1	83,3	95,6	89,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	74,8	60,3	74,4	69,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		86,6	72,3	84,5	85,6

Soybean Beginning Bloom: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	55,0	40,2	52,9	62,3
IV	S Cba	49,6	34,6	58,2	66,1
V	Ctro N SFe	53,6	27,8	48,7	64,0
VI	Núcleo Norte	65,2	47,4	70,1	77,8
VII	Núcleo Sur	72,5	44,2	70,1	84,6
VIII	Ctro E ER	61,1	41,3	60,3	75,4
IX	N LP-OBA	60,7	27,2	53,7	65,3
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	13,4	-	15,0	17,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		48,2	29,3	47,0	57,2

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Pod: as of January 17, 2018

Regions		January 18, 2017 %	January 3, 2018 %	January 17, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	26,1	-	17,6	27,5
IV	S Cba	26,8	-	27,5	33,1
V	Ctro N SFe	24,4	-	16,7	41,8
VI	Núcleo Norte	24,8	-	29,2	25,8
VII	Núcleo Sur	18,5	-	16,9	27,6
VIII	Ctro E ER	9,1	-	8,3	15,3
IX	N LP-OBA	15,6	-	14,0	19,4
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	5,3	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		17,2	-	14,4	19,5