

CROP CONDITION & DEVELOPMENT STAGES


JUNE 11,
2020



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NWA (North-West of Argentina)
- II - NEA (North-East of Argentina)
- III - North-Centre of Córdoba
- IV - South of Córdoba
- V - North-Centre of Santa Fe
- VI - North Belt
- VII - South Belt
- VIII - East-Centre of Entre Rios
- IX - North of La Pampa - West of Buenos Aires
- X - Centre of Buenos Aires
- XI - South-West of Buenos Aires - South of La Pampa
- XII - South-East of Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino
dventurino@bc.org.ar

CROP CONDITION ANALYST

Sofia Console Insúa
sconsoleinsua@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

María Victoria De Carli
mdecarli@bc.org.ar
Wheat & Sunflower


CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

RECENT ADVERSE EVENTS




METHODOLOGY

Findings of the survey conducted through June 10, 2020. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.


CROP CONDITION & DEVELOPMENT STAGES

Soybean 2019/20


Crop condition



Moisture condition



Development stages' progress



CROP CONDITION & DEVELOPMENT STAGES

Regional participation in the total national area (%)															
Regions	VI	VII	IX	III	IV	II	VIII	V	XII	I	X	XII	XIII	XIV	XV
Nat. Part. 2019/20	13,6	13,1	11,0	10,4	9,4	8,8	6,8	6,6	5,5	5,4	4,0	2,5	1,3	1,2	0,5
Hist. Nat. Part.	15,5	13,1	9,7	11,4	8,5	8,2	6,3	6,4	7,0	5,3	3,6	2,5	1,1	1,0	0,3
Moisture condition, Crop condition & Development stages												Week 24			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaf Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		19/20	73,0	59,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,9			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,5			
II - NEA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	54,9	27,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	76,5			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,1			
III - NCnt Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,6			
IV - S Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,0			
V - NCnt S Fe		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	72,7	55,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,7			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	97,5			
VI - North Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,7			
VII - South Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,5			
VIII - ECnt ER		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,2			
IX - N LP - W BA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,0			
XII - SE BA		19/20	95,8	58,7	100,0	100,0	100,0	100,0	100,0	100,0	100,0	88,6			
		18/19	50,0	60,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,7			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	77,6			
National		19/20	93,9	58,8	100,0	100,0	100,0	100,0	100,0	100,0	100,0	99,4			
		18/19	57,9	36,2	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,5			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	95,3			




CROP CONDITION & DEVELOPMENT STAGES

First Soybean 2019/20

Regional participation in the total national area (%)															
Regions	VII	VI	IX	III	IV	II	VIII	V	I	XII	X	XIII	XI	XIV	XV
Nat. Part. 2019/20	14,3	13,3	11,9	10,9	10,4	9,6	7,6	6,2	5,2	3,4	2,8	1,9	1,1	0,9	0,5
Hist. Nat. Part.	14,2	16,6	9,6	11,7	9,0	8,2	7,0	6,4	5,4	5,1	3,1	1,3	1,4	0,9	0,3
Moisture condition, Crop condition & Development stages												Week 24			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaf Development	Beginning bloom	Beginning pod	Beginning seed	Mature	Harvested				
I - NWA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	92,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	89,6				
II - NEA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	58,0	27,0	100,0	100,0	100,0	100,0	100,0	100,0	56,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	86,3				
III - NCnt Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	98,8				
IV - S Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	97,3				
V - NCnt S Fe		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	65,0	52,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	97,6				
VI - North Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	99,8				
VII - South Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	99,7				
VIII - ECnt ER		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	99,4				
IX - N LP - W BA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	95,9				
XII - SE BA		19/20	95,0	40,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	99,3				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	86,1				
National		19/20	95,0	40,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0				
		18/19	58,7	29,6	100,0	100,0	100,0	100,0	100,0	100,0	97,1				
		14/19 Average	✓	✓	100,0	100,0	100,0	100,0	100,0	100,0	96,5				

CROP CONDITION & DEVELOPMENT STAGES

Corn 2019/20



CROP CONDITION & DEVELOPMENT STAGES

Early Corn 2019/20

Regional participation in the total national area (%)															
Regions	II	VI	VII	IX	I	III	X	VIII	IV	XII	V	XI	XIII	XIV	XV
Nat. Part. 2019/20	16,0	16,0	12,8	11,0	9,1	5,5	5,3	5,3	5,2	3,8	2,7	2,6	2,1	1,8	0,8
Hist. Nat. Part.	12,5	17,2	13,9	10,6	7,7	4,2	6,0	5,2	6,5	4,5	3,0	3,8	2,1	2,0	0,6
Moisture condition, Crop condition & Development stages												Week 24			
Zone	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaf Development	Pollination	Silking	Grain Growth	Mature	Harvested				
I - NWA		19/20	100,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	9,6			
		18/19	99,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	9,5			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	7,5			
II - NEA		19/20	100,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	21,5			
		18/19	81,0	84,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	4,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	6,6			
III - NCnt Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	83,0			
IV - S Cba		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	89,8			
V - NCnt S Fe		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	89,8			
VI - North Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0			
VII - South Belt		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	96,0			
IX - N LP - W BA		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	89,5			
X - Cnt BA		19/20	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	90,0			
		18/19	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	84,8			
XII - SE BA		19/20	100,0	98,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	48,0			
		18/19	93,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	75,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	68,0			
XIII - San Luis		19/20	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		18/19	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	87,7			
National		19/20	100,0	90,6	100,0	100,0	100,0	100,0	100,0	100,0	100,0	74,9			
		18/19	88,6	90,9	100,0	100,0	100,0	100,0	100,0	100,0	100,0	66,9			
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	100,0	66,5			

CROP CONDITION & DEVELOPMENT STAGES

Late Corn 2019/20

Regional participation in the total national area (%)															
Regions	III	IV	XIII	IX	V	X	VIII	XII	XI	VI	XIV	VII	II	I	XV
Nat. Part. 2019/20	29,0	24,8	10,2	9,9	5,4	5,0	4,7	3,5	2,6	1,7	1,7	1,6	0,0	0,0	0,0
Hist. Nat. Part.	25,3	18,7	6,6	11,1	4,8	4,9	3,1	1,8	1,9	3,8	1,4	3,5	7,4	5,2	0,5
Moisture condition, Crop condition & Development stages												Week 24			
Regions	Adverse event	Season	Moisture Condition Favourable / Optimum	Crop Condition Fair / Excellent	Planted	Leaf Development	Pollination	Silking	Grain Growth	Mature	Harvested				
III - NCnt Cba		19/20	97,0	95,0	100,0	100,0	100,0	100,0	100,0	100,0	44,0				
		18/19	99,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	14,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	11,0				
IV - S Cba		19/20	99,0	97,0	100,0	100,0	100,0	100,0	100,0	100,0	46,0				
		18/19	100,0	99,5	100,0	100,0	100,0	100,0	100,0	100,0	15,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	12,9				
V - NCnt S Fe		19/20	98,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	25,0				
		18/19	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	5,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	98,4	9,9				
VI - North Belt		19/20	98,0	89,0	100,0	100,0	100,0	100,0	100,0	100,0	60,0				
		18/19	96,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	40,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	27,6				
VII - South Belt		19/20	98,0	90,0	100,0	100,0	100,0	100,0	100,0	100,0	39,0				
		18/19	99,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	25,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	25,3				
IX - N LP - W BA		19/20	100,0	93,0	100,0	100,0	100,0	100,0	100,0	100,0	32,0				
		18/19	98,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	30,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	18,0				
X - Cnt BA		19/20	100,0	91,0	100,0	100,0	100,0	100,0	100,0	100,0	18,0				
		18/19	100,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	-				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	10,1				
XII - SE BA		19/20	100,0	88,0	100,0	100,0	100,0	100,0	100,0	100,0	-				
		18/19	91,0	96,0	100,0	100,0	100,0	100,0	100,0	100,0	98,0				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	99,6	0,4				
XIII - San Luis		19/20	93,0	71,0	100,0	100,0	100,0	100,0	100,0	100,0	45,0				
		18/19	91,0	100,0	100,0	100,0	100,0	100,0	100,0	100,0	-				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	6,4				
National		19/20	98,1	90,3	100,0	100,0	100,0	100,0	100,0	100,0	38,1				
		18/19	98,1	99,7	100,0	100,0	100,0	100,0	100,0	99,9	12,8				
		14/19 Average	-	-	100,0	100,0	100,0	100,0	100,0	100,0	12,3				