



DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT

Ing. Esteban J. Copati ecopati @bc.org.ar

CROP ANALYST

Ing. Martin López martinlopez @bc.org.ar

CROP ANALYST

Daniela A. Venturino dventurino @bc.org.ar

CROP ANALYST

Ing. Andrés Paterniti apaterniti @bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Sofía Console Insúa sconsoleinsua @bc.org.ar Soybean, Wheat and Sunflower


Matías Mihura mmihura @bc.org.ar Corn

CONTACT

Av. Corrientes 123 C1043AAB - CABA

Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2408-4344t



I - NWA (North-West Argentina)

II - NEA (North-East Argentina)

III - North-Central Córdoba

IV - South Córdoba

V - North-Central Santa Fe

VI - North Belt

VII - South Belt

VIII - East-Central Entre Ríos

IX - North La Pampa - West Buenos Aires

X - Central Buenos Aires

XI - South-West de Buenos Aires - South La Pampa

XII - South-East Buenos Aires

XIII - San Luis


XIV - Cuenca del Salado

XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.



RECENT ADVERSE EVENTS





METHODOLOGY


Findings of the survey conducted through October 28, 2020. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.



CORN 2020/21









Regional p	articipat	tion in t	he total	nationa	l area (🤊	6)									
Regions	III	IV	Ш	IX	VI	VII	1	Х	VIII	XIII	XII	V	XI	XIV	XV
Nat. Part. 2019/20	14,3	12,3	11,3	11,0	9,5	7,3	6,4	5,3	5,3	4,7	3,8	3,8	2,7	1,9	0,5
Hist. Nat. Part.	14,5	12,4	11,3	10,6	10,1	7,9	6,6	5,1	4,3	4,7	3,5	3,8	2,7	1,9	0,5
Moisture co	ondition	, Crop c	onditio	n & Dev	elopme	nt stage	s							Week	44
										Ĭ			ج		
Regions	Adverse event		event Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
			20,	/21		-		-	-	-	-	-	-	-	-
I - NOA				/20		-		-	-	-	-	-	-	-	-
				Average /21		-		-	-	-	-		-	-	
II - NEA				/20		_		_	_	_	_	_	_	_	_
				15/20 Average				_		_	_	_	_	_	_
				/21		70,0		-	9,5	-	-	-	-	-	-
III - CN Cba				/20	64,0			-	21,0	-	-	-	-	-	-
				Average		-		_	16,6	_	_	-	_	-	-
				/21	75,0			-	11,3	-	-	-	-	-	-
IV - S Cba			19,	/20		59,0		-	24,0	-	-	-	-	-	-
			15/20/	Average		-		-	22,8	-	-	-	-	-	-
VI - Núcleo			20/21		95,0			-	82,5	-	-	-	-	-	-
Norte				/20		98,0		-	90,0	-	-	-	-	-	-
				Average	-		-		84,4	-	-	-	-	-	-
VII -			20/21		98,0			-	84,3	-	-	-	-	-	-
Núcleo Sur				19/20		79,0		-	90,0	-	-	-	-	-	-
				Average	- 70.0			-	82,0		-				-
VIII - CE E.			20/21 19/20 15/20 Average		78,0 92,0		85,0		38,0	34,2	-	-	-	-	-
Rios								100,0	65,0	62,0	1.4	-	-	-	-
				/21		100,0		-	65,0 38,0	64,4	1,4	-	-	-	-
IX - N LP - S				/20		52,0		_	57,0	-	_	_	_	_	_
BA				Average		32,0		_	53,0		_		_	_	
				/21		100,0		-	37,2	_	_	-	_	-	_
X - Ctro BA	Flo	ods		/20		63,0		_	50,0	_	-	_	_	_	-
		-		Average				_	42,6	_	_	_	_	_	_
				/21		100,0		-	32,5	-	-	-	-	-	-
XII - SE BA				/20		63,0		-	23,0	-	-	-	-	-	-
				Average		_	_		35,8	-	-	-	-	-	-
XIII - San				/21		85,0		-	11,5	-	-	-	-	-	-
Luis			19,	/20		52,0		-	22,0	-	-	-	-	-	-
Luis				Average		-		-	18,2	-	_	-	_	_	-
				/21		93,0		91,4	29,8	19,9	-	-	-	-	-
National			1	/20		75,8		94,5	40,0	31,0	-	-	-	-	-
			15/20 /	Average		-		-	36,8	30,8	0,4	-	-	-	-





EARLY CORN 2020/21


Regional participation in the total national area (%)															
Regions	II	VI	1	VII	IX	Х	VIII	XII	III	IV	V	ΧI	XIV	XIII	XV
Nat. Part. 2019/20	22,5	16,2	12,8	12,5	8,7	4,2	4,0	3,8	2,9	2,9	2,9	2,7	1,7	1,1	1,0
Hist. Nat. Part.	19,8	15,2	11,5	11,7	9,6	4,4	4,8	4,0	4,3	5,1	2,3	3,0	1,7	1,7	0,9
Moisture co	ondition	, Crop c	onditio	n & Dev	elopme	nt stage	!S							Week	44
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
		20/21			-	-		-	-	-	-	-	-	-	
I - NOA				/20	-		-		-	-	-	-	-	-	-
				Average /21		-		-	-	-	-	-	-	-	-
II - NEA				/20	_			-	_	-	-	-	_	-	-
			15/20 Average		_		_		_	_	_	_	_	_	_
				/21	70,0		-		95,0	-	-		-	-	-
III - CN Cba				19/20		64,0		-	93,0	-	-	-			-
			15/20 Average 20/21			-		-	98,6	-	-	-	-	-	-
						75,0		-	94,0	-	-	-	-	-	-
IV - S Cba			19/20 15/20 Average		59,0		-		95,0 99,0	-	-	-	-	-	-
			20/21		95,0				97,0	-	-	-		-	-
VI - Núcleo			19/20		98,0			_	98,0	_	_	_	_	_	_
Norte			15/20 Average		-		-		99,6	_	_	-	_	_	_
VII -			20/21		98,0		-		98,0	-	-	-	-	-	-
				/20		79,0		_	98,0	-	-	-	-	-	-
VII - Núcleo Sur			15/20 Average		-		-		99,6	-	-	-	-	-	-
VIII - CE E.			20/21			78,0		85,0	100,0	90,0	-	-	-	-	-
Rios				/20		92,0		100,0	100,0	95,0	2.6	-	-	-	-
				Average /21		100.0			100,0 95,0	91,8	2,6	-	-	-	-
IX - N LP - S				/21	100,0 52,0		-		90,0	-	-	-	_	-	-
BA						-			97,0	_	_	_	_	_	_
			_			100,0		-	93,0	-	-	-	-	-	-
X - Ctro BA	Flo	ods		5/20 Average 20/21 19/20		63,0		-	80,0	-	-	-	-	-	-
			15/20	Average		-		-	91,6	-	-	-	-	-	-
				/21		100,0		-	65,0	-	-	-	-	-	-
XII - SE BA				/20		63,0		-	35,0	-	-	-	-	-	-
				Average		-		-	56,0	-	-	-	-	-	-
				/21		93,0		91,4	59,6	39,8	-	-	-	-	-
National				/20		75,8		94,5	66,0	51,0	-	-	-	-	-
			15/20	Average		-		-	72,6	52,4	0,8	-	-	-	-



SUNFLOWER 2020/21












Regional participation in the total national area (%)															
Regions	XII	XI	V	IX	XIV	Х	Ш	IV	XIII	VI	VII	XV	VIII	III	1
Nat. Part. 2019/20	28,2	26,8	12,5	10,0	7,1	5,0	4,6	1,5	1,4	0,8	0,6	0,6	0,5	0,4	0,0
Hist. Nat. Part.	22,0	21,8	14,2	7,6	5,6	3,6	20,4	1,3	1,4	0,6	0,5	0,4	0,4	0,3	0,0
Moisture condition, Crop condition & Development stages Week 44															44
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested
			20,	/21		24,0		31,0	100,0	100,0	69,0	18,0	-		-
II - NEA			19/20		96,0		98,0		100,0	100,0	54,0	23,0	-	-	-
			15/20 Average		-			-	100,0	100,0	68,0	33,6	9,2		-
				/21	43,0			89,0		100,0	35,0	-			-
V - CN S Fe			19/20			100,0		100,0	100,0	100,0	38,0	7,0	-	-	-
				5/20 Average 20/21		-		-	100,0	100,0	46,0	9,6	-	-	-
IX - N LP - S			19/20		98,0 96,0			-	50,0		-		-	-	-
BA						96,0		-	30,0 35,0	-	-	-	-	-	-
			15/20 Average 20/21		99,0			-		-	-	-			-
IX - N LP - S				/20	96,0			_	51,0 30,0	_	_	_	_	_	_
BA				Average		-		_	35.0	_	_	_	_	_	_
			20/21		100,0			-	60,0	-	-	-	-	-	-
X - Ctro BA				/20		83,0		-	9,0	-	-	-	-	-	-
			15/20	Average		_		-	21,6	-	_	-	_	_	-
			20,	/21		100,0		-	43,0	-	-	-	-	-	-
XII - SE BA			19,	/20		96,0	-		35,0	-	-	-	-	-	-
			15/20	Average		-				-	-	-	-	-	-
XIV -			20,	/21		100,0		-	50,0	-	-	-	-	-	-
Cuenca Sal.			19,	19/20		90,0		-	37,0	-	-	-	-	-	-
				Average		-		-	49,4	-	-	-		-	-
				/21		76,0		85,0	59,8	24,5	7,7	0,8	-	-	-
National				/20		96,1		98,7	52,0	37,0	16,0	5,4	-	-	-
			15/20	Average		-	-		55,0	42,0	20,4	8,2	1,9	-	-



WHEAT 2020/21









Regional participation in the total national area (%)															
Regions	VI	XII	VII	ΧI	IX	III	٧	1	Х	IV	Ш	VIII	XIV	XV	XIII
Nat. Part. 2019/20	13,1	11,0	10,0	9,8	9,2	7,9	7,7	6,2	6,1	5,7	5,6	5,1	2,0	0,4	0,2
Hist. Nat. Part.	13,3	9,7	9,5	9,3	8,3	11,6	6,9	6,1	5,3	6,6	6,8	4,6	1,6	0,3	0,2
Moisture o	onditio	n, Crop	conditi	on & D	evelopr	nent st	ages							Week	44
		<u> </u>						ор							
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Condition Fair / Excellent		Planted	Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
			20,	/21		-		-	100,0	100,0	100,0	100,0	95,0	62,0	56,0
I - NOA			19/20			56,0		82,0	100,0	100,0	100,0	100,0	92,0	72,0	31,9
			15/20 Average			-		-	100,0	100,0	100,0	100,0	86,4	60,8	34,4
			20,	/21		-		-	100,0	100,0	100,0	100,0	79,0	60,0	55,5
II - NEA				19/20		89,0		90,0		100,0	100,0	100,0	78,0	52,0	21,3
			15/20 /	Average	-		-		100,0	100,0	100,0	100,0	71,6	46,2	27,1
			20,	/21		8,0	2,0		100,0	100,0	100,0	100,0	28,0	-	-
III - CN Cba			19/20		66,0		48,0		100,0	100,0	100,0	100,0	41,0	8,0	-
			15/20/	Average		-		-	100,0	100,0	100,0	93,6	43,2	10,4	1,4
			20,	/21		9,0		11,0	100,0	100,0	100,0	82,0	15,0	-	-
IV - S Cba			19,	/20		61,0		33,0	100,0	100,0	100,0	77,0	19,0	-	-
			15/20 Average 20/21 19/20 15/20 Average 20/21 19/20 15/20 Average 20/21 19/20 15/20 Average 20/21 19/20			-		-	100,0	100,0	100,0	73,0	20,6	4,0	-
V - CN S Fe					6,0		34,0		100,0	100,0	100,0	100,0	51,0	17,0	-
			19,	19/20		100,0		85,0	100,0	100,0	100,0	95,0	52,0	24,0	-
			_			-		-	100,0	100,0	100,0	96,4	54,6	21,6	4,4
VI - Núcleo					35,0			24,0	100,0	100,0	100,0	88,0	20,0	-	-
Norte					87,0			71,0	100,0	100,0	100,0	87,0	29,0	1,0	-
Norte			15/20			-		-	100,0	100,0	100,0	87,2	37,6	2,0	-
VII - Núcleo			20,			95,0		65,0	100,0	100,0	100,0	73,0	11,0	-	-
Sur	Dise	ases		/20		93,0		65,0	100,0	100,0	100,0	78,0	19,0	-	-
			15/20 Average			-		-	100,0	100,0	99,6	75,6	16,8	-	
IX - N LP - S			20,			100,0		90,0	100,0	100,0	98,0	52,0	-	-	-
BA				/20		55,0		41,0	100,0	100,0	100,0	49,0	-	-	-
				Average		-		100.0	100,0	100,0	98,2	57,0	1,8		
V. Char DA	Disea	ses -		/21		99,0		100,0	100,0 100,0	100,0	96,0	44,0	-	-	-
X - Ctro BA	Flo	ods		/20		76,0		52,0		100,0	100,0	46,0	-	-	-
				Average				07.0	100,0	100,0	94,8	47,0	-		
XI - SO BA -	Dies			/21		99,0		97,0	100,0	100,0	91,0	42,0	-	-	-
S LP	Dise	ases		/20 \verage		27,0		6,0	100,0 100,0	100,0 100,0	92,0	40,0	3./	-	-
				Average /21		98,0		100,0	100,0	100,0	85,0 89,0	46,0 32,0	3,4	-	
XII - SE BA	Dica	ases						56,0	100,0	100,0	_		-	-	-
AII - 3E DA	Dise	a3E3		/20 Average		73,0		0,0د	100,0	100,0	97,0 84,2	45,0 44,4	1,6	-	-
				/21		62,7		59,0		100,0	97,4	71,9	22,4	8,6	6,1
National				/20				57,7	100,0	100,0	99,0		28,8		3,5
Ivacional						72,5		31,1	100,0			75,5 75.3	30,6	11,3	
	l		15/207	Average	I	-	ı	-	100,0	100,0	96,5	75,3	30,0	10,6	3,8