

CROP CONDITION AND DEVELOPMENT STAGES

OCTOBER 14, 2021





DEPARTAMENT & REGIONS

HEAD OF DEPARTMENT Ing. Esteban J. Copati ecopati@bc.org.ar

CROP ANALYST Ing. Martin López *martinlopez*@bc.org.ar

CROP ANALYST Ing. Daniela A. Venturino *dventurino*@bc.org.ar

CROP ANALYST Ing. Andrés Paterniti *apaterniti*@bc.org.ar

CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Justo Fernández Vidal *jfernandez@bc.org.ar*


Jorgelina Mediote jmediote@bc.org.ar

Florencia Rostagno frostagno @bc.org.ar

CONTACT

Av. Corrientes 123 C1043AAB - CABA Tel.: +54 11 4515 8200 | 8300 estimacionesagricolas@bc.org.ar Twitter: @estimacionesbc

ISSN 2408-4344t




- I NWA (North-West Argentina) II - NEA (North-East Argentina) III - North-Central Córdoba IV - South Córdoba V - North-Central Santa Fe VI - North Belt
- VII South Belt
- VIII East-Central Entre Ríos
- IX North La Pampa West Buenos Aires X - Central Buenos Aires XI - South-West de Buenos Aires - South
- La Pampa
- XII South-East Buenos Aires
- XIII San Luis
- XIV Cuenca del Salado XV - Others

We appreciate the contribution of our Network of Collaborators throughout the country.







METHODOLOGY

Findings of the survey conducted through October 13, 2021. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to



CORN 2021/22

Regional p	articipa	ation in	the tot	al natio	nal area	a (%)									
Regions	III .	IV	IX	Ш	VI	VII	1	Х	VIII	XIII	XII	V	XI	XIV	XV
Nat. Part. 2019/20	13,5	11,7	10,3	10,0	8,9	6,9	5,7	4,9	4,7	4,5	3,6	3,6	2,4	1,8	0,5
Hist. Nat. Part.	14,5	12,4	10,7	11,1	10,0	7,9	6,4	5,2	4,6	4,9	3,6	3,8	2,7	1,8	0,5
Moisture o	onditio	n, Crop	conditi	ion & D	evelopr	velopment stages								Week	42
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested
				/22		-		-	-	-	-	-	-	-	-
I - NOA				/21		-		-	-	-	-	-	-	-	-
				Average		-		-	-	-	-	-	-	-	-
II - NEA				/22		-		-	-	-	-	-	-	-	-
II - NEA				/21 Average		-		-	-	-	-	-		-	-
				/22		24,0		-	4,6	-	-	-	-	-	-
III - CN Cba				/21		33,0		-	6,8	-	-	-		-	-
				Average		-		-	10,9	-	0,0	0,0	0,0	0,0	-
			21,	/22		85,0		-	5,4	-	-	-	-	-	-
IV - S Cba			20,	/21		39,0		-	8,4	-	-	-	-	-	-
				Average		-		-	16,8	-	0,0	0,0	0,0	0,0	-
VI - Núcleo	VI - Núcleo			/22		79,0		9,0	78,2	-	-	-	-	-	-
VI - Núcleo Norte				/21		65,0		-	75,7	-	-	-	-	-	-
				Average		-			82,6 74,8	-	-	0,0	0,0		-
/II - Núcleo			21/22 20/21		64,0 88,0			-		-	-	-		-	-
Sur				Average		- 00,0		-	76,5 78,9	-	0,0	0,0	0,0	0.0	-
				/22		60,0		-	37,2	-					-
VIII - CE E.				/21		64,0		-	36,1	-	-	-	-	-	-
Rios			16/21			-		-	57,2	-	0,0	0,0	0,0	0,0	-
				/22		59,0		-	27,3	-	-	-	-	-	-
IX - N LP - S BA			20,	/21		100,0		-	28,0	-	-	-	-	-	-
DA .			16/21/	Average		-		-	38,3	-	0,0	0,0	0,0	0,0	-
				/22		97,0		-	24,0	-	-	-	-	-	-
X - Ctro BA				/21		100,0		-	18,0	-	-	-	-	-	-
				Average		-		-	27,9	-	0,0	0,0	0,0		-
				/22 /21		100,0 100,0		-	4,5	-	-	-	-		-
XII - SE BA				/21 Average		100,0		-	6,0 9,7	-	- 0,0	- 0,0	0,0		-
				/22		45,0		-	4,7	-	- 0,0	- 0,0	- 0,0	- 0,0	-
XIII - San				/21		80,0		-	8,2	-	-	-		-	-
Luis				Average				-	14,5	-	0,0	0,0	0,0	- - - - - - - - - - - - - - - - - - -	-
				/22		68,6		99,3	23,2	16,2	-	-	-		-
National			20,	/21		75,6		90,4	23,3	9,8	-	-	-	-	-
			16/21	Average		-		-	29,4	17,0	0,2	0,0	0,0	0,0	-




EARLY CORN 2021/22


Regional participation in the total national area (%)																	
Regions		VI	VII	1	IX	x	VIII	XII	III	IV	V	XI	XIV	XIII	XV		
Nat. Part.																	
2019/20	22,7	17,4	13,8	12,9	8,1	4,5	4,1	3,7	2,1	2,1	2,8	2,4	1,8	0,7	1,1		
Hist. Nat. Part.	20,0	15,9	12,3	11,5	9,4	4,4	4,7	3,8	4,0	4,6	2,5	2,7	1,7	1,7	0,9		
Moisture o	onditio	n, Crop	conditi	ion & D	evelopi	nent st	ages							Week	42		
Regions	Adverse event		Season		Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Planted	Leaves Development	Pollination	Silking	Grain Growth	Mature	Harvested		
						/22		-		-		-	-	-	-	-	-
I-NOA				/21 Average						-	-		-		-		
				/22		-		-	-	-	-	-	-	-	· · ·		
II - NEA	II - NEA		20/21			-		-	-	-	-	-	-	-	-		
			16/21	Average		-		-	-	-	-	-	-	-	-		
III - CN Cba				/22		24,0		-	66,0	-	-	-	-	-	-		
				/21		33,0		-	68,0	-	-	-	-	-	-		
			16/21 Average 21/22		85,0		-		74,0 68,0	-	-	-	-		-		
IV - S Cba	IV - S Cha			/21	39,0		-		70,0		-				-		
				Average		-		-	79,2	-	-	-	-	-	-		
			21/22		79,0				92,0	-	-	-	-	-	-		
	/I - Núcleo Norte		20/21		65,0			-	89,0	-	-	-	-	-	-		
				Average	-			-	95,4	-	-		-	-	-		
VII - Núcleo			21/22		64,0		-		87,0	-	-	-	-	-	-		
Sur			20/21 16/21 Average		88,0			-	89,0 92,8	-	-		-	-	-		
				/22		60,0		-	98,0	-	-	-	-	-	-		
VIII - CE E.				/21		64,0		-	95,0	-	-	-	-		-		
Rios			16/21	Average			-		99,0	-	-	-	-	-	-		
IX - N LP -			21	/22		59,0		-	78,0	-	-	-	-	-	-		
O BA			20,	/21		100,0		-	70,0	-	-	-	-	-	-		
			16/21 Average			-	-		73,4	-	-		-		-		
	X - Ctro BA			/22		97,0		-	60,0	-	-	-	-	-	-		
X - Ctro BA				/21		100,0		-	45,0	-	-	-	-	-	-		
				Average /22		100,0		-	59,6 10,0	-		-	-	-	-		
XII - SE BA				/21		100,0		-	12,0	-	-						
				Average				-	17,4	-	-	-	-	-	-		
				/22		68,6		99,3	48,9	31,9	-	-	-	-	-		
National			20	/21		75,6		90,4	46,5	19,5	-	-	-	-	-		
			16/21/	Average		-		-	55,3	31,5	0,2	-	-	-	-		





SUNFLOWER 2021/22









Regional participation in the total national area (%)																	
Regions	XII	XI	Ш	V	IX	XIV	Х	IV	XIII	VI	VII	VIII	XV	Ш	1		
Nat. Part. 2019/20	23,0	21,6	10,6	14,2	12,4	7,3	4,5	1,7	1,4	0,9	0,8	0,7	0,5	0,4	0,0		
Hist. Nat. Part.	23,3	22,3	17,5	14,1	7,7	6,1	3,9	1,3	1,4	0,7	0,5	0,4	0,5	0,3	0,0		
Moisture o	Moisture condition, Crop condition & Development stagesWeek 42																
Regions	s Adverse s event		Seaso		Moisture Condition Favourable / Optimum		Cond Fai	Crop Condition Fair / Excellent		Leaves Development	Flowerbud Stage	Flowering stage	Seed development	Mature	Harvested		
II - NEA			21/22 20/21 16/21 Average		35,0		100,0 30,0		100,0 100,0 100,0	96,0 100,0 100,0	32,0 39,0 40,2	4,0 3,0 5,2	-	-	-		
V - NC S Fe			21/22 20/21 16/21 Average		38,0 18,0		94,0 89,0		100,0 100,0 100,0	86,0 85,0 95,2	11,0 21,0 20,0	-	-	-	-		
IX - N LP - W BA			21/22 20/21 16/21 Average			75,0 93,0		-	27,5 14,5 10,3	-	-	-	-	-	-		
X - Central BA			20,	21/22 20/21 16/21 Average		100,0 100,0	-		18,3 13,8 10,7	- - 0,6	-	-	-	-	-		
XI - SW BA - S LP			21/22 20/21 16/21 Averag		9		-		11,2 5,9 4,9	-	-	-	-	-	-		
XII - SE BA			21/22 20/21 16/21 Average		97,0 100,0		-		11,3 11,6 8,2	-	-	-	-	-	-		
XIV - Cuenca Sal.			21, 20,	16/21 Average 21/22 20/21 16/21 Average		100,0 93,0 -	-		12,5 9,8 20,2	-	-	-	-	-	-		
National			21/22 20/21 16/21 Average		21/22 20/21			54,8 40,3 -		97,0 81,8	38,9 27,2 39,1	15,6 16,0 31,6	4,4 4,0 9,8	0,1 0,1 1,1	-	-	-





WHEAT 2021/22







Regional participation in the total national area (%)															
Regions	VI	III	XII	VII	XI	IX	V	IV	1	Ш	X	VIII	XIV	XV	XIII
Nat. Part. 2021/22	12,9	10,0	9,9	9,8	8,8	8,0	7,4	6,8	6,6	6,6	5,5	5,1	2,1	0,4	0,2
Hist. Nat. Part.	13,5	10,5	9,8	9,8	8,8	8,3	7,2	6,7	6,2	6,7	5,5	4,8	1,8	0,3	0,2
Moisture condition, Crop condition & Development stages We													Week	42	
Regions		erse ent	Season		Cond Favou	Moisture Condition Favourable / Optimum		Crop Condition Fair / Excellent		Tillering	Steam Extension	Heading	Ripening	Mature	Harvested
			21,	/22		-		-	100,0	100,0	100,0	100,0	80,0	48,0	-
I - NWA	Dro	ught	20/21		-			-		100,0	100,0	100,0	67,0	33,0	-
			16/21 Average			-		-	100,0	100,0	100,0	100,0	69,0	36,0	-
			21/	/22		15,0		5,0	100,0	100,0	100,0	100,0	68,0	41,0	-
II - NEA				20/21		-	-		100,0	100,0	100,0	100,0	49,0	5,0	-
			16/21/	Average		-		-	100,0	100,0	100,0	100,0	45,6	18,2	-
			21/	/22		35,0		39,0	100,0	100,0	100,0	73,0	9,0	-	-
III - NC Cba				20/21				-		100,0	100,0	69,0	3,0	-	-
			16/21/	Average		-		-	100,0	100,0	99,4	68,4	7,6	-	-
IV - S Cba Pests			21/	/22		55,0		62,0	100,0	100,0	100,0	50,0	-	-	-
		sts	20	/21		-		11,0	100,0	100,0	100,0	51,0	-	-	-
			16/21	Average		-		-	100,0	100,0	97,8	47,2	0,6	-	-
				/22		47,0		57,0	100,0	100,0	100,0	76,0	20,0	1,0	-
V - NC S Fe			20	/21		4,0		43,0	100,0	100,0	100,0	78,0	21,0	-	-
			16/21	verage		-		· -	100,0	100,0	100,0	77,2	20,0	0,6	-
			21/	-		85,0		100,0	100,0	100,0	97,0	60,0	7,0	-	-
	VI - North Pests	sts	20/21			3,0		26,0	100,0	100,0	99,0	55,0	-	-	-
Belt			16/21		-			-	100,0	100,0	99,8	59,6	6,0	0.2	-
			21	-		85,0		100,0	100,0	100,0	93,0	47,0	1,0	-	-
VII - South				/21		77,0		53,0	100,0	100,0	93,0	46,0	-,-		-
Belt			16/21						100,0	100,0	93,8	44,8	-	-	-
			21	-		74,0		100,0	100,0	100,0	79,0	32,0	-	-	-
IX - N LP -	Dise	ases		/21		100,0		84,0	100,0	100,0	73,0	25,0	-	0,6 - 0,2 - 	
W BA	0.00		16/21						100,0	100,0	79,0	26,8	-		-
				/22		96,0		100,0	100,0	100,0	76,0	7,0	-	-	-
X - Central	Dise	ases		/21		100,0		96,0	100,0	100,0	75,0	16,0			-
BA	0.50		16/21		100,0			90,0		100,0	68,4	18,2	-	-	-
				/22		71,0		89,0	100,0 100,0	100,0	60,0	10,0	-	-	-
XI - SW BA -	Dise	ases		/21		100,0		89,0	100,0	100,0	59,0	13,0	-	-	-
S LP	5.30		16/21						100,0	99,4	55,8	11,6	-	-	-
				/22		95,0		100,0	100,0	100,0	57,0	13,0	-	-	-
XII - SE BA	Dise	ases		/21		100,0			100,0	100,0	54,0	9,0			
AN OLDA	0130		16/21			100,0		55,0	100,0	100,0	53,6	11,2	-	-	-
				/22		67,0		76,5	100,0	100,0	85,9	48,4	12,2	5,5	
National				/21		46,2		48,4	100,0	100,0	85,5	46,8	-	2,3	-
National						40,2		40,4					8,8		
			16/21/	werage		-		-	100,0	100,0	86,3	50,1	11,1	3,5	-