



WEEKLY AGRICULTURAL REPORT

SEPTEMBER 15, 2022



## DEPARTAMENT & REGIONS

### CROP ANALYST

Ing. Martin López  
*martinlopez@bc.org.ar*  
 Corn & Grain Sorghum

### CROP ANALYST

Ing. Daniela A. Venturino  
*dventurino@bc.org.ar*  
 Wheat & Sunflower


### CROP ANALYST

Ing. Andrés Paterniti  
*apaterniti@bc.org.ar*  
 Soybean & Barley

### CROP SURVEY & ANALYSIS OF CROP CONDITION AND DEVELOPMENT STAGES

Joaquín Pellejero  
*jpellejero@bc.org.ar*

Agustín Podestá  
*apodesta@bc.org.ar*



- |                                 |  |
|---------------------------------|--|
| I - NWA (North-West Argentina)  | IX - North La Pampa - West Buenos Aires          |
| II - NEA (North-East Argentina) | X - Central Buenos Aires                         |
| III - North-Central Córdoba     | XI - South-West de Buenos Aires - South La Pampa |
| IV - South Córdoba              | XII - South-East Buenos Aires                    |
| V - North-Central Santa Fe      | XIII - San Luis                                  |
| VI - North Belt                 | XIV - Cuenca del Salado                          |
| VII - South Belt                | XV - Others                                      |
| VIII - East-Central Entre Ríos  |  |

### CONTACT

Av. Corrientes 123  
 C1043AAB - CABA  
 Tel.: +54 11 3221 7230  
*estimacionesagricolas@bc.org.ar*  
 Twitter: @BolsadeC\_ETyM  
 www.bolsadecereales.com

ISSN 2408-4344t

*We appreciate the contribution of our Network of Collaborators throughout the country.*

## AGRICULTURAL WEATHER OUTLOOK: SEPTEMBER 15 TO 21:

**THE LAST WEEK OF WINTER WILL BEGIN WITH COOL WEATHER, FOLLOWED BY A RISE IN TEMPERATURE, ENDING WITH RAINFALLS OVER THE SOUTHWEST AND NORTHEAST OF THE AGRICULTURAL AREA AND LOW VALUES OVER THE REST**

The outlook will begin with cool weather, caused by the entry of polar winds. The tropical winds will return quickly, sharply increasing the temperature over the north of the agricultural area. The south and center will observe more moderate values, while the Atlantic Coast will receive the entry of marine winds that will produce humid and cool weather. The process will end with the entry of a storm front, which will cause rainfalls of varying intensity over a large part of the agricultural area, with a focus on the southwest and another on the northeast, and low values on the rest. The south and center of the Andes Mountain range will receive snowfalls.



## **SUNFLOWER**

After a new week without rainfalls, planting marked a weekly progress of 1 percentage point, reaching 20.9% of a total area projected at 2 MHa. After the recent frosts, there has been considerable tissue damage, delays in initial growth and some replanting due to problems during emergence. However, rainfalls ranging from moderate to scarce are in the forecast for the next 15 days, thus reactivating fieldwork. A rise in temperatures is also in the forecast and although it reduces the risk of new frosts, it will increase the need for rain.

## **WHEAT**

At present, 46.2 % of the area observes a moisture condition ranging from regular to dry. For this reason, the crop condition continues to deteriorate, since coupled with the damage caused by frosts and the rise in temperatures, the outbreaks of pests typical of dry weather have multiplied. The lack of moisture in turn, hinders fertilization and chemical controls. Consequently, plants are heading with low height, yellowing of tissues and tiller abortion. It is expected that with the rain forecast for the next 15 days, the scenario will be at least partially reversed.



# Annex



## SUNFLOWER

2022/23 Season

Data to: September 14, 2022

Zone	Hectareage (Ha)		Percentage Planted (%)	Hectares Planted
	2021/22	2022/23		
I NWA	-	-	-	-
II NEA	120.000	170.000	100,0	170.000
III NCnt Cba	13.000	18.000	52,0	9.360
IV S Cba	47.500	52.000	-	-
V NCnt SFe	180.000	264.000	88,0	232.320
VI North Belt	21.000	26.000	-	-
VII South Belt	9.000	11.000	32,0	3.520
VIII ECnt ER	8.000	9.000	41,0	3.690
IX N LP-W BA	150.000	180.000	-	-
X Cnt BA	81.000	93.000	-	-
XI SW BA-S LP	430.000	473.000	-	-
XII SE BA	480.000	526.500	-	-
XIII SL	42.000	48.000	-	-
XIV Cuenca Sal	110.000	121.000	-	-
XV Others	8.500	8.500	-	-
<b>TOTAL</b>	<b>1.700.000</b>	<b>2.000.000</b>	<b>20,9</b>	<b>418.890</b>

# WHEAT

2022/23 Season

Data to: September 14, 2022

Zone	Hectareage (Ha)		Percentage Planted (%)	Hectares Planted
	2021/22	2022/23		
I NWA	330.000	185.000	100,0	185.000
II NEA	430.000	425.000	100,0	425.000
III NCnt Cba	495.000	335.000	100,0	335.000
IV S Cba	330.000	270.000	100,0	270.000
V NCnt SFe	485.000	385.000	100,0	385.000
VI North Belt	790.000	740.000	100,0	740.000
VII South Belt	760.000	750.000	100,0	750.000
VIII ECnt ER	425.000	420.000	100,0	420.000
IX N LP-W BA	610.000	597.000	100,0	597.000
X Cnt BA	405.000	395.000	100,0	395.000
XI SW BA-S LP	695.000	680.000	100,0	680.000
XII SE BA	860.000	835.000	100,0	835.000
XIII SL	12.000	12.000	100,0	12.000
XIV Cuenca Sal	50.000	48.000	100,0	48.000
XV Others	23.000	23.000	100,0	23.000
<b>TOTAL</b>	<b>6.700.000</b>	<b>6.100.000</b>	<b>100,0</b>	<b>6.100.000</b>