

# CROP CONDITION & DEVELOPMENT STAGES

---


AUGUST, 29  
2019



**BUENOS AIRES GRAIN EXCHANGE**  
DEPARTMENT OF AGRICULTURAL  
ESTIMATES

ISSN 2591-4715

# DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

## HEAD OF DEPARTMENT

Esteban J Copati  
[ecopati@bc.org.ar](mailto:ecopati@bc.org.ar)

## CROP ANALYST

Martin López  
[martinlopez@bc.org.ar](mailto:martinlopez@bc.org.ar)

## CROP ANALYST

Daniela A. Venturino  
[dventurino@bc.org.ar](mailto:dventurino@bc.org.ar)

## CROP CONDITION ANALYST

Sofía Console Insúa  
[sconsoleinsua@bc.org.ar](mailto:sconsoleinsua@bc.org.ar)  
Soybean

Matías Mihura  
[mmihura@bc.org.ar](mailto:mmihura@bc.org.ar)  
Corn

Juan F. De Aramburu  
[jdearamburu@bc.org.ar](mailto:jdearamburu@bc.org.ar)  
Wheat and Sunflower

## CONTACT

123 Corrientes Avenue  
C1043AAB - CABA  
Phone: +54 11 4515 8200 | 8300  
[estimacionesagricolas@bc.org.ar](mailto:estimacionesagricolas@bc.org.ar)  
Twitter: @estimacionesbc

ISSN 2591-4715

# CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through August 28, 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

## Sunflower

Season 2019/2020

### Sunflower Planted: as of August 28, 2019

Regions	August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	95,0	54,0	76,3	81,4
III Ctro N Cba	12,0	-	-	4,4
IV S Cba	-	-	-	-
V Ctro N SFe	45,0	17,8	45,0	49,4
VI Núcleo Norte	10,0	-	-	4,0
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	1,0	-	-	0,8
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	2,0	-	-	1,0
<b>National</b>	<b>28,7</b>	<b>12,5</b>	<b>20,4</b>	<b>21,2</b>

### Sunflower Condition: as of August 28, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	3,0	51,0	46,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	1,0	54,0	45,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>2,4</b>	<b>51,9</b>	<b>45,7</b>	<b>-</b>
<b>Nat. August 29, 2018</b>	<b>4,6</b>	<b>8,3</b>	<b>32,2</b>	<b>45,7</b>	<b>9,9</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Sunflower Moisture Condition: as of August 28, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	4,0	54,0	42,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	48,0	52,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>2,8</b>	<b>52,2</b>	<b>45,1</b>	<b>-</b>
<b>Nat.August 29, 2018</b>	<b>8,5</b>	<b>24,7</b>	<b>57,9</b>	<b>9,0</b>	<b>-</b>

## Wheat

### Wheat Condition: as of August 28, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	18,0	47,0	35,0	-
II NEA	-	8,0	47,0	45,0	-
III Ctro N Cba	-	6,0	46,0	44,0	4,0
IV S Cba	-	11,0	47,0	42,0	-
V Ctro N SFe	-	12,0	48,0	40,0	-
VI Núcleo Norte	-	9,0	49,0	40,0	2,0
VII Núcleo Sur	-	9,0	45,0	42,0	4,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	13,0	46,0	41,0	-
X Ctro Bs As	-	9,0	45,0	46,0	-
XI SO BA-S LP	-	16,0	52,0	32,0	-
XII SE BA	-	10,0	49,0	41,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
<b>National</b>	<b>-</b>	<b>10,5</b>	<b>47,7</b>	<b>40,7</b>	<b>1,1</b>
<b>Nat.August 29, 2018</b>	<b>3,2</b>	<b>11,9</b>	<b>38,6</b>	<b>36,5</b>	<b>9,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Moisture Condition: as of August 28, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	16,0	43,0	41,0	-
II	NEA	-	7,0	54,0	39,0	-
III	Ctro N Cba	-	10,0	54,0	36,0	-
IV	S Cba	10,0	23,0	39,0	28,0	-
V	Ctro N SFe	-	-	51,0	49,0	-
VI	Núcleo Norte	-	5,0	49,0	46,0	-
VII	Núcleo Sur	-	9,0	50,0	41,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	9,0	22,0	40,0	29,0	-
X	Ctro Bs As	4,0	12,0	46,0	38,0	-
XI	SO BA-S LP	7,0	20,0	40,0	33,0	-
XII	SE BA	2,0	11,0	49,0	38,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>2,4</b>	<b>11,2</b>	<b>47,2</b>	<b>39,0</b>	<b>0,2</b>
<b>Nat. August 29, 2018</b>		<b>8,6</b>	<b>28,7</b>	<b>44,0</b>	<b>17,1</b>	<b>1,6</b>

## Wheat Tillering: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2014/2019 Average %
I	NOA	100,0	100,0	100,0	99,6
II	NEA	100,0	82,0	95,0	93,0
III	Ctro N Cba	98,0	83,0	96,0	97,8
IV	S Cba	81,0	62,0	78,0	81,6
V	Ctro N SFe	100,0	78,0	88,0	86,6
VI	Núcleo Norte	100,0	77,0	85,0	80,8
VII	Núcleo Sur	75,0	59,0	70,0	72,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	72,0	47,0	60,0	58,0
X	Ctro Bs As	78,0	44,0	58,0	68,2
XI	SO BA-S LP	62,0	46,0	57,0	57,2
XII	SE BA	70,0	39,0	48,0	46,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>85,7</b>	<b>65,1</b>	<b>75,7</b>	<b>76,2</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Wheat Steam Extension: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2014/2019 Average %
I	NOA	82,0	58,0	72,0	75,0
II	NEA	63,0	28,0	35,0	55,8
III	Ctro N Cba	40,0	21,0	38,0	41,6
IV	S Cba	39,0	17,0	24,0	19,8
V	Ctro N SFe	38,0	19,0	32,0	42,0
VI	Núcleo Norte	40,0	18,0	27,0	33,4
VII	Núcleo Sur	19,0	3,0	9,0	12,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	8,0
X	Ctro Bs As	-	-	-	0,8
XI	SO BA-S LP	-	-	-	4,0
XII	SE BA	-	-	-	1,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>29,0</b>	<b>14,1</b>	<b>20,9</b>	<b>25,8</b>

## Wheat Heading: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2014/2019 Average %
I	NOA	41,0	19,0	29,0	31,0
II	NEA	17,0	-	-	14,8
III	Ctro N Cba	-	-	-	0,6
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	4,8
VI	Núcleo Norte	15,0	-	-	4,2
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
<b>National</b>		<b>5,9</b>	<b>1,3</b>	<b>2,0</b>	<b>3,8</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn

Season 2018/2019

### Early Corn Condition: as of August 28, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	1,0	49,0	50,0	-
II	NEA	1,0	9,0	56,0	34,0	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	1,0	55,0	43,0	1,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>0,7</b>	<b>6,9</b>	<b>54,0</b>	<b>38,3</b>	<b>0,0</b>
<b>Nat.August 29, 2018</b>		<b>18,4</b>	<b>22,2</b>	<b>40,7</b>	<b>17,1</b>	<b>1,6</b>

### Early Corn Moisture Condition: as of August 28, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	41,0	59,0	-
II	NEA	-	-	45,0	51,0	4,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	-	-	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	-	49,0	50,0	1,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,0</b>	<b>44,3</b>	<b>52,8</b>	<b>2,9</b>
<b>Nat.August 29, 2018</b>		<b>14,5</b>	<b>45,4</b>	<b>36,2</b>	<b>3,8</b>	<b>-</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Early Corn Harvested: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2013/2018 Average %
I	NOA	96,0	95,0	98,0	95,1
II	NEA	97,0	90,0	96,0	97,5
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	100,0	100,0	100,0	98,4
XII	SE BA	100,0	100,0	100,0	98,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	92,0	95,0	100,0
<b>National</b>		<b>98,9</b>	<b>97,3</b>	<b>98,9</b>	<b>98,8</b>

## Late Corn

### Late Corn Condition: as of August 28, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	45,0	47,0	8,0
IV	S Cba	-	1,0	45,0	47,0	7,0
V	Ctro N SFe	-	1,0	46,0	47,0	6,0
VI	Núcleo Norte	-	-	47,0	50,0	3,0
VII	Núcleo Sur	-	4,0	41,0	48,0	7,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	1,0	43,0	52,0	4,0
X	Ctro Bs As	-	1,0	47,0	49,0	3,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	3,0	45,0	50,0	2,0
XIII	San Luis	-	3,0	47,0	48,0	2,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>1,2</b>	<b>45,3</b>	<b>48,6</b>	<b>4,9</b>
<b>Nat. August 29, 2018</b>		<b>40,9</b>	<b>36,1</b>	<b>20,4</b>	<b>2,6</b>	<b>-</b>



# CROP CONDITION & DEVELOPMENT STAGES

## Late Corn Moisture Condition: as of August 28, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	51,0	49,0	-
IV	S Cba	-	-	44,0	56,0	-
V	Ctro N SFe	-	-	43,0	57,0	-
VI	Núcleo Norte	-	-	40,0	60,0	-
VII	Núcleo Sur	-	-	47,0	52,0	1,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	1,0	55,0	44,0	-
X	Ctro Bs As	-	1,0	44,0	55,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	1,0	48,0	50,0	1,0
XIII	San Luis	-	2,0	51,0	47,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
<b>National</b>		<b>-</b>	<b>0,6</b>	<b>49,3</b>	<b>50,0</b>	<b>0,1</b>
<b>Nat.August 29, 2018</b>		<b>-</b>	<b>19,2</b>	<b>61,4</b>	<b>15,4</b>	<b>4,1</b>

## Late Corn Harvested: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	91,0	97,0	96,4
IV	S Cba	97,0	94,0	98,0	94,6
V	Ctro N SFe	100,0	94,0	97,0	97,4
VI	Núcleo Norte	100,0	95,0	100,0	99,2
VII	Núcleo Sur	100,0	90,0	100,0	98,6
VIII	Ctro E ER	100,0	96,0	100,0	100,0
IX	N LP-OBA	95,0	89,0	95,0	94,6
X	Ctro Bs As	98,0	94,0	98,0	94,6
XI	SO BA-S LP	92,0	85,0	95,0	81,2
XII	SE BA	90,0	75,0	94,0	79,8
XIII	San Luis	100,0	90,0	94,0	97,0
XIV	Cuenca Sal	96,0	92,0	97,0	96,6
XV	Others	-	-	-	-
<b>National</b>		<b>98,0</b>	<b>91,1</b>	<b>96,9</b>	<b>95,7</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn

### Corn Condition: as of August 28, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	1,0	49,0	50,0	-
II	NEA	1,0	9,0	56,0	34,0	-
III	Ctro N Cba	-	-	45,0	47,0	8,0
IV	S Cba	-	1,0	45,0	47,0	7,0
V	Ctro N SFe	-	1,0	46,0	47,0	6,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	1,0	43,0	52,0	4,0
X	Ctro Bs As	-	1,0	47,0	49,0	3,0
XI	SO BA-S LP	-	1,0	47,0	50,0	2,0
XII	SE BA	-	3,0	45,0	50,0	2,0
XIII	San Luis	-	3,0	47,0	48,0	2,0
XIV	Cuenca Sal	-	1,0	50,0	48,0	1,0
XV	Others	-	5,0	48,0	46,0	1,0
<b>National</b>		<b>0,2</b>	<b>2,9</b>	<b>47,9</b>	<b>45,6</b>	<b>3,5</b>
<b>Nat. August 29, 2018</b>		<b>35,3</b>	<b>31,9</b>	<b>25,3</b>	<b>6,8</b>	<b>0,6</b>

### Corn Moisture Condition: as of August 28, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	41,0	59,0	-
II	NEA	-	-	45,0	51,0	4,0
III	Ctro N Cba	-	-	51,0	49,0	-
IV	S Cba	-	-	44,0	56,0	-
V	Ctro N SFe	-	-	43,0	57,0	-
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	1,0	55,0	44,0	-
X	Ctro Bs As	-	1,0	44,0	55,0	-
XI	SO BA-S LP	-	-	45,0	55,0	-
XII	SE BA	-	1,0	48,0	50,0	1,0
XIII	San Luis	-	2,0	51,0	47,0	-
XIV	Cuenca Sal	-	-	44,0	56,0	-
XV	Others	-	1,0	50,0	49,0	-
<b>National</b>		<b>-</b>	<b>0,4</b>	<b>47,8</b>	<b>50,8</b>	<b>0,9</b>
<b>Nat. August 29, 2018</b>		<b>3,3</b>	<b>31,1</b>	<b>54,0</b>	<b>9,6</b>	<b>2,0</b>

# CROP CONDITION & DEVELOPMENT STAGES

## Corn Harvested: as of August 28, 2019

Regions		August 29, 2018 %	August 21, 2019 %	August 28, 2019 %	2013/2018 Average %
I	NOA	96,0	95,0	98,0	95,1
II	NEA	97,0	90,0	96,0	97,5
III	Ctro N Cba	100,0	92,3	97,5	96,9
IV	S Cba	97,6	95,2	98,4	96,1
V	Ctro N SFe	100,0	96,1	98,1	98,3
VI	Núcleo Norte	100,0	99,4	100,0	99,9
VII	Núcleo Sur	100,0	98,5	100,0	99,8
VIII	Ctro E ER	100,0	98,4	100,0	100,0
IX	N LP-OBA	97,5	94,5	97,5	96,9
X	Ctro Bs As	98,8	96,7	98,9	97,5
XI	SO BA-S LP	96,8	92,5	97,5	93,0
XII	SE BA	96,0	87,5	97,0	94,7
XIII	San Luis	100,0	92,0	95,2	97,5
XIV	Cuenca Sal	97,6	95,6	98,4	98,8
XV	Others	100,0	92,0	95,0	100,0
<b>National</b>		<b>98,5</b>	<b>94,5</b>	<b>98,0</b>	<b>97,3</b>