

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 6
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December 5, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

First Soybean Planted: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	0,8	5,0	3,7
II	NEA	0,5	0,5	1,0	3,5
III	Ctro N Cba	60,0	29,0	64,0	59,0
IV	S Cba	80,0	86,0	94,5	76,6
V	Ctro N SFe	78,0	27,0	47,5	57,0
VI	Núcleo Norte	99,0	75,0	88,3	94,0
VII	Núcleo Sur	95,0	90,0	94,0	93,9
VIII	Ctro E ER	90,0	61,0	77,0	85,8
IX	N LP-OBA	70,0	87,0	95,0	84,5
X	Ctro Bs As	67,0	54,0	85,0	83,0
XI	SO BA-S LP	60,0	40,0	92,5	73,0
XII	SE BA	75,0	40,0	75,0	77,5
XIII	San Luis	85,0	75,0	90,0	73,0
XIV	Cuenca Sal	80,0	28,0	55,0	80,0
XV	Others	80,0	70,0	85,0	66,0
National		71,9	58,6	73,2	71,4

First Soybean Condition: as of December 5, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	12,0	53,0	35,0	-
IV	S Cba	-	5,5	57,0	37,5	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	7,0	25,0	44,0	24,0	-
VII	Núcleo Sur	-	17,0	66,0	17,0	-
VIII	Ctro E ER	4,0	29,0	67,0	-	-
IX	N LP-OBA	-	8,0	47,0	45,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	6,0	76,0	18,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		2,0	15,2	56,3	26,3	-
Nat.Dec. 06, 2017		-	6,1	34,5	59,5	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 5, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	2,0	34,0	50,0	14,0	-
IV S Cba	-	18,0	54,0	28,0	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	47,0	38,0	15,0
VII Núcleo Sur	-	4,0	56,0	39,0	-
VIII Ctro E ER	-	11,0	75,0	10,0	4,0
IX N LP-OBA	-	12,0	60,0	28,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	8,0	78,0	15,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	0,2	11,3	57,1	27,4	3,9
Nat.Dec. 06, 2017	-	24,1	60,2	15,7	-

Second soybean

Second Soybean Planted: as of December 5, 2018

Regions	December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I NOA	-	-	0,2	-
II NEA	-	-	-	-
III Ctro N Cba	-	0,5	0,5	8,0
IV S Cba	-	-	15,0	4,2
V Ctro N SFe	18,0	0,5	20,0	20,6
VI Núcleo Norte	60,0	5,0	34,4	51,2
VII Núcleo Sur	8,0	-	20,0	14,2
VIII Ctro E ER	27,0	3,0	21,5	24,6
IX N LP-OBA	1,0	-	2,0	2,6
X Ctro Bs As	3,0	-	-	0,8
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	0,5
National	9,2	1,0	11,2	10,1

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of December 5, 2018

Regions	December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I NOA	-	0,5	3,4	3,0
II NEA	0,3	0,3	0,7	2,8
III Ctro N Cba	42,3	21,5	47,2	49,1
IV S Cba	63,4	65,3	75,4	66,9
V Ctro N SFe	55,5	17,7	37,9	47,9
VI Núcleo Norte	84,4	53,0	71,4	87,0
VII Núcleo Sur	78,0	68,0	75,9	83,1
VIII Ctro E ER	75,7	48,8	65,3	77,5
IX N LP-OBA	54,4	65,8	72,3	66,6
X Ctro Bs As	27,7	28,3	44,5	56,5
XI SO BA-S LP	15,5	12,4	28,7	26,2
XII SE BA	39,4	17,9	33,6	43,2
XIII San Luis	81,4	70,8	85,0	70,8
XIV Cuenca Sal	13,3	9,8	19,3	49,8
XV Others	50,0	35,5	43,1	49,2
National	53,2	40,7	54,0	58,4

Early Corn

Early Corn Planted: as of December 5, 2018

Regions	December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	100,0	100,0	100,0	100,0
XII SE BA	100,0	100,0	100,0	98,0
XIII San Luis	100,0	100,0	100,0	98,0
XIV Cuenca Sal	100,0	100,0	100,0	99,0
XV Others	100,0	100,0	100,0	100,0
National	66,6	67,0	67,0	69,3

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 5, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	1,0	7,0	45,0	39,0	8,0
IV	S Cba	-	6,0	46,5	40,5	7,0
V	Ctro N SFe	-	4,0	35,0	51,0	10,0
VI	Núcleo Norte	-	5,0	40,0	43,0	12,0
VII	Núcleo Sur	-	2,5	33,0	55,0	9,5
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	6,0	42,0	42,0	10,0
X	Ctro Bs As	9,0	20,0	45,0	25,0	1,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	14,0	50,0	34,0	2,0
XIII	San Luis	-	31,0	44,0	24,0	1,0
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,9	8,2	41,0	41,7	8,3
Nat.Dec. 06, 2017		-	9,1	24,5	61,4	5,0

Early Corn Moisture Condition: as of December 5, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	6,0	30,0	53,0	10,0	1,0
IV	S Cba	2,0	35,0	52,0	11,0	-
V	Ctro N SFe	-	6,0	50,0	39,0	5,0
VI	Núcleo Norte	-	-	47,0	45,0	8,0
VII	Núcleo Sur	-	8,0	54,0	37,0	1,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	18,0	55,0	27,0	-
X	Ctro Bs As	-	5,0	50,0	34,0	11,0
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	-	18,0	62,0	20,0	-
XIII	San Luis	-	19,0	67,0	14,0	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,5	12,3	52,8	30,8	3,5
Nat.Dec. 06, 2017		0,5	31,3	51,1	17,0	-

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	92,0	96,0	99,8
XI	SO BA-S LP	-	-	-	-
XII	SE BA	96,0	70,0	77,0	83,4
XIII	San Luis	100,0	100,0	100,0	92,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		66,4	64,6	65,3	68,7

Early Corn Pollination: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	6,0	10,0	20,6
IV	S Cba	18,0	-	3,0	14,4
V	Ctro N SFe	81,0	58,0	90,0	84,2
VI	Núcleo Norte	28,0	15,0	55,0	51,6
VII	Núcleo Sur	-	4,0	10,0	20,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	1,0	3,6
X	Ctro Bs As	-	-	-	3,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	1,0	4,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		10,1	6,7	15,8	17,6

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	7,0	11,6
IV	S Cba	11,0	-	-	7,2
V	Ctro N SFe	59,0	35,0	78,0	63,7
VI	Núcleo Norte	14,0	3,0	22,0	19,9
VII	Núcleo Sur	-	-	5,0	6,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		5,6	2,6	8,5	8,2

Late corn

Late Corn Planted: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	5,0	3,0	8,0	6,4
IV	S Cba	8,0	4,0	12,0	9,6
V	Ctro N SFe	8,0	-	-	3,6
VI	Núcleo Norte	6,0	1,0	3,0	7,4
VII	Núcleo Sur	6,0	1,0	7,0	8,6
VIII	Ctro E ER	12,0	-	2,0	6,4
IX	N LP-OBA	15,0	4,0	10,0	21,4
X	Ctro Bs As	15,0	4,0	20,0	28,0
XI	SO BA-S LP	25,0	5,0	20,0	22,0
XII	SE BA	20,0	5,0	20,0	20,0
XIII	San Luis	6,0	4,0	8,0	14,8
XIV	Cuenca Sal	21,0	2,0	10,0	19,8
XV	Others	20,0	-	-	7,0
National		9,6	3,2	10,0	11,5

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Planted: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	1,6
II	NEA	-	-	-	6,3
III	Ctro N Cba	19,3	17,6	21,8	19,1
IV	S Cba	26,4	23,2	29,6	37,4
V	Ctro N SFe	40,2	35,0	35,0	39,4
VI	Núcleo Norte	85,9	87,1	87,4	82,8
VII	Núcleo Sur	81,2	85,2	86,1	81,6
VIII	Ctro E ER	64,8	60,0	60,8	65,1
IX	N LP-OBA	57,5	52,0	55,0	65,1
X	Ctro Bs As	49,0	47,2	56,0	67,8
XI	SO BA-S LP	70,0	52,5	60,0	78,3
XII	SE BA	68,0	52,5	60,0	83,3
XIII	San Luis	24,8	23,2	26,4	38,8
XIV	Cuenca Sal	52,6	46,1	50,5	73,0
XV	Others	52,0	100,0	100,0	42,2
National		40,4	38,2	41,3	46,2

Sunflower

Sunflower Planted: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	80,0	100,0	100,0	100,0
X	Ctro Bs As	69,0	100,0	100,0	100,0
XI	SO BA-S LP	55,0	88,0	94,0	97,4
XII	SE BA	75,0	92,0	98,0	98,4
XIII	San Luis	100,0	100,0	100,0	99,8
XIV	Cuenca Sal	80,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		81,5	95,9	98,4	99,0

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Condition: as of December 5, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	1,0	9,0	47,0	39,0	4,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	3,0	12,0	34,0	40,0	11,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	19,0	31,0	45,0	5,0
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	16,0	59,0	25,0	-
XII	SE BA	-	-	51,0	47,0	2,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	19,0	32,0	35,0	14,0
XV	Others	-	-	-	-	-
National		0,8	10,4	44,6	39,4	4,8
Nat.Dec. 06, 2017		0,4	8,8	16,0	54,4	20,4

Sunflower Moisture Condition: as of December 5, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	17,0	39,0	28,0	16,0
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	9,0	42,0	39,0	10,0
VI	Núcleo Norte	-	-	-	-	-
VII	Núcleo Sur	-	-	-	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	11,0	60,0	29,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	28,0	47,0	25,0	-
XII	SE BA	-	7,0	77,0	16,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	45,0	35,0	20,0
XV	Others	-	-	-	-	-
National		0,0	14,5	51,0	27,3	7,2
Nat.Dec. 06, 2017		2,6	23,1	46,9	26,8	0,6

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	72,0	89,0	100,0	93,6
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	74,0	65,0	77,0	78,4
XII	SE BA	85,0	78,0	90,0	87,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	90,0	87,0	100,0	96,0
XV	Others	-	-	-	-
National		88,4	86,4	93,3	90,7

Sunflower Flowerbud Stage: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	25,0	8,0	28,0	25,2
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	2,8
XII	SE BA	-	-	-	0,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	3,0	15,0	21,0
XV	Others	-	-	-	-
National		39,4	41,0	43,6	36,3

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	100,0	98,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	92,0	70,0	82,0	84,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		36,1	33,9	36,5	28,9

Sunflower Seed Development: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	-	-	-	-
II	NEA	77,0	64,0	75,0	82,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	42,0	36,0	48,0	41,6
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		23,0	20,2	24,6	19,8

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of December 5, 2018

Regions	December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	35,0	17,0	29,0	28,4
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	22,0	3,0	15,0	10,0
VI Núcleo Norte	-	-	-	-
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	10,9	4,4	8,9	6,3

Wheat

Wheat Condition: as of December 5, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	10,0	27,0	35,0	28,0	-
IV S Cba	3,0	32,0	51,0	14,0	-
V Ctro N SFe	-	12,0	52,0	31,0	5,0
VI Núcleo Norte	29,0	36,0	24,0	10,0	1,0
VII Núcleo Sur	-	6,0	50,0	38,0	6,0
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	1,0	11,0	46,0	39,0	3,0
X Ctro Bs As	2,0	17,0	48,0	29,0	4,0
XI SO BA-S LP	-	11,0	38,0	41,0	10,0
XII SE BA	3,0	15,0	41,0	32,0	9,0
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	5,1	17,5	41,7	30,5	5,2
Nat.Dec. 06, 2017	5,6	10,1	26,5	32,7	25,1

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of December 5, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	8,0	53,0	38,0	1,0
IV	S Cba	2,0	15,0	48,0	35,0	-
V	Ctro N SFe	-	-	42,0	53,0	5,0
VI	Núcleo Norte	-	-	32,0	48,0	20,0
VII	Núcleo Sur	-	7,0	49,0	44,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	15,0	44,0	41,0	-
X	Ctro Bs As	-	8,0	37,0	45,0	10,0
XI	SO BA-S LP	-	17,0	55,0	28,0	-
XII	SE BA	-	13,0	57,0	30,0	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		0,2	10,8	47,3	37,9	3,8
Nat.Dec. 06, 2017		0,6	15,3	63,9	20,3	-

Wheat Ripening: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	82,0	88,0	100,0	92,8
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	95,0	100,0	100,0	98,6
VII	Núcleo Sur	87,0	84,0	99,0	95,6
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	75,0	52,0	66,0	89,6
X	Ctro Bs As	72,0	42,0	57,0	78,6
XI	SO BA-S LP	58,0	37,0	50,0	80,2
XII	SE BA	49,0	39,0	53,0	72,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		83,4	78,7	85,6	91,0

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	78,0	78,0	93,0	91,8
IV	S Cba	52,0	57,0	70,0	73,2
V	Ctro N SFe	98,0	83,0	96,0	99,4
VI	Núcleo Norte	66,0	60,0	74,0	87,8
VII	Núcleo Sur	54,0	48,0	63,0	70,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	39,0	15,0	28,0	60,2
X	Ctro Bs As	5,0	8,0	20,0	37,6
XI	SO BA-S LP	-	4,0	16,0	38,2
XII	SE BA	-	5,0	15,0	36,2
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		53,0	49,6	62,3	70,1

Wheat Harvested: as of December 5, 2018

Regions		December 6, 2017 %	November 28, 2018 %	December 5, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	100,0	98,0	100,0	100,0
III	Ctro N Cba	70,0	49,0	63,0	82,4
IV	S Cba	32,0	13,0	38,0	34,4
V	Ctro N SFe	92,0	70,0	90,0	95,6
VI	Núcleo Norte	60,0	30,0	57,0	73,6
VII	Núcleo Sur	40,0	12,0	29,0	39,4
VIII	Ctro E ER	68,0	36,0	70,0	70,2
IX	N LP-OBA	5,0	-	8,0	5,6
X	Ctro Bs As	2,0	-	-	1,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	45,0	-	30,0	34,0
XIV	Cuenca Sal	1,0	-	-	0,2
XV	Others	100,0	100,0	100,0	96,0
National		44,7	32,0	44,4	44,9