

CROP CONDITION & DEVELOPMENT STAGES


DECEMBER, 19
2019



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

CROP ANALYST

Daniela A. Venturino
dventurino@bc.org.ar

CROP CONDITION ANALYST

Sofía Console Insúa
sconsoleinsua@bc.org.ar
Soybean

Matías Mihura
mmihura@bc.org.ar
Corn

Juan F. De Aramburu
jdearamburu@bc.org.ar
Wheat and Sunflower

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through December, 18 2019. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

First Soybean

Season 2019/2020

First Soybean Planted: as of December 18, 2019

Regions	December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I NWA	32,0	7,0	12,0	19,6
II NEA	20,0	10,0	16,0	17,2
III NCnt Cba	99,0	73,7	95,0	89,2
IV S Cba	100,0	90,0	100,0	95,6
V NCnt SFe	92,0	95,7	100,0	87,0
VI North Belt	100,0	100,0	100,0	100,0
VII South Belt	100,0	100,0	100,0	99,2
VIII ECnt ER	95,0	96,6	100,0	97,8
IX N LP-W BA	98,0	96,7	100,0	98,6
X Cnt BA	98,0	90,0	100,0	97,0
XI SW BA-S LP	94,0	81,9	87,0	93,6
XII SE BA	98,0	89,9	92,9	93,8
XIII SL	100,0	78,0	87,4	92,4
XIV Cuenca Sal	100,0	78,3	88,5	98,0
XV Others	100,0	68,0	73,0	84,0
National	90,0	80,0	85,9	87,0

First Soybean Condition: as of December 18, 2019

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NWA	-	-	10,0	52,0	38,0
II NEA	-	-	16,0	53,0	31,0
III NCnt Cba	-	-	51,0	49,0	-
IV S Cba	-	9,0	48,0	43,0	-
V NCnt SFe	-	-	23,0	60,0	17,0
VI North Belt	-	-	50,0	43,0	7,0
VII South Belt	-	1,0	24,0	75,0	-
VIII ECnt ER	-	-	14,0	79,0	7,0
IX N LP-W BA	-	6,0	79,0	15,0	-
X Cnt BA	-	12,0	70,0	18,0	-
XI SW BA-S LP	-	7,0	86,0	7,0	-
XII SE BA	-	2,0	17,0	73,0	8,0
XIII SL	-	3,0	80,0	17,0	-
XIV Cuenca Sal	-	9,0	71,0	20,0	-
XV Others	-	-	15,0	75,0	10,0
National	-	2,8	44,0	49,1	4,1
Nat.Dec 19, 2018	0,9	15,8	61,9	21,4	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of December 18, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	10,0	90,0	-
II	NEA	-	-	13,0	87,0	-
III	NCnt Cba	-	6,0	61,0	33,0	-
IV	S Cba	-	26,0	74,0	-	-
V	NCnt SFe	-	-	32,0	55,0	13,0
VI	North Belt	-	-	54,0	40,0	6,0
VII	South Belt	-	18,0	65,0	17,0	-
VIII	ECnt ER	-	-	32,0	60,0	8,0
IX	N LP-W BA	-	19,0	72,0	9,0	-
X	Cnt BA	-	18,0	56,0	26,0	-
XI	SW BA-S LP	-	32,0	58,0	10,0	-
XII	SE BA	-	30,0	58,0	12,0	-
XIII	SL	-	32,0	68,0	-	-
XIV	Cuenca Sal	-	28,0	63,0	9,0	-
XV	Others	-	-	25,0	60,0	15,0
National		-	12,4	57,5	27,4	2,6
Nat.Dec 19, 2018		-	9,6	63,6	16,7	10,2

First Soybean Leaf Development: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	-
IV	S Cba	60,0	50,0	78,0	69,2
V	NCnt SFe	49,0	52,0	70,0	51,0
VI	North Belt	70,0	89,0	100,0	70,4
VII	South Belt	75,0	88,0	100,0	81,8
VIII	ECnt ER	60,0	63,0	82,0	76,6
IX	N LP-W BA	65,0	61,0	87,0	70,6
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		54,7	55,5	70,7	60,6

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Bloom: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	-
IV	S Cba	16,0	-	12,0	18,0
V	NCnt SFe	-	11,0	20,0	25,2
VI	North Belt	24,0	13,0	30,0	25,5
VII	South Belt	18,0	9,0	20,0	23,2
VIII	ECnt ER	10,0	2,0	12,0	16,0
IX	N LP-W BA	16,0	3,0	13,0	13,4
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		10,9	4,2	12,9	16,8

Second Soybean

Second Soybean Planted: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	2,0	8,0
II	NEA	-	-	-	10,2
III	NCnt Cba	59,0	8,1	45,1	57,6
IV	S Cba	50,0	16,0	37,4	58,6
V	NCnt SFe	62,0	35,7	60,5	57,4
VI	North Belt	90,0	68,9	80,3	80,2
VII	South Belt	48,0	34,7	64,0	59,6
VIII	ECnt ER	55,0	48,3	70,3	66,4
IX	N LP-W BA	20,0	14,3	29,6	37,2
X	Cnt BA	15,0	20,5	30,0	32,0
XI	SW BA-S LP	5,0	6,0	9,0	14,2
XII	SE BA	3,0	-	-	10,2
XIII	SL	20,0	-	-	41,0
XIV	Cuenca Sal	10,0	-	-	25,0
XV	Others	15,0	-	-	39,0
National		39,0	12,7	18,2	40,6

CROP CONDITION & DEVELOPMENT STAGES

Soybean

Soybean Planted: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	21,0	4,6	8,5	17,4
II	NEA	14,0	7,4	11,8	15,8
III	NCnt Cba	88,0	53,7	79,8	81,6
IV	S Cba	88,0	70,6	83,6	89,6
V	NCnt SFe	81,0	73,3	85,2	79,2
VI	North Belt	97,0	89,1	93,1	96,2
VII	South Belt	87,0	82,7	90,5	92,2
VIII	ECnt ER	87,0	84,5	92,6	93,0
IX	N LP-W BA	79,0	73,9	80,5	84,6
X	Cnt BA	59,0	52,6	62,3	73,6
XI	SW BA-S LP	33,0	27,3	30,9	36,0
XII	SE BA	46,0	37,2	38,5	55,0
XIII	SL	96,0	74,1	83,0	90,4
XIV	Cuenca Sal	42,0	40,7	46,0	64,8
XV	Others	58,0	48,5	52,0	65,2
National		74,0	61,3	70,2	75,6

Early Corn

Early Corn Planted: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	10,0	-	4,3	12,2
II	NEA	8,0	-	2,0	16,4
III	NCnt Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	100,0	100,0	100,0
VII	South Belt	100,0	100,0	100,0	100,0
VIII	ECnt ER	100,0	100,0	100,0	100,0
IX	N LP-W BA	100,0	100,0	100,0	100,0
X	Cnt BA	100,0	100,0	100,0	100,0
XI	SW BA-S LP	100,0	100,0	100,0	100,0
XII	SE BA	100,0	100,0	100,0	100,0
XIII	SL	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	21,0	25,0	100,0
National		70,0	74,3	75,1	82,2

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Condition: as of December 18, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	55,0	45,0	-
II	NEA	-	-	40,0	60,0	-
III	NCnt Cba	-	5,0	49,0	42,0	4,0
IV	S Cba	-	9,0	49,0	42,0	-
V	NCnt SFe	-	9,0	39,0	42,0	10,0
VI	North Belt	-	12,0	43,0	44,0	1,0
VII	South Belt	-	9,0	48,0	43,0	-
VIII	ECnt ER	-	14,0	47,0	38,0	1,0
IX	N LP-W BA	-	16,0	59,0	25,0	-
X	Cnt BA	-	15,0	54,0	31,0	-
XI	SW BA-S LP	-	35,0	65,0	-	-
XII	SE BA	2,0	17,0	53,0	28,0	-
XIII	SL	-	15,0	48,0	37,0	-
XIV	Cuenca Sal	1,0	16,0	58,0	25,0	-
XV	Others	-	12,0	60,0	25,0	3,0
National		0,1	12,7	49,9	36,3	0,9
Nat.Dec 19, 2018		0,7	6,8	40,9	44,8	6,8

Early Corn Moisture Condition: as of December 18, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	1,0	29,0	70,0	-
II	NEA	-	-	45,0	55,0	-
III	NCnt Cba	1,0	22,0	58,0	19,0	-
IV	S Cba	-	28,0	62,0	10,0	-
V	NCnt SFe	-	3,0	29,0	60,0	8,0
VI	North Belt	-	27,0	48,0	25,0	-
VII	South Belt	-	39,0	51,0	10,0	-
VIII	ECnt ER	-	25,0	43,0	32,0	-
IX	N LP-W BA	3,0	46,0	47,0	4,0	-
X	Cnt BA	1,0	43,0	48,0	8,0	-
XI	SW BA-S LP	6,0	48,0	44,0	2,0	-
XII	SE BA	2,0	49,0	43,0	6,0	-
XIII	SL	-	32,0	52,0	16,0	-
XIV	Cuenca Sal	3,0	41,0	48,0	8,0	-
XV	Others	-	10,0	47,0	41,0	2,0
National		1,0	33,7	48,6	16,4	0,3
Nat.Dec 19, 2018		0,2	11,1	51,6	29,3	7,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Leaf Development: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	1,0	-	-	1,4
II	NEA	1,0	-	-	1,4
III	NCnt Cba	100,0	100,0	100,0	84,2
IV	S Cba	100,0	100,0	100,0	89,8
V	NCnt SFe	100,0	100,0	100,0	91,4
VI	North Belt	100,0	100,0	100,0	96,2
VII	South Belt	100,0	100,0	100,0	96,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	100,0	100,0	92,8
X	Cnt BA	100,0	100,0	100,0	98,2
XI	SW BA-S LP	-	-	-	-
XII	SE BA	100,0	96,0	99,0	90,2
XIII	SL	100,0	99,0	100,0	87,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		71,8	74,1	74,3	66,6

Early Corn Pollination: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	60,0	28,0	51,0	47,6
IV	S Cba	55,0	27,0	49,0	62,2
V	NCnt SFe	100,0	92,0	99,0	90,4
VI	North Belt	77,0	63,0	80,0	84,2
VII	South Belt	75,0	32,0	75,0	72,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	43,0	10,0	42,0	50,8
X	Cnt BA	19,0	9,0	22,0	29,8
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	3,2
XIII	SL	10,0	8,0	11,0	11,4
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		42,7	26,3	42,1	41,6

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Silking: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	31,0	10,0	29,0	24,8
IV	S Cba	30,0	7,0	25,0	33,8
V	NCnt SFe	99,0	78,0	85,0	86,4
VI	North Belt	67,0	39,0	65,0	65,2
VII	South Belt	51,0	12,0	45,0	47,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	18,0	1,0	18,0	22,4
X	Cnt BA	7,0	-	5,0	10,4
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	5,0	-	1,0	5,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		31,8	14,1	28,1	27,4

Early Corn Grain Growth: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	-	-	-	-
III	NCnt Cba	-	-	-	0,2
IV	S Cba	-	-	-	-
V	NCnt SFe	21,0	-	10,0	24,8
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		1,3	-	0,3	1,0

CROP CONDITION & DEVELOPMENT STAGES

Late Corn

Late Corn Planted: as of December 18, 2019

Regions	December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I NWA	-	-	-	-
II NEA	-	-	-	-
III NCnt Cba	36,0	12,0	33,3	34,2
IV S Cba	63,0	30,0	52,0	50,6
V NCnt SFe	8,0	3,0	5,0	11,8
VI North Belt	50,0	30,0	55,0	49,8
VII South Belt	49,0	18,0	53,0	53,4
VIII ECnt ER	11,0	2,0	8,0	24,2
IX N LP-W BA	70,0	30,0	65,0	61,2
X Cnt BA	55,0	29,0	40,0	74,2
XI SW BA-S LP	65,0	32,0	63,0	76,0
XII SE BA	60,0	38,0	60,0	67,0
XIII SL	50,0	30,0	45,0	57,0
XIV Cuenca Sal	50,0	29,0	40,0	63,2
XV Others	-	-	-	-
National	49,0	22,1	42,3	41,8

Corn

Corn Planted: as of December 18, 2019

Regions	December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I NWA	10,0	-	4,3	7,2
II NEA	8,0	-	2,0	12,2
III NCnt Cba	46,0	33,1	49,3	43,4
IV S Cba	70,0	48,2	64,5	63,6
V NCnt SFe	40,0	46,7	47,8	43,2
VI North Belt	94,0	95,8	97,3	90,8
VII South Belt	92,0	94,3	96,7	90,8
VIII ECnt ER	64,0	65,7	67,8	72,0
IX N LP-W BA	85,0	75,5	87,8	81,8
X Cnt BA	75,0	74,4	78,4	86,4
XI SW BA-S LP	82,0	74,8	86,3	91,0
XII SE BA	80,0	78,3	86,0	90,2
XIII SL	60,0	48,2	59,3	66,8
XIV Cuenca Sal	72,0	75,2	79,0	84,0
XV Others	100,0	21,0	25,0	68,6
National	60,0	54,7	62,8	60,6

CROP CONDITION & DEVELOPMENT STAGES

Sunflower

Sunflower Condition: as of December 18, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	36,0	54,0	10,0
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	27,0	57,0	16,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	-	10,0	56,0	34,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	-	19,0	62,0	19,0	-
XII	SE BA	-	2,0	46,0	52,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	10,0	51,0	39,0	-
XV	Others	-	-	-	-	-
National		-	6,4	46,0	43,2	4,4
Nat.Dec 19, 2018		1,5	8,2	44,1	42,8	3,4

Sunflower Moisture Condition: as of December 18, 2019

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NWA	-	-	-	-	-
II	NEA	-	-	52,0	48,0	-
III	NCnt Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	NCnt SFe	-	-	29,0	59,0	12,0
VI	North Belt	-	-	-	-	-
VII	South Belt	-	-	-	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	3,0	18,0	57,0	22,0	-
X	Cnt BA	-	-	-	-	-
XI	SW BA-S LP	5,0	23,0	63,0	9,0	-
XII	SE BA	-	10,0	59,0	31,0	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	2,0	15,0	55,0	28,0	-
XV	Others	-	-	-	-	-
National		1,5	10,2	53,2	33,3	1,9
Nat.Dec 19, 2018		0,9	12,0	55,3	25,1	6,7

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Leaf Development: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	100,0	93,0	100,0	100,0
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	98,0	90,0	100,0	94,6
XII	SE BA	100,0	96,0	100,0	96,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	100,0	100,0	100,0	97,2
XV	Others	-	-	-	-
National		99,6	96,4	100,0	96,7

Sunflower Flowerbud Stage: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	42,0	39,0	42,0	55,8
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	5,0	-	4,0	11,6
XII	SE BA	4,0	-	4,0	19,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	38,0	34,0	42,0	47,0
XV	Others	-	-	-	-
National		49,4	42,2	45,6	51,1

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Flowering Stage: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	100,0	95,0	100,0	100,0
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	11,0	-	9,0	14,2
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	0,4
XII	SE BA	-	-	-	0,8
XIII	SL	-	-	-	-
XIV	Cuenca Sal	8,0	-	3,0	3,2
XV	Others	-	-	-	-
National		41,2	34,2	36,2	35,4

Sunflower Seed Development: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	100,0	79,0	97,0	98,0
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	69,0	56,0	69,0	70,8
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		33,6	23,2	28,6	28,3

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of December 18, 2019

Regions		December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I	NWA	-	-	-	-
II	NEA	59,0	39,0	55,0	63,6
III	NCnt Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	NCnt SFe	40,0	23,0	38,0	35,2
VI	North Belt	-	-	-	-
VII	South Belt	-	-	-	-
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	-	-	-	-
X	Cnt BA	-	-	-	-
XI	SW BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		19,6	10,7	15,9	17,1

Wheat

Wheat Condition: as of December 18, 2019

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NWA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	NCnt Cba	-	-	-	-	-
IV	S Cba	38,0	59,0	3,0	-	-
V	NCnt SFe	-	-	-	-	-
VI	North Belt	-	-	-	-	-
VII	South Belt	21,0	58,0	21,0	-	-
VIII	ECnt ER	-	-	-	-	-
IX	N LP-W BA	29,0	57,0	14,0	-	-
X	Cnt BA	28,0	60,0	12,0	-	-
XI	SW BA-S LP	52,0	48,0	-	-	-
XII	SE BA	16,0	41,0	43,0	-	-
XIII	SL	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		25,9	47,3	26,3	0,5	-
Nat.Dec 19, 2018		2,1	15,6	39,9	37,1	5,4

CROP CONDITION & DEVELOPMENT STAGES

Wheat Moisture Condition: as of December 18, 2019

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NWA	-	-	-	-	-
II NEA	-	-	-	-	-
III NCnt Cba	-	-	-	-	-
IV S Cba	17,0	40,0	43,0	-	-
V NCnt SFe	-	-	-	-	-
VI North Belt	-	-	-	-	-
VII South Belt	7,0	24,0	41,0	28,0	-
VIII ECnt ER	-	-	-	-	-
IX N LP-W BA	16,0	46,0	38,0	-	-
X Cnt BA	14,0	31,0	54,0	1,0	-
XI SW BA-S LP	39,0	51,0	10,0	-	-
XII SE BA	11,0	31,0	55,0	3,0	-
XIII SL	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	16,6	36,2	42,9	4,4	-
Nat.Dec 19, 2018	0,1	10,7	56,5	26,1	6,7

Wheat Ripening: as of December 18, 2019

Regions	December 19, 2018 %	December 11, 2019 %	December 18, 2019 %	2014/2019 Average %
I NWA	100,0	100,0	100,0	100,0
II NEA	100,0	100,0	100,0	100,0
III NCnt Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V NCnt SFe	100,0	100,0	100,0	100,0
VI North Belt	100,0	100,0	100,0	100,0
VII South Belt	100,0	100,0	100,0	99,6
VIII ECnt ER	-	-	-	-
IX N LP-W BA	100,0	88,0	98,0	97,8
X Cnt BA	96,0	73,0	91,0	91,0
XI SW BA-S LP	85,0	77,0	95,0	87,2
XII SE BA	87,0	71,0	88,0	82,0
XIII SL	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	97,3	92,5	97,8	96,2

CROP CONDITION & DEVELOPMENT STAGES

Wheat Mature: as of December 18, 2019

Regions		December 19, 2018	December 11, 2019	December 18, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	100,0	100,0	100,0	99,6
IV	S Cba	100,0	84,0	100,0	98,0
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	100,0	91,0	100,0	99,6
VII	South Belt	100,0	78,0	97,0	98,0
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	64,0	45,0	74,0	77,2
X	Cnt BA	65,0	40,0	60,0	64,4
XI	SW BA-S LP	46,0	34,0	51,0	51,8
XII	SE BA	43,0	31,0	47,0	43,4
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		84,7	74,4	85,5	84,7

Wheat Harvested: as of December 18, 2019

Regions		December 19, 2018	December 11, 2019	December 18, 2019	2014/2019 Average
		%	%	%	%
I	NWA	100,0	100,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	NCnt Cba	98,0	92,7	100,0	98,6
IV	S Cba	82,0	59,3	91,5	85,2
V	NCnt SFe	100,0	100,0	100,0	100,0
VI	North Belt	90,0	89,0	100,0	95,6
VII	South Belt	70,0	51,3	84,3	84,4
VIII	ECnt ER	-	-	-	-
IX	N LP-W BA	44,0	29,2	70,4	53,2
X	Cnt BA	26,0	23,2	51,0	44,4
XI	SW BA-S LP	12,0	20,3	48,8	16,4
XII	SE BA	7,0	-	7,5	4,2
XIII	SL	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		68,2	61,3	77,5	62,7