

CROP CONDITION & DEVELOPMENT STAGES


AUGUST, 30
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGE ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

123 Corrientes Avenue
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through August 29, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Season 2018/2019

Sunflower

Sunflower Planted: as of August 29, 2018

Regions	August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2013/2018 Average %
I NOA	-	-	-	-
II NEA	90,0	80,0	95,0	73,8
III Ctro N Cba	10,0	7,0	12,0	6,0
IV S Cba	-	-	-	-
V Ctro N SFe	50,0	22,0	45,0	54,4
VI Núcleo Norte	8,0	2,0	10,0	2,8
VII Núcleo Sur	-	-	-	-
VIII Ctro E ER	2,0	-	1,0	1,4
IX N LP-OBA	-	-	-	-
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	-	-	-	-
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	3,0	-	2,0	2,0
National	26,3	21,8	28,7	20,0

Sunflower Moisture Condition: as of August 29, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	11,0	32,0	51,0	6,0	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	81,0	19,0	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	-	-	-	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	-	-	-	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	8,5	24,7	57,9	9,0	-
Nat. Aug. 30, 2017	-	-	82,4	17,6	-

CROP CONDITION & DEVELOPMENT STAGES

Wheat

Wheat Condition: as of August 29, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	10,0	53,0	34,0	3,0	-
II	NEA	-	16,0	51,0	33,0	-
III	Ctro N Cba	10,0	22,0	44,0	24,0	-
IV	S Cba	-	12,0	41,0	32,0	15,0
V	Ctro N SFe	-	4,0	34,0	59,0	3,0
VI	Núcleo Norte	11,0	7,0	48,0	34,0	-
VII	Núcleo Sur	-	12,0	27,0	38,0	23,0
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	7,0	37,0	33,0	23,0
X	Ctro Bs As	-	13,0	45,0	42,0	-
XI	SO BA-S LP	-	3,0	37,0	39,0	21,0
XII	SE BA	-	-	36,0	46,0	18,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		3,2	11,9	38,6	36,5	9,8
Nat. Aug. 30, 2017		1,4	8,6	30,2	53,2	6,7

Wheat Moisture Condition: as of August 29, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	41,0	59,0	-	-	-
II	NEA	24,0	28,0	48,0	-	-
III	Ctro N Cba	23,0	55,0	22,0	-	-
IV	S Cba	5,0	43,0	45,0	7,0	-
V	Ctro N SFe	-	10,0	68,0	22,0	-
VI	Núcleo Norte	5,0	33,0	57,0	5,0	-
VII	Núcleo Sur	5,0	26,0	42,0	27,0	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	-	19,0	52,0	27,0	2,0
X	Ctro Bs As	-	23,0	53,0	18,0	6,0
XI	SO BA-S LP	-	29,0	48,0	23,0	-
XII	SE BA	3,0	9,0	50,0	35,0	3,0
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		8,6	28,7	44,0	17,1	1,6
Nat. Aug. 30, 2017		3,3	17,5	15,0	32,0	32,2

CROP CONDITION & DEVELOPMENT STAGES

Wheat Tillering: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2013/2018 Average %
I	NOA	100,0	100,0	100,0	100,0
II	NEA	97,0	100,0	100,0	97,0
III	Ctro N Cba	100,0	85,0	98,0	100,0
IV	S Cba	100,0	69,0	81,0	89,4
V	Ctro N SFe	89,0	92,0	100,0	89,0
VI	Núcleo Norte	98,0	95,0	100,0	85,8
VII	Núcleo Sur	85,0	63,0	75,0	79,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	75,0	60,0	72,0	61,6
X	Ctro Bs As	80,0	65,0	78,0	75,0
XI	SO BA-S LP	49,0	62,0	62,0	64,2
XII	SE BA	42,0	58,0	70,0	50,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		81,8	77,7	86,0	78,3

Wheat Steam Extension: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2013/2018 Average %
I	NOA	78,0	70,0	82,0	77,4
II	NEA	56,0	50,0	63,0	64,4
III	Ctro N Cba	33,0	31,0	40,0	49,8
IV	S Cba	27,0	28,0	39,0	29,0
V	Ctro N SFe	43,0	30,0	38,0	49,4
VI	Núcleo Norte	60,0	32,0	40,0	39,4
VII	Núcleo Sur	50,0	7,0	19,0	19,4
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	8,0	-	-	16,2
X	Ctro Bs As	-	-	-	8,4
XI	SO BA-S LP	4,0	-	-	10,4
XII	SE BA	-	-	-	6,4
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		33,6	22,5	29,4	29,9

CROP CONDITION & DEVELOPMENT STAGES

Wheat Heading: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2013/2018 Average %
I	NOA	42,0	33,0	41,0	27,4
II	NEA	33,0	8,0	17,0	22,8
III	Ctro N Cba	-	-	-	1,6
IV	S Cba	-	-	-	1,2
V	Ctro N SFe	9,0	-	-	7,6
VI	Núcleo Norte	6,0	3,0	15,0	1,6
VII	Núcleo Sur	-	-	-	0,8
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	-	-	-	-
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	33,0	8,0	17,0	22,8
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		6,3	3,1	6,0	3,6

Season 2017/2018

Early Corn

Early Corn Harvested: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2012/2017 Average %
I	NOA	98,0	94,0	96,0	95,1
II	NEA	100,0	96,0	97,0	97,5
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	96,0	100,0	100,0	98,4
XII	SE BA	96,0	100,0	100,0	98,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	100,0	100,0	100,0	100,0
XV	Others	100,0	100,0	100,0	100,0
National		99,4	98,4	98,9	98,8

Late Corn

Late Corn Harvested: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	90,0	98,0	100,0	96,4
IV	S Cba	86,0	93,0	97,0	94,6
V	Ctro N SFe	95,0	100,0	100,0	97,4
VI	Núcleo Norte	96,0	100,0	100,0	99,2
VII	Núcleo Sur	95,0	98,0	100,0	98,6
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	80,0	92,0	95,0	94,6
X	Ctro Bs As	82,0	98,0	98,0	94,6
XI	SO BA-S LP	40,0	82,0	92,0	81,2
XII	SE BA	42,0	80,0	90,0	79,8
XIII	San Luis	90,0	98,0	100,0	97,0
XIV	Cuenca Sal	90,0	95,0	96,0	96,6
XV	Others	100,0	100,0	100,0	100,0
National		86,1	95,4	98,0	95,7

Corn

Corn Harvested: as of August 29, 2018

Regions		August 30, 2017 %	August 22, 2018 %	August 29, 2018 %	2012/2017 Average %
I	NOA	98,0	94,0	96,0	95,1
II	NEA	100,0	96,0	97,0	97,5
III	Ctro N Cba	91,5	98,3	100,0	96,9
IV	S Cba	90,2	94,4	97,6	96,1
V	Ctro N SFe	96,5	100,0	100,0	98,3
VI	Núcleo Norte	99,4	100,0	100,0	99,9
VII	Núcleo Sur	99,3	99,6	100,0	99,8
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	88,0	96,0	97,5	96,9
X	Ctro Bs As	91,0	98,8	98,8	97,5
XI	SO BA-S LP	76,4	92,8	96,8	93,0
XII	SE BA	85,2	92,0	96,0	94,7
XIII	San Luis	92,0	98,4	100,0	97,5
XIV	Cuenca Sal	96,0	97,0	97,6	98,8
XV	Others	100,0	100,0	100,0	100,0
National		93,6	97,0	98,5	97,3